



# Catalogue 2023



Rover...  a gardener's best friend



# CONTENTS

CREATE YOUR  
**PERFECT**  
GREEN SPACE



With over 60 years experience in Australia, Rover offers you a large range of durable and simple to use lawn mowers that give lawns an amazing finish. Our Rover lawn mowers are also fitted with Safe Stop, an engine brake that keeps you and others around you safe at all times.

Our feature packed range of ride on mowers and zero turns offer superior performance and are ideal for large areas. With durability, performance and comfort in mind, our Rover ride ons and zero turns make mowing your lawn easier and more enjoyable.

We offer a range of handheld equipment to complement our grass cutting equipment including attachment capable line trimmers and a powerful blower.

Rover's garden products are also built to last. With a range of versatile chipper shredders, as well as our hard working tiller for those hard ground breaking jobs, Rover seasonal equipment is there for you all year round.



## RIDE ONS & ZERO TURNS

Micro Rider	6
Mini Rider 382/30	6-7
Mini Rider 382/30 Hydro	7
Raider 439/36	7
Rancher 547/36	8
Rancher 547/42	8
Lawn King I-547/42	9
Lawn King 18/42	9
Lawn King 21/42	10-13
Specifications - Ride Ons	14
RZ 46	14
RZT S 46	15
Specifications - Zero Turns	16-17

## LAWN MOWERS

Duracut 410	21
Duracut 855MS	21
Duracut 900	22
Duracut 955SP	22
Hi Wheeler Utility Mower	23
Specifications - Lawn Mowers	24-25

## HANDHELD EQUIPMENT

Line Trimmer Attachments	28
R2600 Curved Shaft Line Trimmer	29
RS2650 Straight Shaft Line Trimmer	29
RS3100 Straight Shaft Line Trimmer	29
R2BV Blower Vac	29

## SEASONAL EQUIPMENT

4cm (1.5") Chipper Shredder Vac	31
Super Bronco CRT Tiller	31

## PARTS

Quick Reference Guide	32-33
-----------------------	-------

# RIDE ONS & ZERO TURNS



MY ROVER DELIVERS  
**PERFORMANCE**  
I CAN RELY ON




From ride on mowers through to zero turns, Rover has a feature packed rider to suit your needs.

Our Rover ride ons fitted with a Rover or Kawasaki engine come with a 5 year engine plus 5 year unit domestic use warranty\* so you can enjoy your Rover for years to come.



\*See back page for more information on engine and unit warranties.



All Rover ride ons fitted with a Rover or Kawasaki engine feature a 5 year engine plus 5 year unit, domestic use warranty for added peace of mind.

With a range of engines, decks and transmissions, there is a Rover ride on to suit any application.



### ROVER ENGINES

Rover engines feature a 5 year domestic use warranty for added peace of mind.




### CHOICE OF TRANSMISSIONS

Choose from easy to use 6 (shown) or 7 speed, hydrostatic for greater manoeuvrability or CVT Auto Drive for car-like mowing.



### COMPACT STYLING

Ideal for smaller storage areas and allows the rider to manoeuvre between narrow gates.



### TELESCOPIC STEERING

Allows the operator to adjust the steering height for a more comfortable ride.



### OPTIONAL MULCH KIT

Helps maintain moisture by putting nutrients back into the grass for a healthier lawn.



### DECK WASH

Helps maintain cutting deck in optimum condition by clearing away debris.



**5.5** WARRANTY  
**MICRO RIDER 24**  
1/4 - 1 Acre

- 196cc ROVER ENGINE
- 24" DECK
- Incredibly compact ride on mower with a **6 speed transmission**
- Fits through narrow gates and is ideal for compact storage areas
- Optional mulch kit available, sold separately

R 6S CS MK

**5.5** WARRANTY  
**MINI RIDER 382/30**  
1/4 - 1 Acre

- 382cc ROVER ENGINE
- 30" DECK
- Compact rider featuring a **6 speed transmission** with a more powerful engine and larger 30" deck
- Fits through narrow gates and is ideal for compact storage areas
- Features a standard front bumper
- Optional mulch kit and catcher available, sold separately

R 6S CS TS MK DW

**5.5** WARRANTY  
**MINI RIDER 382/30 HYDRO**  
1/4 - 1 Acre

- 382cc ROVER ENGINE
- 30" DECK
- Compact rider with a more powerful engine and larger 30" deck
- Provides smoother driving with a **foot-operated hydrostatic transmission**
- Fits through narrow gates and is ideal for compact storage areas
- Features a standard front bumper
- Optional mulch kit and catcher available, sold separately

R HT CS TS MK DW

**5.5** WARRANTY  
**RAIDER 439/36**  
1 - 2 Acres

- 439cc ROVER ENGINE
- 36" DECK
- Features 36" deck and 7 speed transmission
- Ideal for large residential blocks up to 1-2 acres
- Optional side discharge chute, sold separately

R 7S CS MK


**5.5** WARRANTY  
**RANCHER 547/36**  
1 - 2 Acres

- 547cc ROVER ENGINE
- 36" DECK
- Powerful engine and 36" deck
- Ideal for large residential blocks up to 1-2 acres
- Smooth, car like driving with CVT Auto Drive transmission
- Optional side discharge chute, sold separately

R CS CVT MK



All Rover ride ons fitted with a Rover or Kawasaki engine feature a 5 year engine plus 5 year unit, domestic use warranty for added peace of mind.



Our Rover ride ons that feature larger decks have time saving extras that make mowing easier and more comfortable.



### CHOICE OF ENGINES

Choose from either Rover or Kawasaki engines featuring a 5 year domestic use warranty or a Kohler engine.



### RANGE OF TRANSMISSIONS

Available with CVT Auto drive for car-like mowing and either hand (shown) or foot-operated hydrostatic transmissions for better manoeuvrability and smoother driving when mowing.



### ELECTRIC PTO

Easily engages and disengages the mowing deck saving time and energy.



### DECK WASH

Helps maintain cutting deck in optimum condition by clearing away debris.



### HIGH BACK SEAT

Offers extra comfort. The Lawn King I-547/42 and 21/42 also feature arm rests (shown) for the ultimate in comfort when mowing for extended periods.



### OPTIONAL MULCH KIT

Helps maintain moisture by putting nutrients back into the grass for a healthier lawn.



### RANCHER 547/42



- Powerful engine and larger 42" deck
- Ideal for mowing large areas quickly and efficiently
- Gives you smooth driving with a **foot-operated CVT Auto Drive transmission**
- Optional mulch kit, front bumper and catcher available, sold separately



### LAWN KING I-547/42



- Intelligent Rover OHV engine that provides more available power under wet, heavy loads with less bogging down and consistent cutting
- Smoother driving with a **foot-operated hydrostatic transmission**
- Manual blade engagement
- Optional mulch kit, front bumper and catcher available, sold separately



### LAWN KING 18/42



- Powerful engine and larger 42" deck ideal for mowing large areas quickly and efficiently
- Smoother driving with a **foot-operated hydrostatic transmission**
- Electric PTO allows mowing deck to be easily engaged and disengaged
- Optional mulch kit, front bumper and catcher available, sold separately



### LAWN KING 21/42



- More powerful engine and larger 42" deck ideal for mowing large areas quickly and efficiently
- Smoother driving with a **foot-operated hydrostatic transmission and auto locking diff for increased traction control**
- Electric PTO allows mowing deck to be easily engaged and disengaged
- Optional mulch kit, front bumper and catcher available, sold separately





**196<sup>cc</sup>**  
ROVER  
ENGINE

**24"**  
DECK



**382<sup>cc</sup>**  
ROVER  
ENGINE

**30"**  
DECK



**382<sup>cc</sup>**  
ROVER  
ENGINE

**30"**  
DECK



**439<sup>cc</sup>**  
ROVER  
ENGINE

**36"**  
DECK



**547<sup>cc</sup>**  
ROVER  
ENGINE

**36"**  
DECK

## MICRO RIDER 24

## MINI RIDER 382/30

## MINI RIDER 382/30 HYDRO

## RAIDER 439/36

## RANCHER 547/36

<b>Model number</b>	13B426JC333	13A726JD333	13A721JD333	13AB77BY333	13A878BY333
<b>Engine</b>	196cc Rover OHV	382cc Rover OHV	382cc Rover OHV	439cc Rover OHV	547cc Rover OHV
<b>Transmission</b>	6 speed, manual	6 speed, manual	Foot-operated hydrostatic, Hydro-Gear	7 Speed, manual	CVT Auto Drive
<b>Deck</b>	61cm (24") side discharge	76cm (30") side discharge	76cm (30") side discharge	91cm (36") side discharge	91cm (36") side discharge
<b>Deck wash</b>	No	Yes	Yes	No	No
<b>PTO</b>	Manual	Manual	Manual	Manual	Manual
<b>Cruise control</b>	No	No	No	No	No
<b>RMC (reverse)</b>	No	Yes	Yes	Yes	Yes
<b>Fuel tank</b>	1.1 litre	4.9 litres	4.9 litres	5.7 litres	5.7 litres
<b>Front tyres</b>	13.00 x 5.00	13.00 x 5.00	13.00 x 5.00	15.00 x 6.00	15.00 x 6.00
<b>Rear tyres</b>	16.00 x 6.50	16.00 x 6.50	16.00 x 6.50	20.00 x 8.00	20.00 x 8.00
<b>Steering</b>	Standard	Telescopic steering	Telescopic steering	Standard	Standard
<b>Seat</b>	Low back	Mid back	Mid back	Mid back	Mid back
<b>Catcher</b>	No	Optional	Optional	Optional	Optional
<b>Mulch kit</b>	Optional	Optional	Optional	Optional	Optional
<b>Warranty - Unit</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial
<b>Warranty - Engine</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial

## RIDE ON ACCESSORIES

### Mulch Kit - Micro Rider

Fits Micro Rider  
Part No 19A30015000



### Mulch Kit - Mini Rider

Fits Mini Rider 382/30 -  
6 Speed & Hydro  
Part No 19A300130EM



### Catcher - Mini Rider

Double bagger fits  
Mini Rider 382/30 -  
6 Speed & Hydro  
Part No 19A300140EM



### Side Discharge Chute - 36" Decks

Fits Raider 439/36  
Part No  
490-950-M045



### Catcher - 36" Decks

Fits Raider 439/36 & Rancher 547/36  
Part No 19A300450EM





**547<sup>cc</sup>**  
ROVER  
ENGINE

**42"**  
DECK



**547<sup>cc</sup>**  
ROVER  
ENGINE

**42"**  
DECK



**18<sup>HP</sup>**  
KAWASAKI  
ENGINE

**42"**  
DECK



**21.5<sup>HP</sup>**  
KAWASAKI  
ENGINE

**42"**  
DECK

## RANCHER 547/42

## LAWN KING I-547/42

## LAWN KING 18/42

## LAWN KING 21/42

<b>Model number</b>	13A878BS333	13A6A9KS333	13BGA1KS333	13BFA4KS333
<b>Engine</b>	547cc Rover OHV	547cc Rover OHV	18HP Kawasaki V-Twin OHV	21.5HP Kawasaki V-Twin OHV
<b>Transmission</b>	Foot-operated hydrostatic, Hydro-Gear	Foot-operated hydrostatic, Tuff Torque	Foot-operated hydrostatic, Tuff Torque	Foot-operated hydrostatic, Tuff Torque w/auto diff lock
<b>Deck</b>	107cm (42") side discharge	107cm (42") side discharge	107cm (42") side discharge	107cm (42") side discharge
<b>Deck wash</b>	Yes	Yes	Yes	Yes
<b>PTO</b>	Manual	Manual	Electric	Electric
<b>Cruise control</b>	No	Yes	Yes	Yes
<b>RMC (reverse)</b>	Yes	Yes	Yes	Yes
<b>Fuel tank</b>	5.7 litres	11.4 litres	11.4 litres	11.4 litres
<b>Front tyres</b>	15.00 x 6.00	15.00 x 6.00	15.00 x 6.00	15.00 x 6.00
<b>Rear tyres</b>	20.00 x 8.00	20.00 x 8.00	20.00 x 8.00	20.00 x 8.00
<b>Steering</b>	Standard	Standard	Standard	Standard
<b>Seat</b>	Mid back	High back	High back	High back with arm rests
<b>Catcher</b>	Optional	Optional	Optional	Optional
<b>Mulch kit</b>	Optional	Optional	Optional	Optional
<b>Warranty - Unit</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial
<b>Warranty - Engine</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial

## RIDE ON ACCESSORIES

**Front Bumper**  
Fits Rancher 547/42  
Part No OEM-190-679



### Mulch Kit - 42" Decks

Fits Rancher 547/42,  
Lawn King I-547/42, 18/42 & 21/42  
Part No 19A70041100



### Catcher - 42" Decks

Double bagger fits  
Rancher 547/42, Lawn King  
I-547/42, 18/42 & 21/42  
Part No 19A300310EM



### Front Bumper

Fits Lawn King I-547/42, 18/42 & 21/42  
Part No 19A30020EM



### Ride On Mower Cover

For all season protection  
Part No 490-290-0013




# ZERO TURNS

All Rover ride ons fitted with a Rover or Kawasaki engine feature a 5 year engine plus 5 year unit, domestic use warranty for added peace of mind.



For larger areas, the Rover zero turn range is hard to beat. With tough builds, dual transmissions and a choice of either lap bars or four-wheel steering with steering wheel control, Rover zero turns give added stability for an effortless cut.



### CHOICE OF ENGINES

Choose from either Rover or Kawasaki engines featuring a 5 year domestic use warranty or Kohler engines.



### DUAL TRANSMISSIONS

Work at the same time to give more power, stability and manoeuvrability for an easier cut.



### RUGGED CONSTRUCTION

Heavy-duty, full length, fully-welded tubular steel frame is designed to absorb impact and provide maximum stability.



### USER FRIENDLY CONTROL PANEL

Have everything at your finger tips including the conveniently located electric PTO dash mounted button so you can quickly engage the cutting blades.



### CHOICE OF LAP BARS OR STEERING WHEEL CONTROL

Choice of padded ergonomic lap bars ideal for flat areas or steering wheel control for unbeatable stability on difficult terrains.



### OPTIONAL MULCH KIT

Helps maintain moisture by putting nutrients back into the grass for a healthier lawn.



## RZ 42



- 679cc engine and large 42" deck
- Ideal for extra large areas
- **Dual EZT Transmissions** work at the same time providing more power, stability and manoeuvrability for an easier cut
- Optional mulch kit and catcher available, sold separately



FABRICATED DECK



## RZ 46



- Powerful 21.5HP engine and extra large 46" fabricated deck
- Ideal for extra large areas
- **Dual EZT Transmissions** work at the same time providing more power, stability and manoeuvrability for an easier cut
- Optional mulch kit and catcher available, sold separately



STEERING WHEEL CONTROL



## RZT S 46



- 22HP engine and extra large 46" deck is ideal for extra large areas
- A steering wheel with true zero turn capability
- **Dual EZT Transmissions** work at the same time to give more power, stability and manoeuvrability for an easier cut
- High back seat with arm rests for the ultimate in comfort
- Optional mulch kit and catcher available, sold separately





# ZERO TURNS



## SPECIFICATIONS



679<sup>cc</sup>  
ROVER  
ENGINE

42"  
DECK

### RZ 42



21.5<sup>HP</sup>  
KAWASAKI  
ENGINE

46"  
DECK

### RZ 46



22<sup>HP</sup>  
KOHLER  
ENGINE

46"  
DECK

### RZT S 46

<b>Model number</b>	17BAFACS333	17AIFACN333	17BRCBDT333
<b>Engine</b>	679cc Rover V-Twin OHV	21.5HP Kawasaki V-Twin OHV	22HP Kohler 7000 Series V-Twin OHV
<b>Transmission</b>	Dual EZT 2200 Hydrostatic	Dual EZT 2200 Hydrostatic	Dual EZT 2200 Hydrostatic
<b>Deck</b>	107cm (42") side discharge	117cm (46") side discharge	117cm (46") side discharge
<b>Deck wash</b>	Yes	Yes	Yes
<b>PTO</b>	Electric	Electric	Electric
<b>Steering</b>	Padded, ergonomic, quick adjust lap bars	Padded, ergonomic, quick adjust lap bars	Steering wheel control
<b>Fuel tank</b>	13.2 litres, centre mounted	13.2 litres, centre mounted	10.6 litres
<b>Front tyres</b>	11.00 x 6.00	11.00 x 6.00	13.00 x 5.00
<b>Rear tyres</b>	20.00 x 8.00	20.00 x 8.00	18.00 x 8.50
<b>Seat</b>	High back	High back	High back with arm rests
<b>Catcher</b>	Optional	Optional	Optional
<b>Mulch kit</b>	Optional	Optional	Optional
<b>Warranty - Unit</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial
<b>Warranty - Engine</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	2 year domestic, 90 day commercial

## ZERO TURN ACCESSORIES



**Mulch Kit  
- 42" Deck**  
Fits RZ 42  
Part No 19A70041100



**Catcher  
- 42" & 46" Deck**  
Double bagger  
fits RZ 42 & RZ 46  
Part No 19B70054OEM



**Mulch Kit  
- 46" Deck**  
Fits RZ 46  
Part No 19A30047100



**Mulch Kit  
- 46" Deck**  
Fits RZT S 46  
Part No 19B30005100



**Catcher  
- 46" Deck**  
Double bagger fits RZT S 46  
Part No 19C70020OEM




**Rover  
Fuel Can**  
5 litre capacity  
Part No 333-000-0002

# LAWN MOWERS



MY ROVER IS  
**EASY**  
TO USE




Our Rover lawn mowers fitted with a Rover engine come with a 5 year engine plus 5 year unit domestic use warranty\* so you can enjoy your Rover for years to come.



An engine brake is fitted to stop the engine upon release of the handle for added safety and peace of mind.

\*See back page for more information on engine and unit warranties.

All Rover lawn mowers fitted with a Rover engine feature a 5 year engine plus 5 year unit, domestic use warranty for added peace of mind.



Featuring classic styling and proven 1.8mm, high arch steel decks with mulching options, the Rover Duracut range of lawn mowers are simply a cut above.



**SAFE STOP** SS  
An engine brake is fitted to stop the engine upon release of the handle for added safety and peace of mind.



**DECK WASH** DW  
Helps maintain your cutting deck in optimum condition by clearing away debris.



**LARGE CATCHER WITH FILL INDICATOR** LC  
45L catcher keeps emptying grass to a minimum. The fill indicator shows when the catcher is full.



**BALL BEARING WHEELS** BB  
Reduces friction when pushing the lawn mower saving time and effort.



**MULCHING OPTION** MO  
Helps maintain moisture by putting nutrients back into the grass for a healthier lawn.



**MySPEED TECHNOLOGY** MS  
Innovative My-Speed technology continuously adjusts the driving speed of the mower with your walking pace.



## DURACUT 410



Under 1/4 Acre



- Ideal for small areas with fine to medium grass
- Large 45L catcher with fill indicator
- Variable throttle



## DURACUT 855MS



Under 1/4 Acre



- MySpeed self-propelled for effortless mowing
- Ideal for small areas with fine to medium grass
- Large 45L catcher with fill indicator
- Features standard mulch plug
- Variable throttle



# LAWN MOWERS



The larger deck range of Rover lawn mowers feature classic styling and proven 1.8mm, high arch decks plus mulching options with more powerful engines making short work of bigger jobs.



**SAFE STOP** SS  
An engine brake is fitted to stop the engine upon release of the handle for added safety and peace of mind.



**LARGE MESH CATCHER** LC  
Extra large 65L mesh is super lightweight and keeps emptying grass to a minimum.



**MULCHING OPTION** MO  
Helps maintain moisture by putting nutrients back into the grass for a healthier lawn.



**SELF PROPELLED** SP  
Propels the mower for effortless mowing saving you time and energy.



**4 SWING BLACK BLADES** 4B  
For cleaner, more efficient cutting and catching giving you a superior cut on your lawn.



**HIGH BACK REAR WHEELS** HB  
Give greater handling and stability on difficult terrain including hilly areas.



**55**  
WARRANTY

## DURACUT 900



Under 1/4 Acre

**196cc**  
ROVER ENGINE

**21"**  
DECK

- Powerful 196cc Rover engine
- Ideal for large areas with fine to hardy grass
- Larger 67L lightweight mesh catcher
- Features a standard mulch plug
- Variable throttle

SS LC MO 4B



**55**  
WARRANTY

## DURACUT 955SP



Under 1/4 Acre

**196cc**  
ROVER ENGINE

**21"**  
DECK

- Self-propelled for effortless mowing
- Powerful 196cc Rover engine
- Ideal for large areas with fine to hardy grass
- Larger 67L lightweight mesh catcher
- Features a standard mulch plug
- Variable throttle

SS LC MO SP 4B



**55**  
WARRANTY

## HI WHEELER UTILITY MOWER



Under 1/4 Acre

**196cc**  
ROVER ENGINE

**21"**  
DECK

- Powerful 196cc Rover engine
- Ideal for large areas with fine to hardy grass
- High rear wheels for greater handling on difficult terrain
- Features side throw chute and standard mulch plug

SS MO HB

# LAWN MOWERS

## SPECIFICATIONS



140<sup>cc</sup>  
ROVER  
ENGINE 18"  
DECK



159<sup>cc</sup>  
ROVER  
ENGINE 18"  
DECK



196<sup>cc</sup>  
ROVER  
ENGINE 21"  
DECK



196<sup>cc</sup>  
ROVER  
ENGINE 21"  
DECK



196<sup>cc</sup>  
ROVER  
ENGINE 21"  
DECK

### DURACUT 410

### DURACUT 855MS

### DURACUT 900

### DURACUT 955SP

### HI WHEELER UTILITY

<b>Model number</b>	11A-H2TY333	12ABH1R9333	11A-A1R6333	12A-B1R6333	11A-B0R6333
<b>Engine/motor</b>	140cc Rover OHV	159cc Rover OHV	196cc Rover OHV	196cc Rover OHV	196cc Rover OHV
<b>Deck</b>	46cm (18") steel deck	46cm (18") steel deck	53cm (21") steel deck	53cm (21") steel deck	53cm (21") steel deck
<b>Deck wash</b>	No	Yes	No	No	No
<b>Discharge</b>	Rear	Mulch/rear	Mulch/rear/side	Mulch/rear/side	Mulch/side
<b>Blade type</b>	2 swing back	4 swing back	4 swing back	4 swing back	Single bar-blade
<b>Mulch plug</b>	No	Yes	Yes	Yes	Yes
<b>Self-propelled</b>	No	Yes	No	Yes	No
<b>Starting</b>	Pull start	Pull start	Pull start	Pull start	Pull start
<b>Variable throttle</b>	Yes	Yes	Yes	Yes	No
<b>Front tyres</b>	18cm (7")	18cm (7")	18cm (7")	18cm (7")	18cm (7")
<b>Front bearings/bushes</b>	Ball bearing	Ball bearing	Bearing bushes	Bearing bushes	Bearing bushes
<b>Rear tyres</b>	20cm (8")	20cm (8")	20cm (8")	20cm (8")	28cm (11")
<b>Rear bearings/bushes</b>	Ball bearing	Ball bearing	Bearing bushes	Bearing bushes	Bearing bushes
<b>Catcher</b>	45L engineered polymer w/fill indicator	45L engineered polymer w/fill indicator	67L lightweight mesh	67L lightweight mesh	N/A
<b>Warranty - Unit</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial
<b>Warranty - Engine</b>	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial

## DURACUT ACCESSORIES

### Rover Duracut 400 Series Air Filter

Suitable for the Duracut 400 Series Lawn Mowers

Part no 100004764



### Rover Duracut 800 Series Air Filter

Suitable for the Duracut 800 Series Lawn Mowers

Part no 100030024



### Rover Blade Kit

Suitable for the Duracut 18" Lawn Mowers

Part no 333-100-0001



### Rover Blade Kit

Suitable for the Duracut 21" Series Lawn Mowers

Part no 333-100-0005



### 1 Litre Premium 4-Stroke Oil - SAE 10W-30:

Suitable for all 4-stroke Rover & Kohler engines.

Part no 333-000-0001



### 4 Litre Premium 4-Stroke Oil - SAE 10W-30:

Suitable for all 4-stroke Rover & Kohler engines.

Part No 333-000-0004



### Rover Fuel Can

5 litre capacity

Part No 333-000-0002




# HANDHELD



MY ROVER IS  
**QUALITY**  
WITHOUT COMPROMISE



The Rover handheld equipment range helps keep lawns and gardens tidy with a range of attachment capable line trimmers and a handy blower vac



# LINE TRIMMERS



## ACCESSORIES

Rover line trimmers are power start ready giving you consistent, easy starts. They are also attachment capable making our 2 and 4-stroke line trimmers one of the most versatile pieces of equipment for your garden.



### ROVER 200ML 2-STROKE PREMIUM ENGINE OIL

Semi-Synthetic, premium engine oil suitable for all 2-stroke Rover engines with a low smoke, low ash formulation.



### ROVER 1 LITRE 2-STROKE PREMIUM ENGINE OIL

Semi-Synthetic, premium engine oil suitable for all 2-stroke Rover engines with a low smoke, low ash formulation.



### ROVER SHOULDER STRAP

Line trimmer shoulder strap gives you added comfort especially when trimming for long periods. Fits all Rover line trimmers.



### VACUUM KIT

Turns your blower into a vacuum and features a 35 litre bag to collect leaves and other debris. Kit comes standard with the R2BV Blower Vac.

## LINE TRIMMER ATTACHMENTS

### PRUNING SAW

- 20cm (8") bar length with a narrow radius and safety chain
- Extension boom reaches up to 3.3m (11ft)

### BLOWER

- High performance axial fans pump up to 500 cfm of air volume
- Ideal for larger areas
- Concentrator nozzle for maximum air flow and force, and cleans up hard to reach, wet or sticky areas

### BRUSH CUTTER

- 20cm (8") steel reversible blade
- Pro-style straight shaft

### HEDGE TRIMMER

- 56cm (22") double-sided, dual-action blades
- Articulating blade adjusts from 0-125°

### LAWN EDGER

- Hardened 19cm (7") steel blade.
- Adjustable blade depth to 6cm (2")

### CULTIVATOR

- Adjustable tilling width from 13cm - 23cm (5"-9")
- Heat treated 20cm (8") steel tines

## R2600 LINE TRIMMER

### 25CC, 2-STROKE ENGINE

- Two-piece curved shaft gives greater balance and a clearer view of the area being trimmed
- 43cm (17") cutting swath trims more grass in less time
- Weighs 5.6kg



## RS3100 LINE TRIMMER

### 30CC, 4-STROKE ENGINE

- 30cc, 4-stroke engine - no need to mix oil and petrol
- Trims hardy areas with ease
- Two-piece straight shaft gives greater reach under difficult to trim areas
- 43cm (17") cutting swath trims more grass in less time
- Weighs 6.8kg



## RS2650 LINE TRIMMER

### 25CC, 2-STROKE ENGINE

- Two-piece straight shaft gives greater reach under difficult to trim areas
- 43cm (17") cutting swath trims more grass in less time
- Weighs 5.6kg



## R2BV BLOWER VAC

### 27CC, 2-STROKE ENGINE

- Airflow velocity of up to 241kph
- Ideal for blowing leaves and yard debris
- Features a vacuum kit with 35 litre bag giving you the option to collect leaves and other debris
- Weighs 4.5kg





Rover's powerful and versatile chipper shredder vacuum makes light work of mulch for your garden. Rounding up the seasonal equipment range, the Rover Super Bronco CRT Tiller is the perfect choice for breaking up loosened soil and new ground.



**ROVER ENGINES**  
Rover engines featuring a 5 year Domestic use warranty.



**EASY TO USE VAC HOSE**  
The chipper shredder vac hose gives you longer reach and easily vacuums garden debris in difficult to reach areas.



**FRONT BUMPER**  
Helps protect the front of the machine from damage.



**5+5**  
WARRANTY

**159cc**  
ROVER  
ENGINE

**70**  
LT  
BAG  
CAPACITY

## 4CM (1.5'') CHIPPER SHREDDER VAC

- 4cm (1.5'') chipping/shredding capacity for smaller twigs, sticks and branches
- Features a hose to easily vacuum garden debris in difficult to reach areas
- Large 70 litre collection bag minimizes the need to empty the bag frequently
- 8:1 debris reduction ratio efficiently reduces the volume of debris into mulch

**R VH**



**5+5**  
WARRANTY

**6"**  
TILLING  
DEPTH

**16"**  
TILLING  
WIDTH

## SUPER BRONCO CRT TILLER

- 208cc Rover engine
- Tilling depth of up to 15cm (6'')
- Ideal for medium areas
- Power Reverse makes it easy to manoeuvre the machine in difficult areas
- Counter rotating tines are perfect for breaking new ground
- Rear tines make it easier to till hard ground with less effort

**R FB**





## Rover Ride Ons & Zero Turns - Consumable Parts

Model No	Description	Deck Belt	Single Drive Belt	Drive Belt Upper	Drive Belt Lower	Blades	Pre Filter	Air Filter	Fuel Filter	Oil Filter
13B426JC333	Micro Rider 24	954-05001	N/A	954-05040	954-04331	942-0760	N/A	951-15245	951-12296A	N/A
13A726JD333	Mini Rider 382/30 - 6 speed	954-05001	N/A	954-05040	954-04331	942-04385	N/A	937-05129	951-3013	951-12690
13A721JD333	Mini Rider 382/30 - Hydro	954-05001	945-05130	N/A	N/A	942-04385	N/A	937-05129	951-3013	951-12690
13AB77BY333	Raider 439/36	754P06434	N/A	954-05040	954-04249A	742P05535	N/A	737-05129	951-3013	951-12690
13A878BY333	Rancher 547/36	754P06434	N/A	954-05040	954-04249A	742P05535	N/A	737-05129	951-3013	951-12690
13A878BS333	Rancher 547/42	954-04060C	N/A	954-04208A	954-0467A	942-04308A	N/A	937-05066	951-3013	951-12690
13A6A9KS333	Lawn King I-547/42	954-05021	954-05027B	N/A	N/A	742P05177	N/A	937-05066	951-3013	951-12690
13BGA1KS333	Lawn King 18/42	954-05099	954-05027B	N/A	N/A	942-04308A	N/A	KM-11013-0727	KM-49019-0027	KM-49065-7007
13BFA4KS333	Lawn King 21/42	954-05099	954-05027B	N/A	N/A	942-04308A	N/A	KM-11013-0752	KM-49019-0031	KM-49065-7007
17BAFACS333	RZ 42	754P06134	954-04317A	N/A	N/A	942-04312A	N/A	937-05145	951-3013	951-12690
17AIFACN333	RZ 46	754P06135	954-04317A	N/A	N/A	742P05510	N/A	KM-11013-0752	KM-49019-0027	KM-49065-7007
17BRCBDT333	RZT S 46	954-04325	954-04317A	N/A	N/A	942-04244A	KH-32-083-10-S	KH-32-083-09-S	KH-25-050-22-S1	KH-12-050-01-S


## Rover Lawn Mowers - Consumable Parts

Model No	Description	Deck Belt	Single Drive Belt	Drive Belt Upper	Drive Belt Lower	Blades	Pre Filter	Air Filter	Fuel Filter	Oil Filter
11A-H2TY333	Duracut 410	N/A	N/A	N/A	N/A	333-100-0001	N/A	951-14628	N/A	N/A
12ABH1R9333	Duracut 855MS	N/A	754-06454	N/A	N/A	333-100-0001	N/A	951-15245	951-12296	N/A
11A-A1R6333	Duracut 900	N/A	N/A	N/A	N/A	333-100-0005	N/A	951-15245	951-12296	N/A
12A-B1R6333	Duracut 955SP	N/A	954-04259A	N/A	N/A	333-100-0005	N/A	951-15245	951-12296	N/A
11A-B0R6333	Rover Hi Wheeler	N/A	N/A	N/A	N/A	942-0741A	N/A	951-15245	951-12296	N/A



RELIABLE MOWERS FOR AUSSIE BACKYARDS, SINCE 1956.





## TOTAL PIECE OF MIND ROVER'S INDUSTRY-LEADING 5+5 YEAR WARRANTY

At Rover, we believe in the performance and durability in our range of products. With features like the industry leading 1.8mm deck thickness on our steel deck lawn mowers, our products are built to last.

We are so confident in the strength of our products that we offer a 5 year engine plus 5 year unit, domestic use warranty\* so you can enjoy your Rover for years to come.

Our belief continues through to our Rover engines that give you both a powerful performance and added peace of mind with a 5 year, domestic use warranty.

For more information on our 5 year plus 5 year warranty, contact your local Rover Dealer.

\*5 year domestic use unit warranty excludes the Rover handheld range.  
5 year domestic use engine warranty includes both Rover and Kawasaki engines.

Non-Rover engine warranties (Kawasaki engines excepted) are 2 year domestic use and are set by the manufacturer. For information on our commercial warranties and for full warranty terms and conditions, contact your local Rover Dealer.



Not all products available at all dealers. A failure by a supplier to deliver in accordance with sample description or not at all or other unintentional causes may result in some products being unavailable. Product availability, images and specifications may change without prior notice. Images may not reflect dealer inventory or unit specifications. Recommended lawn sizes are supplied for general guidance only and are based on standard areas - please see your local Rover Dealer for more information. Engine descriptions, warranty and horsepower (HP) are by the engine manufacturer. Updated - OCT23

FOR MORE INFORMATION PLEASE CALL 1300 951 594

2023 Rover | PART# ROVERCAT2022/23

Rover...  a gardener's best friend

[rover.com.au](https://www.rover.com.au)