



2020 Catalogue

New products for a successful garden year 2020

LYCOS 40V BATTERY RANGE – MAKE THE DIFFERENCE

NEW

Until now, many battery-powered garden tools were considered to be very environmentally friendly, but not very powerful and durable. This myth is now a thing of the past! Because with the new LYCOS 40V rechargeable battery system, WOLF-Garten has everything garden lovers nowadays value: performance like a petrol engine, ergonomics, durability and "clean energy".

The heart of LYCOS 40V consists of two different types of rechargeable batteries – ideal for using the optimum ratio of performance to weight. Because a garden usually has many different requirements. Why tow itself unnecessarily, if one possesses for example only a small hedge. The small, light battery is sufficient for this. If, on the other hand, you have various deciduous trees that yield many leaves in autumn, then the most powerful battery with great endurance is recommended.

The range includes six hand tools – from hedge trimmers, trimmers and brush cutters to leaf blowers and vacuum cleaners. There are also three lawnmower models with an light plastic housing ideal for the smaller garden.

In short: the LYCOS 40V battery range is a system that makes all the difference – in terms of performance, sustainability and environmental protection.

For more information, turn to page 70.






multi-star® FRUIT COLLECTOR – COLLECTING FRUIT WITHOUT BENDING DOWN

NEW

From now on the fruit harvest is even more fun! With the new multi-star® fruit collector, apples, pears and even nuts can now be collected effortlessly – saving a lot of time! Simply place the fruit collector on a multi-star® handle and off you go! The basket of flexible wires adapts to any base shape and takes fruit and vegetables with a diameter of 3,5–10 cm. For smaller fruits and nuts 2,0–4,5 cm in diameter, use the small basket available as an accessory. As soon as the basket is full, empty it into a bucket with the included hanger. Collecting fruit has never been easier or quicker! Of course, the multi-star® fruit roller is also "Made in Germany" and comes with a 35-year guarantee.



For more information, turn to page 38.



www.WOLF-Garten.com/fruitcollector



Natura Bio Now with Vegan Label

NEW

Many know that WOLF-Garten offers an ecological lawn and garden care range with »Natura Bio«. Less well known is the fact that other suppliers usually add animal ingredients, but »Natura Bio« consists of 100 % purely vegetable ingredients. In short: these are vegan products – unique for fertilizer! This unique position in the market we show immediately on »Natura Bio« fertilizer packaging with the well-known Vegan quality seal.

For more information, turn to page 120.



VEGAN



Natura Bio Soil activator

NEW

The new »Natura Bio« soil activator promotes soil life and actively improves the soil fertility for a healthy lawn and vigorous plants. The use of purely vegan components made from renewable raw materials increases the humus content in the soil. Lime and organically bound nutrients in the soil activator provide a favourable pH-value and improve the nutrient ratio. Tired and nutrient-poor soil is reactivated and growth disorders are eliminated.

For more information, turn to page 123.



Contents

1. HANDHELD TOOLS AND GLOVES – P. 8

Mini tools	P. 10
Gloves	P. 15
multi-star®	P. 16
Fixed-handle tools	P. 42
Secateurs	P. 44
Manual grass shears	P. 48
Hedge shears	P. 49
Loppers	P. 50
Tree loppers	P. 56
Spindle mowers	P. 57

2. LOOPO MOWING ROBOTS – P. 58

Loopo models	P. 60
Accessories	P. 68

3. BATTERY-POWERED GARDENING TOOLS – P. 70

NEW LYCOS 40V battery system	P. 72
Battery shears	P. 81

4. ELECTRIC GARDEN TOOLS – P. 84

Lawn mowers	P. 86
Scarifiers	P. 90
NEW Grass trimmers	P. 92
NEW Hedge trimmers	P. 95
NEW Chainsaws	P. 96
Shredders and leaf blower	P. 97

5. PETROL-POWERED GARDEN TOOLS – P. 98

Lawn mowers	P. 100
Scarifiers	P. 104
Ride-on mowers	P. 105
Snow thrower	P. 106

6. SEEDS AND FERTILIZER – LAWN – P. 108

Creating a new lawn	P. 110
Lawn renovation	P. 116
Organic lawn care	P. 120
Mineral lawn care	P. 124
Liquid lawn care	P. 130
Spreaders and hose reel trolleys	P. 132

7. SEEDS AND FERTILIZERS – GARDEN & BALCONY – P. 134

Organic garden fertilizers	P. 136
----------------------------------	--------

8. ACCESSORIES OVERVIEW – P. 142

Spindle mowers	P. 142/143
Loopo mowing robots	P. 142/143
Battery-powered gardening tools	P. 142/143
Electric garden tools	P. 144/145
Petrol-powered gardening tools	P. 144/145
Ride-on mowers	P. 144/145

8. EMISSION AND VIBRATION LEVELS – P. 146

Electric garden tools	P. 146
Battery-powered gardening tools	P. 147
Petrol-powered gardening tools	P. 147

8. WARRANTY – P. 148

Quality Made in Germany	P. 148
Warranty	P. 149

8. THE WOLF-Garten BRAND – P. 150

History	P. 150
Tradition	P. 152
Production sites	P. 153



Handheld tools and gloves



MINI TOOLS	P. 10	MANUAL GRASS SHEARS	P. 48
GLOVES	P. 15	HEDGE SHEARS	P. 49
multi-star®	P. 16	LOPPERS	P. 50
FIXED-HANDLE TOOLS	P. 42	TREE LOPPERS	P. 56
SECATEURS	P. 44	SPINDLE MOWERS	P. 57

PREMIUM MINI TOOLS 3-ZONE HANDLE

**35 YEARS
GUARANTEE!**

CONTROL

- › Finger contours
- › Protects the hand

COMFORT

- › Pleasant haptics due to rounded shape and soft areas
- › Work without getting tired

POWER

- › Large palm rest area
- › Avoids pressure points



HAND GRUBBER



- › Root-protecting loosening and aeration in rockeries, flower beds and balcony boxes
- › Comfort zone on the handle supports the pulling movements



Article	KA-2K
EAN code	4 009269 271400
Article number	2714000
Working width	7 cm
SU	5
Price	-

JOINT SCRAPER



- › One-handed scraper for removing moss and weeds from board joints, corners of walls etc.
- › High grip security due to control zone on handle



Article	KF-2K
EAN code	4 009269 271400
Article number	2729000
Working width	-
SU	5
Price	-



WEED EXTRACTOR



- › Cutting weeds in heavy soils
- › Soft-Grip for superior handling
- › No pressure points thanks to the force zone at the handle end



Article	KS-2K
EAN code	4 009269 271400
Article number	2771000
Working width	-
SU	5
Price	-

FLOWER FORK



- › Gentle planting and transplanting with the help of narrow, pointed tines
- › Highly robust tines
- › The comfort zone on the handle prevents blisters on the fingers



Article	LU-2B
EAN code	4 009269 292108
Article number	2921000
Working width	7,5 cm
SU	5
Price	-

DOUBLE HOE



- › 2-in-1 – practical dual device
- › Weeding and ridging with hacking and cutting leaves; loosen with three pointed tines
- › Comfort zone on the handle supports chopping movement



Article	LN-2K
EAN code	4 009269 302203
Article number	3022000
Working width	7 cm
SU	5
Price	-

SMALL FAN RAKE



- › Clean up overgrown areas
- › Can be used in confined spaces in beds, on balcony and terrace
- › Comfort zone on the handle supports the pulling movement



Article	LD-2K
EAN code	4 009269 272223
Article number	2722000
Working width	11,5 cm
SU	5
Price	-

PLANTING TROWEL



- › Planting and transplanting even in heavy soils
- › The comfort zone on the handle prevents blisters on the fingers



Article	LU-2P
EAN code	4 009269 291620
Article number	2916000
Working width	5 cm
SU	5
Price	-

FLOWER TROWEL



- › Planting and transplanting even in heavy soils
- › The comfort zone on the handle prevents blisters on the fingers



Article	LU-2K
EAN code	4 009269 291507
Article number	2915000
Working width	7 cm
SU	5
Price	-



MINI TOOL GIFT SET



- › Contents:
- 1 secateurs Bypass RR 2500
- 1 trowel LU-2K
- 1 hand grubber KA-2K
- 1 joint scraper KF-2K

 MADE IN GERMANY

Article	P 261
EAN code	4 008423 874280
Article number	73ABB001650
SU	8
Price	-



SMALL RAKE



MADE IN GERMANY

- › Clean, loosen and aerate even very small spaces
- › Ideal for smoothing out the smallest areas
- › Galvanized

Article	LI-Z
EAN code	4 009269 299404
Article number	2994000
Working width	8,5 cm
SU	20
Price	-

PLANTING TROWEL



MADE IN GERMANY

- › For garden and balcony
- › Galvanized
- › Shovel made of high quality material

Article	LU-P
EAN code	4 009269 277402
Article number	2914000
Working width	5 cm
SU	20
Price	-

FLOWER TROWEL



MADE IN GERMANY

- › For garden and balcony
- › Galvanized
- › Shovel made of high quality material

Article	LU-Z
EAN code	4 009269 277006
Article number	2913000
Working width	8 cm
SU	20
Price	-

FLOWER TROWEL



MADE IN GERMANY

- › For garden and balcony

Article	LU
EAN code	4 009269 277204
Article number	2911000
Working width	8 cm
SU	20
Price	-

AUTOMATIC BULB PLANTER



MADE IN GERMANY

- › For placing bulbs of up to 6 cm in diameter
- › Empties earth at the touch of a button

Article	FH-N
EAN code	4 009269 232203
Article number	1967000
Working width	6 cm
SU	10
Price	-



UNIVERSAL GLOVES



- › Our universal gloves are particularly robust thanks to the reinforced fingertips, the hard-wearing palms and the knuckle protectors
- › The breathable backs of the gloves reduce sweating
- › Can be used for all kinds of garden work
- › Washable at 30 °C

Article	Size	EAN code	Price
GH-U 8	8	4 009269 776493	SU 12 AN: 7760005
GH-U 10	10	4 009269 776516	SU 12 AN: 7760007

BED-GLOVES – »BALCONY« AND »SOIL«



GH-BA 7/8/10 »BALCONY«

- › Sensitive glove for work requiring a delicate touch, e.g. repotting or plants
- › Non-slip and palm grips optimize both your work and wear comfort
- › Washable at 30 °C



GH-BO 7/8/10 »SOIL«

- › Highly abrasion resistant and long-lasting, making it perfect for soil cultivation, e.g. when digging in the ground
- › The breathable backs of the gloves reduce sweating
- › Washable at 30 °C
- › Ultra-sensitive fingertips you need for delicate work



Article	Size	EAN code	Price
GH-BA 7	7	4 009269 776561	SU 12 AN: 7760011
GH-BA 8	8	4 009269 776578	SU 12 AN: 7760012
GH-BA 10	10	4 009269 776585	SU 12 AN: 7760013
GH-BO 7	7	4 009269 776592	SU 12 AN: 7760014
GH-BO 8	8	4 009269 776608	SU 12 AN: 7760015
GH-BO 10	10	4 009269 776615	SU 12 AN: 7760016

TOOL-HOLDING GLOVES



GH-M 8/10 – TOOL-HOLDING GLOVES

- › Exceptional non-slip glove palms help ensure all gardening jobs can be performed safely
- › Washable at 30 °C
- › Enhanced wear comfort, thanks to the adjustable cuff and breathable back

Article	Size	EAN code	Price
GH-M 8	8	4 009269 776462	SU 6 AN: 7760002
GH-M 10	10	4 009269 776479	SU 6 AN: 7760003

**35 years of guarantee –
the strongest promise
of the market**

**click
SYSTEM**

NO WORRIES FOR GENERATIONS!

35 YEARS
JAHRE · JAAR
GUARANTEE
GARANTIE · GARANTIE

MADE IN GERMANY

Innovative modules, ergonomic design, high-quality materials and extraordinary craftsmanship »Made in Germany« – these are the unique ingredients that make each multi-star® device a durable and long-lasting tool. Made to provide gardening fun for generations. WOLF-Garten underpins this promise with a 35-year guarantee on every multi-star® device from model year 2018 onwards.

MAXIMUM FLEXIBILITY!

The multi-star® system offers the right attachments for all garden, pond and cleaning jobs. Wherever the system is used, it impresses with its advantages:

- › Easy, fast change of tool heads with a single click.
- › All attachments can be combined with almost all handles – that means one handle for all jobs.
- › Handles of different lengths match your body size for ergonomic and back-friendly work.
- › The system has already won many awards and continues to deliver innovative and practical solutions.
- › Extendable handles also enable safe working without a ladder. Reducing the accident risk when working in trees or cleaning snow-covered roofs.
- › The system is particularly durable thanks to the special coating of the attachments.



multi-star® APPLICATIONS



One system – endless possibilities!

Whether it's spring, summer, autumn or winter – the multi-star® system helps you with your garden work any time of year. 15 handles and more than 70 attachments add up to an almost endless number of combinations – for a wide range of applications and however tall you are. You will definitely find the right multi-star® tools for your garden.



35 YEARS
JAHRE · JAAR
GUARANTEE
GARANTIE · GARANTIE
MADE IN GERMANY



SOIL WORKING
29 attachments




TREE CARE
9 attachments



WINTER
4 attachments



CLEANING
13 attachments



RAKES
6 attachments



LAWN CARE
5 attachments



MINIS
7 attachments

EVERYTHING IN ORDER

With the 80-cm-wide multi-star® tool holder UM-M and its tool holders, everything is in its place quickly. **More details on page 22**



HANDLE, MINI TOOL HANDLE AND SHORT ALUMINIUM HANDLE



HANDLE ZM 02

- › Ideal for all multi-star® minis and FW-M pullers, EW-M window wipers and BK-M dustpans



MINI TOOL HANDLE ZM 30

- › High-quality mini tool handle for all multi-star® minis
- › Optimally fits the shape of the hand



ALUMINIUM SHORT HANDLE ZM 04

- › A lightweight short aluminium handle
- › Ideal for all multi-star® minis

Article	Length	EAN code	Price
ZM 02	15 cm	4 009269 394307 SU 10 AN: 3943020	-
ZM 30	25 cm	4 009269 394734 SU 10 AN: 3947030	-
ZM 04	35 cm	4 009269 394482 SU 5 AN: 3944840	-

ALUMINIUM HANDLE




ZMi 12/ZMi 15

- › Lightweight, highly stable aluminium handle
- › Ideal when used with multi-star® minis and multi-star® cleaning devices
- › Not suitable for DR-M 3-in-1 rakes, SR-M 60, POWER CUT SAW 370, POWER CUT SAW PRO 370 or multi-star® snow shovels

ZM-A 140/ZM-A 150

- › High-quality, lightweight aluminium handle, suitable for all multi-star® devices

Article	Length	EAN code	Price
ZMi 12	118 cm	4 009269 393805 SU 10 AN: 3938000	-
ZMi 15	144 cm	4 009269 393829 SU 10 AN: 3938020	-
ZM-A 140	140 cm	4 008423 877779 SU 10 AN: 71AED005650	-
ZM-A 150	150 cm	4 008423 877786 SU 10 AN: 71AED006650	-



multi-star® KIND TO YOUR BACK

Most people experience tweaks in the back from time to time. This brings to mind how important an ergonomic posture is. The multi-star® system supports your customers thanks to its wide range of handles to stand upright while gardening. Our soil processing tool design is based on a special working angle allowing you to work with minimum effort and at a consistent working depth.

ASH HANDLE



- › High-quality wooden handle made of European ash – very robust and sturdy
- › Open-pore, natural water-based coating for optimum grip – absorbs sweat
- › Tapered grip for comfortable and safe handling
- › Suitable for all multi-star® garden tools

Article	Length	EAN code	Price
ZM 140	140 cm	4 008423 877793 SU 10 AN: 71AED007650	-
ZM 150	150 cm	4 008423 877809 SU 10 AN: 71AED008650	-
ZM 170	170 cm	4 008423 877816 SU 10 AN: 71AED009650	-

ALUMINIUM D-HANDLE



ZM-AD 120


- › For all multi-star® thrust devices, as well as SN-M 42, SN-M 55 and SN-MA 45 snow shovels

ZM-AD

- › For all multi-star® thrust devices, as well as the RM-M lawn edge cutter, iW-M thistle cutters and KS-M weed cutter – except DR-M 3-in-1 rake, SR-M 60, POWER CUT SAW 370 and POWER CUT SAW PRO 370 and multi-star® snow shovels

Article	Length	EAN code	Price
ZM-AD 120	120 cm	4 008423 877830 SU 5 AN: 71AED011650	-
ZM-AD	85 cm	4 009269 166003 SU 5 AN: 3943062	-

VARIO HANDLES




- › For multi-star® tree and pond care devices as well as cleaning devices and roof snowploughs
- › Light and stable – made of high-quality aluminium
- › Easily extendible to the desired length
- › Optimum length adjustment due to the perforated grid pattern

Article	Length	EAN code	Price
ZM-V	90–150 cm	4 008423 877847 SU 6 AN: 71BED001650	-
ZM-V 3	170–300 cm	4 008423 877854 SU 6 AN: 71AED012650	-
ZM-V 4	220–400 cm	4 008423 877861 SU 6 AN: 71AED013650	-



multi-star® TOOL HOLDER

Organisation is half the battle! Save space and keep your gardening tools readily accessible with the multi-star® tool holder system. Featuring a variety of hooks and holders, it was specifically developed for multi-star® tools. To make sure you can find your multi-star® tools quickly, install the tool holder system near the door of your shed.



- › Space-saving system for holding gardening tools
- › Different hooks and holders for maximum flexibility
- › Length: 80 cm
- › Includes 4 holders: 2 device holders, 2 multi-purpose hooks; positions variable
- › Installation material included



MULTI-PURPOSE HOOK
For clamping, plugging and hanging



DEVICE HOLDER
For 1-2 garden tools

Article	Length	EAN code	Price
UM-M	80 cm	4 009269 161602 SU 5 AN: 79AMC001650	-

MINI CULTIVATOR



- › Gently loosens small beds to optimize the nutrient supply
- › LA-M/ZM 30 Set including mini tool handle

Article	LA-M/ZM 30	LA-M
EAN code	4 008423 877878	4 008423 877885
Article number	71AID001650	71AIA001650
Working width	7 cm	7 cm
Rec. handle	ZM 30 (included)	ZM 30
SU	5	5
Price	-	-


WEEDING CULTIVATOR



- › Loosen and ventilate small beds – simply turn for weeding
- › LA-M/ZM 30 Set including mini tool handle

Article	LB-M/ZM 30	LB-M
EAN code	4 008423 877892	4 008423 877908
Article number	71AID002650	71AIA002650
Working width	7 cm	7 cm
Rec. handle	ZM 30 (included)	ZM 30
SU	5	5
Price	-	-

SMALL FAN RAKE



- › Effortlessly clean small overgrown areas
- › Tines made of flexibly hardened spring steel do not bend
- › LD-M/ZM 30 Set including mini tool handle

Article	LD-M/ZM 30	LD-M
EAN code	4 008423 877915	4 008423 877922
Article number	71AID003650	71AIA003650
Working width	11,5 cm	11,5 cm
Rec. handle	ZM 30 (included)	ZM 30
SU	5	5
Price	-	-

SMALL CRUMBLER



- › Loosen and weed beds and pots to optimize plant growth
- › LF-M/ZM 30 Set including mini tool handle

Article	LF-M/ZM 30	LF-M
EAN code	4 008423 877939	4 008423 877946
Article number	71AID004650	71AIA004650
Working width	6,5 cm	6,5 cm
Rec. handle	ZM 30 (included)	ZM 30
SU	5	5
Price	-	-

SMALL RAKE



- › Clear and level very small or narrow seed beds without effort
- › LJ-M/ZM 30 Set including mini tool handle

Article	LJ-M/ZM 30	LJ-M
EAN code	4 008423 877953	4 008423 877960
Article number	71AID005650	71AIA005650
Working width	8 cm	8 cm
Rec. handle	ZM 30 (included)	ZM 30
SU	5	5
Price	-	-

DOUBLE HOE



- › Loosen the soil over young plants – simply turn to cultivate
- › Also ideal for pulling out seed furrows
- › LL-M/ZM 30 Set including mini tool handle

Article	LL-M/ZM 30	LL-M
EAN code	4 008423 877977	4 008423 877984
Article number	71AID006650	71AIA006650
Working width	5 cm	5 cm
Rec. handle	ZM 30 (included)	ZM 30
SU	5	5
Price	-	-



DOUBLE HOE



- › Loosen soil easily – just turn around for hoeing
- › LN-M/ZM 30 Set including mini tool handle

Article	LN-M/ZM 30	LN-M
EAN code	4 008423 877991	4 008423 878004
Article number	71AID007650	71AIA007650
Working width	7 cm	7 cm
Rec. handle	ZM 30 (included)	ZM 30
SU	5	5
Price	-	-

multi-star® MINI-SET



P 243

Article	EAN code	Price
P 243	4 008423 878639 SU 5 AN: 71AIF002650	-

P 243

- › A set for all smaller jobs on the balcony, terrace and in beds: Planting, loosening, weeding and cleaning
- › Including trowel, small cultivator, small lawn rake, double hoe and small device handle



P 224

Article	EAN code	Price
P 224	4 009269 375054 SU 5 AN: 3732624	-

P 224

- › Care set for balconies and terraces with multi-star® small tools handle and multi-star® Minis
- › Including Minis: small rake, small lawn rake, small grubber and small tools handle



GRUBBER



- › Gently loosen light and stony soils to optimize the nutrient supply

Article	BA-M	P785
EAN code	4 008423 878066	4 008423 882445
Article number	71AAA002650	71AAA001650
Working width	9 cm	-
Fill with	-	10 x BA-M / ZM 140
Rec. handle	ZM 140	-
SU	5	1
Price	-	-

WEEDING CULTIVATOR



- › Loosen and ventilate medium-heavy soils – simply turn for weeding
- › Hardened for extra strength

Article	IE-M
EAN code	4 008423 878080
Article number	71AAA004650
Working width	10 cm
Rec. handle	ZM 140
SU	4
Price	-

AERATOR



- › Effortlessly loosen and ventilate narrow bed rows to optimize the nutrient supply
- › Hardened for extra strength

Article	Bi-M
EAN code	4 008423 878097
Article number	71AAA005650
Working width	3,5 cm
Rec. handle	ZM 140
SU	5
Price	-

GARDEN TILLER



- › Two devices in one
- › Effortlessly loosen, fine-crumble and weed light and hard soils
- › Save time for larger areas

Article	DA-S
EAN code	4 008423 878103
Article number	71AAA006650
Working width	15 cm
Rec. handle	ZM 170
SU	3
Price	-





SEED SOWER



- › Roll out seeds more swiftly and consistently
- › Adjustable in 6 stages (up to pea size) for each seed

Article	EA-M
EAN code	4 008423 878110
Article number	71AAA007650
Working width	-
Rec. handle	ZM 140
SU	5
Price	-

DRAW HOE



- › Effortlessly hoe deep-rooted weeds while loosening soil at the same time
- › Extra sharp blade
- › Replacement blades available

Article	HW-M 15
EAN code	4 008423 878127
Article number	71AAA008650
Working width	15 cm
Rec. handle	ZM 150
SU	5
Price	-

BOW WEEDER



- › Effortlessly weed even hard surfaces – while the bow protects the plants
- › Extra sharp blade
- › Replacement blades available

Article	HO-M 15
EAN code	4 008423 878134
Article number	71AAA009650
Working width	15 cm
Rec. handle	ZM 150
SU	5
Price	-

DRAW HOE



- › Easily removes weeds – between plants and densely planted beds
- › Extra sharp blade
- › Replacement blades available

Article	HU-M 10
EAN code	4 008423 878141
Article number	71AAA010650
Working width	10 cm
Rec. handle	ZM 150
SU	5
Price	-

DRAW HOE



- › Weed under and between plants effortlessly
- › Extra sharp blade
- › Replacement blades available

Article	HU-M 15
EAN code	4 008423 878158
Article number	71AAA011650
Working width	15 cm
Rec. handle	ZM 150
SU	5
Price	-

SCUFFLE HOE



- › Effortlessly weed light soils by simply pushing and pulling
- › Hardened for extra strength

Article	GS-M 14
EAN code	4 008423 878165
Article number	71AAA012650
Working width	14 cm
Rec. handle	ZM 150
SU	5
Price	-

SCUFFLE HOE



- › Effortlessly weed light soils by simply pushing and pulling
- › Hardened for extra strength

Article	GS-M 16
EAN code	4 008423 878172
Article number	71AAA013650
Working width	16 cm
Rec. handle	ZM 150
SU	5
Price	-

DUTCH HOE



- › Weed effortlessly with minimal pressure
- › Hardened for extra strength

Article	DH-M
EAN code	4 008423 878189
Article number	71AAA014650
Working width	13 cm
Rec. handle	ZM 150
SU	5
Price	-

PUSH-PULL WEEDER



- › Weed light and sandy soils effortlessly
- › The shaft grabs and grips weed effectively
- › With a specially hardened and ultra-study blade

Article	RF-M
EAN code	4 008423 878196
Article number	71AAA015650
Working width	15 cm
Rec. handle	ZM 150
SU	5
Price	-

SWOE WEEDER



- › Weed and cut through roots by pushing and pulling
- › Ideal for weeding between narrow plant rows

Article	SH-M
EAN code	4 008423 878202
Article number	71AAA016650
Working width	15 cm
Rec. handle	ZM 150
SU	5
Price	-

DOUBLE HOE



- › Loosen soil easily – just turn around for hoeing

Article	IL-M 3
EAN code	4 008423 878219
Article number	71AAA017650
Working width	8 cm
Rec. handle	ZM 150
SU	5
Price	-

FLOWER FORK



- › Replant while protecting roots, thanks to the extra-pointed tines
- › Extra-strong tines to boost stability

Article	LU-GM
EAN code	4 008423 878226
Article number	71AAA018650
Working width	7,5 cm
Rec. handle	all multi-star® handles
SU	5
Price	-



SHOVEL



- › Effortlessly place and repot plants in tubs, pots and flower boxes
- › Maximum stability due to high material strength

Article	LU-SM
EAN code	4 008423 878233
Article number	71AAA019650
Working width	8 cm
Rec. handle	all multi-star® handles
SU	5
Price	-



JOINT BRUSH



- › Gently remove grass, moss and weeds from slab joints, wall corners, stairway joints and gutters etc. without straining your back

Article	FB-M	P789
EAN code	4 008423 878240	4 008423 883138
Article number	71AAA020650	71AAO006650
Working width	9 cm	-
Fill with	-	10 x FB-M / ZM 140
Rec. handle	ZM 150	-
SU	10	1
Price	-	-

DOUBLE-PACK JOINT BRUSH



- › 2 replacement brushes with steel bristles for FB-M
- › To remove persistent weeds and moss

Article	FB-ME
EAN code	4 008423 878646
Article number	73AZB001650
Working width	9 cm
Rec. handle	-
SU	5
Price	-

JOINT SCRAPER



- › Effortlessly removes grass and moss from slab/step joints and wall corners
- › Hardened for extra strength



Article	FK-M	P784	P767
EAN code	4 008423 878257	4 008423 882469	4 008423 882506
Article number	71AAA021650	71AAO002650	71BAH003650
Fill with	-	10 x FK-M / ZM 140	10 x FB-M / FK-M / ZM 140
Rec. handle	all multi-star® handles	-	-
SU	5	1	1
Price	-	-	-

THISTLE EXTRACTOR



- › Turn – pull – all done: Pull out deep-rooted weeds – from an upright position

Article	iW-M
EAN code	4 008423 878264
Article number	71AAA022650
Working width	4 cm
Rec. handle	ZM-AD
SU	5
Price	-

WEED EXTRACTOR



- › Cut out and remove deep-rooted weeds like dandelions without straining your back
- › Step edge for more comfortable working

Article	KS-M
EAN code	4 008423 878271
Article number	71AAA023650
Working width	4 cm
Rec. handle	ZM-AD
SU	10
Price	-

DOUBLE HOE



- › Loosen soil easily – just turn around for hoeing
- › Also suitable for pulling seed grooves

Article	iM-M
EAN code	4 008423 878288
Article number	71AAA024650
Working width	7 cm
Rec. handle	ZM 150
SU	5
Price	-

RIDGER



- › Ridging, furrowing and drawing out irrigation channels

Article	JA-M 20
EAN code	4 008423 878295
Article number	71AAA025650
Working width	20 cm
Rec. handle	ZM 150
SU	3
Price	-



CULTIVATOR



- › Gently loosen medium-heavy soil to optimize nutrient supply

Article	BE-M
EAN code	4 008423 878073
Article number	71AAA003650
Working width	11 cm
Rec. handle	ZM 140
SU	5
Price	-



SMALL RAKE



- › Clean small, narrow beds effortlessly

Article	DS-M 19
EAN code	4 008423 878301
Article number	71AAA026650
Working width	19 cm
Rec. handle	ZM 140
SU	5
Price	-

SOIL RAKE



- › Clear, rake and level seed beds easily – the easy way to loosen soils
- › Maximum stability due to particularly high material strength

Article	DR-M 30
EAN code	4 008423 878318
Article number	71AAA027650
Working width	30 cm
Rec. handle	ZM 170
SU	5
Price	-

SOIL RAKE



- › Clear large beds and paths easily
- › Maximum stability due to particularly high material strength

Article	DR-M 35
EAN code	4 008423 878325
Article number	71AAA028650
Working width	35 cm
Rec. handle	ZM 170
SU	5
Price	-

BOW RAKE



- › Clear large beds, then use flat top for levelling
- › Maximum stability due to particularly high material strength

Article	DO-M 40
EAN code	4 008423 878332
Article number	71AAA029650
Working width	40 cm
Rec. handle	ZM 170
SU	5
Price	-





LAWN RAKE



- › Rake over large areas of lawn, while the bow secures the clippings

Article	UH-M 60
EAN code	4 008423 878011
Article number	71AAA034650
Working width	58 cm
Rec. handle	ZM 170
SU	3
Price	-

SCARIFYING RAKE



- › Thorough cleaning of moss and thatch from lawns
- › Pendulum-mounted scarifier blades

Article	UG-M 3
EAN code	4 008423 878028
Article number	71AAA035650
Working width	30 cm
Rec. handle	ZM 170
SU	4
Price	-

SCARIFYING ROLLER RAKE



- › Thorough cleaning of moss and thatch from lawns
- › Pendulum-mounted scarifier blades
- › Smooth-running wheels

Article	UR-M 3
EAN code	4 008423 878035
Article number	71AAA036650
Working width	30 cm
Rec. handle	ZM 170
SU	3
Price	-

LAWN EDGE CUTTER



- › Cuts edges precisely and perfectly – simply roll while keeping the back straight

Article	RB-M
EAN code	4 008423 878042
Article number	71AAA037650
Working width	-
Rec. handle	ZM 170
SU	3
Price	-

LAWN EDGE TRIMMER



- › Clean and straight lawn edging
- › Step edge for more comfortable working
- › Hardened for extra strength

Article	RM-M
EAN code	4 008423 878059
Article number	71AAA038650
Working width	22,5 cm
Rec. handle	ZM-AD
SU	5
Price	-





RAKE

**35 YEARS
GUARANTEE**
MADE IN GERMANY

3-IN-1 RAKE



- › Makes short work of raking large lawns, shoveling garden waste and green cuttings and clearing soil (grass) and ponds
- › Can also be used without a handle
- › Soft pads on the handle
- › Cannot be combined with ZMi 12 and ZMi 15 handle

Article	DR-M 3-in-1
EAN code	4 008423 878349
Article number	71BAD001650
Working width	50 cm
Rec. handle	ZM 140
SU	5
Price	-

ADJUSTABLE LAWN RAKE



- › To clean both large and narrow areas, simply adjust the rake
- › Tines made of flexibly hardened spring steel do not bend

Article	UC-M	UC-M / ZM 140
EAN code	4 008423 878363	4 008423 891201
Article number	71AAA031650	71AAM003650
Working width	38–58 cm	–
Fill with	–	1 x UC-M / ZM 140
Rec. handle	ZM 140	–
SU	5	10
Price	-	-

LEAF RAKE



- › Cleans lawns, plant beds and gravel pits effortlessly
- › Spreads peat evenly, e.g. when creating a new lawn

Article	Ui-M	Promotion P786
EAN code	4 008423 878387	4 008423 882438
Article number	71AAA033650	71AAO003650
Working width	42 cm	–
Fill with	–	10 x Ui-M / ZM 140
Rec. handle	ZM 140	–
SU	5	1
Price	-	-

LAWN RAKE



- › Clean paths and hard soil effortlessly
- › Tines made of flexibly hardened spring steel do not bend

Article	UF-M	Promotion P787
EAN code	4 008423 878356	4 008423 882414
Article number	71AAA030650	71AAO005650
Working width	50 cm	–
Fill with	–	10 x UF-M / ZM 140
Rec. handle	ZM 140	–
SU	5	1
Price	-	-

LAWN RAKE



- › Clean leaves etc. from paths and hard soils
- › Tines made of flexibly hardened spring steel do not bend

Article	UE-M
EAN code	4 008423 878370
Article number	71AAA032650
Working width	50 cm
Rec. handle	ZM 140
SU	5
Price	-

4-IN-1 LEAF RAKE



- › 3 working widths available: 20, 48 and 76 cm – making it easy to deal with all garden sizes and areas
- › Quickly and efficiently remove leaves and green waste from large or small areas
- › Ergonomically shaped outer parts allow easy collection of leaves
- › Can be dismantled into 3 parts

Article	4-in-1 LEAF RAKE	4-in-1 / ZM 140
EAN code	4 008423 883220	4 008423 891270
Article number	71AAA045650	71AAM005650
Working width	76 cm total	76 cm total
Fill with	–	1 x 4-in-1 / ZM 140
Rec. handle	ZM 140	ZM 140
SU	3	10
Price	-	-



HOUSE BROOM



- › Eliminate fine dust from all the house, terrace and balcony
- › Extra-fine Flexon® horsehair mixture for extra-fine and thorough results

Article	BF 40 M
EAN code	4 008423 878417
Article number	71ANA003650
Working width	40 cm
Rec. handle	ZM 140
SU	5
Price	-

STREET BROOM



- › Clean yards and streets in any weather
- › Especially durable thanks to weatherproof synthetic bristles

Article	B 30 M
EAN code	4 008423 878394
Article number	71ANA001650
Working width	31 cm
Rec. handle	ZM 140
SU	5
Price	-

FLEXI-BROOM



- › A handy broom featuring long, elastic bristles for cleaning staircases, gutters and narrow slabways
- › Spliced bristles for fine dirt and dust

Article	B 25 M
EAN code	4 008423 878455
Article number	71ANA007650
Working width	25 cm
Rec. handle	ZM 140 / ZM-A 140
SU	5
Price	-

LARGE AREA SCRUBBER



- › A wide scrubber with sturdy bristles
- › Perfect for cleaning larger areas on terraces and paved paths

Article	BS 40 M
EAN code	4 008423 878424
Article number	71ANA004650
Working width	37 cm
Rec. handle	ZM 150
SU	5
Price	-

ANGLE BROOM



- › Remove cobwebs and strands of dust from inaccessible locations
- › Individually adjustable working angle
- › Can be used with a Vario handle up to a height of 5,30 m

Article	BW 25 M
EAN code	4 008423 878462
Article number	71ANA008650
Working width	25 cm
Rec. handle	ZM-V3 / ZM-V4
SU	5
Price	-

LARGE AREA BROOM



- › Cleans yards and streets effortlessly
- › Especially durable thanks to weatherproof synthetic bristle

Article	B 40 M	Promotion P788
EAN code	4 008423 878400	4 008423 882483
Article number	71ANA002650	71AA0004650
Working width	37 cm	-
Fill with	-	10 x B 40 M / ZM 140
Rec. handle	ZM 140	-
SU	5	1
Price	-	-



OUTDOOR-DUSTPAN



- › Seamless adjustable thanks to built-in articulation – for all applications with handle and extension handle
- › Including ZM 02 handle

Article	BK-M/ZM 02
EAN code	4 008423 878448
Article number	71ANA006650
Working width	25 cm
Rec. handle	ZM-AD
SU	5
Price	-

GUTTER CLEANER

In the gutter, all sorts of dirt and leaves accumulate over the year. It's good to have the right device at hand to complete this tedious cleaning task quickly and easily. The multi-star® gutter cleaner has been specifically designed to make cleaning easier for you. The device has a replaceable brush head for thorough cleaning, a scraper for stubborn dirt and sticky leaves as well as a shovel to sweep the loosened dirt out of the gutter. And there's no need to climb a ladder, either – simply place the gutter cleaner on one of the multi-star® telescopic handles, making your work much more ergonomic. And much safer.

Similar to image



- › In combination with telescopic handles, clean gutters from the ground ergonomically and easily
- › Working angle adjustable to both sides for flexible use
- › Replaceable brush body with integrated scraper for removing heavy dirt and leaves
- › Shovel on opposite side to remove dirt

Article	GC-M	GC-M / ZM-V 4
EAN code	4 008423 883237	4 008423 891928
Article number	71ANA013650	71AAM006650
Working width	-	-
Fill with	-	1 x GC-M / ZM-V 4
Rec. handle	ZM-V 4	-
SU	3	6
Price	-	-





1

FLOOR SQUEEGEE WITH SCRUBBER STRIP



- › Removes persistent dirt (with a durable scrubbing strip) and water or other liquids (thanks to the squeegee with double rubber lip on the other side)

Article	BW 45 M
EAN code	4 008423 878431
Article number	71ANA005650
Working width	40 cm
Rec. handle	ZM 150
SU	5
Price	-

WINDOW WIPER



- › With adjustable working angle and removable, washable wiping fleece
- › Can be used with a Vario handle up to a height of 5,30 m
- › Replacement wiping fleece: AN 3908202

Article	EW-M
EAN code	4 008423 878486
Article number	71ANA010650
Working width	35 cm
Rec. handle	all multi-star® handles
SU	5
Price	-


SQUEEGEE



- › Ideal for hardly accessible locations thanks to adjustable working angle
- › Can be used with a Vario handle up to a height of 5,30 m
- › Including ZM 02 handle

Article	FW-M/ZM 02
EAN code	4 008423 878479
Article number	71ANA009650
Working width	35 cm
Rec. handle	all multi-star® handles
SU	5
Price	-

POND NET



- › Makes cleaning fine leaves and duckweed from ponds a breeze
- › Reach up to 4 m with Vario handle

Article	WK-M
EAN code	4 008423 878493
Article number	71ANA011650
Length / width	35 / 30 cm
Rec. handle	all multi-star® aluminium and Vario handles
SU	5
Price	-

CATCHING NET



- › Catch fish or remove leaves and dirt from ponds
- › The flexible plastic strap protects fish and the pond membrane
- › Reach up to 4 m with Vario handle

Article	WF-M
EAN code	4 008423 878509
Article number	71ANA012650
Length / width	35 / 30 cm
Rec. handle	all multi-star® aluminium and Vario handles
SU	5
Price	-





FOLDING SAW

10 YEARS GUARANTEE
MADE IN GERMANY



- › Ergonomically shaped handle with cushioned insert
- › 2 different working angles for high usability
- › MaxControl: Slip stop at the front and rear parts of the handle for safe, firm grip
- › Special pull teeth for powerful, fatigue-free working
- › Clear cutting surface to reduce bacterial infestation
- › Replaceable saw blade

Article	POWER CUT SAW 145
EAN code	4 008423 867411
Article number	73BCA003650
Saw blade length	14,5 cm
SU	5
Price	-

HANSAW WITH COVER

10 YEARS GUARANTEE
MADE IN GERMANY



- › Ergonomically shaped handle with cushioned insert
- › 2 different working angles for high usability
- › MaxControl: Slip stop at the front and rear parts of the handle for safe, firm grip
- › Saw cover for safe carrying on your belt
- › Special pull teeth for powerful, fatigue-free working
- › Clear cutting surface to reduce bacterial infestation
- › Replaceable saw blade

Article	POWER CUT SAW 275
EAN code	4 008423 867398
Article number	73BCA004650
Saw blade length	27,5 cm
SU	3
Price	-



multi-star® PRUNING SAW

**35 YEARS
GUARANTEE**
MADE IN GERMANY



- › Ergonomically shaped handle
- › Integrated multi-star® adapter for easy and fast attachment to the Vario handle
- › The integrated protective cover prevents inadvertent release of the connection when working in trees
- › Curved saw blade for effortless, effective sawing
- › High-performance push and pull teeth
- › Clear cutting surface to reduce bacterial infestation
- › MaxControl: Slip stop at the front and rear parts of the handle for safe grip
- › Reusable knife cover
- › Work safely without ladders at heights of up to 5,50 m with the Vario handle
- › Cannot be combined with ZMi 12 and ZMi 15 handle

multi-star® PRO PRUNING SAW

**35 YEARS
GUARANTEE**
MADE IN GERMANY



- › Ergonomically shaped handle
- › Integrated multi-star® adapter for easy and fast attachment to the Vario handle
- › The integrated protective cover prevents inadvertent release of the connection when working in trees
- › Curved saw blade for effortless, effective sawing
- › High-performance push and pull teeth
- › Clear cutting surface to reduce bacterial infestation
- › MaxControl: Slip stop at the front and rear parts of the handle for safe grip
- › Reusable knife cover
- › Work safely without ladders at heights of up to 5,50 m with the Vario handle
- › Saw with integrated branch hook and bark cutter
- › Cannot be combined with ZMi 12 and ZMi 15 handle

Article	POWER CUT SAW 370	POWER CUT SAW PRO 370	PCS PRO 370/ZM-V 4	PCS PRO 370/ZM-V 4/RG-M
EAN code	4 008423 878592	4 008423 878608	4 008423 869743	4 008423 869996
Article number	71BCA002650	71BCA003650	71BCJ001650	71BCJ002650
Saw blade length	37 cm	37 cm	37 cm	37 cm
Rec. handle	ZM-V 3 / ZM-V 4	ZM-V 3 / ZM-V 4	ZM-V 4 already included	ZM-V 4 already included
SU	5	5	6	6
Price	-	-	-	-

FRUIT PICKER



- › Harvest your fruit gently and without damage – the flexible, rounded crown and harvesting blade make picking easy
- › With Vario handle, safe harvesting without ladders up to a height of 5,50 m

Article	RG-M	Promotion RG-M
EAN code	4 008423 878615	4 009269 724258
Article number	71ACA008650	71AAM002650
Fill with	-	1 x RG-M / ZM-V 3
Rec. handle	ZM-V 3 / ZM-V 4	Set incl. ZM-V 3
SU	5	6
Price	-	-



FRUIT COLLECTOR – THE FUN SIDE OF FRUIT HARVESTING

NEW
AVAILABLE FROM
JULY 2020

With laborious bending down and back pain to collect fallen fruit, now is the end! Because thanks to of the new multi-star® fruit collector, you can now make it comfortable and upright – and faster than ever before. Click the fruit collector onto a multi-star® handle. Then glide with the basket made of flexible wires over the ground and take up e.g. apples or pears of 3,5–10 cm diameter. You can also easily pick up smaller fruits and even nuts. To do this, switch to the small basket available as an accessory for diameters from 2,0–4,5 cm. Even emptying the "harvest" is easier than ever: with the included bracket, you can put it in a bucket in a flash.



www.WOLF-Garten.com/fruitcollector





FRUIT COLLECTORS – CLEVER, FAST AND WITHOUT BENDING DOWN

1



ALSO FOR NUTS AND SMALL FRUIT
Thanks to the smaller collection basket available as an accessory, even smaller fruits can be collected effortlessly.




STORE ALL IN ONE PLACE
The emptying bracket can be attached to the basket to save space. So you have all necessary parts together in one place and don't lose them.



QUICK TO CHANGE
The two collection baskets can be exchanged in just a few simple steps without tools.



SIMPLE EMPTYING
It is best to attach the supplied bracket to a bucket. The bracket spreads the full basket and empties the contents into the bucket.



- › Fruit collector with large basket, exchangeable
- › For fruits etc. with a diameter of 3,5 to 10 cm
- › Incl. bracket for emptying the collection basket
- › Small basket available as accessory (71AZA001650)
- › Exchangeable wires available as replacement parts



Article	FC-M	FC-MS	FC-M / ZM 140
EAN code	4 008423 913095	4 008423 913101	4 008423 913767
Article number	71AAA047650	71AZA001650	71AAM007650
Suitable for	Fruits and nuts, 3,5–10,0 cm diameter	Fruits and nuts, 2,0–4,5 cm diameter	Fruits and nuts, 3,5–10,0 cm diameter
Working width	30 cm	30 cm	30 cm
Fill with	–	–	1 x FC-M / ZM 140
Rec. handle	ZM 140	ZM 140	Set incl. ZM 140
SU	2	3	6
Price	-	-	-



CABLE-FIX



- › Rope tensioning system with special pull handle and support function
- › The ideal helper for cutting with all multi-star® tree loppers
- › Usable with ZM-V 3 and ZM-V 4 Vario handle

Article	ZS-M
EAN code	4 008423 878653
Article number	73AZA001650
Rec. handle	ZM-V 3 / ZM-V 4
SU	3
Price	-


BRANCH HOOK



- › Remove loose branches and snow loads from trees effortlessly
- › Perfect for shaking trees
- › Can also be used to support fruit trees
- › Work safely without ladders at heights of up to 5,50 m with the Vario handle

Article	RT-M
EAN code	4 008423 878585
Article number	71ACA007650
Rec. handle	ZM-V 3 / ZM-V 4
SU	5
Price	-


ANVIL LOPPER



- › Save more than 50 % effort due to the 3,5-fold pulley and the WOLF-Garten easy-cut coating
- › With Vario handle, safe cutting without ladders up to a height of 5,50 m
- › Including cable guide for attaching to Vario handle

Article	RC-M	Promotion RC-M
EAN code	4 008423 878547	4 008423 878554
Article number	71ACA004650	71ACJ003650
Cutting diameter	38 mm	38 mm
Fill with	-	1 x RC-M + ZM-V 3
Rec. handle	ZM-V 3 / ZM-V 4	Set incl. ZM-V 3
SU	3	6
Price	-	-


PROFESSIONAL ANVIL LOPPER



- › 4-fold pulley system saves more than 75 % effort
- › Angle adjustable up to 180°
- › With Vario handle, safe cutting without ladders up to a height of 5,50 m
- › Including cable guide for attachment to Vario handle

Article	RC-VM
EAN code	4 008423 878561
Article number	71ACA005650
Cutting diameter	40 mm
Rec. handle	ZM-V 3 / ZM-V 4
SU	3
Price	-

PROFESSIONAL BYPASS LOPPER



- › 4-fold pulley system saves more than 75 % effort
- › Angle adjustable up to 180°
- › With Vario handle, safe cutting without ladders up to a height of 5,50 m
- › Including cable guide for attachment to Vario handle

Article	RR-VM
EAN code	4 008423 878578
Article number	71ACA006650
Cutting diameter	36 mm
Rec. handle	ZM-V 3 / ZM-V 4
SU	3
Price	-



SNOW SHOVELS

**35 YEARS
GUARANTEE**
MADE IN GERMANY



- › Lightweight and robust
- › Cold-impact resistant up to -30° C
- › Salt-resistant
- › Sturdy aluminium profile edge
- › Set SN-MA 45/ZM-AD 120 incl. aluminium handle with D-handle ZM-AD 120

Article	SN-M 42/ZM-AD 120
EAN code	4 009269 116480
Article number	1164080
Working width	42 cm
SU	5
Price	-

**35 YEARS
GUARANTEE**
MADE IN GERMANY



- › Lightweight and robust
- › Cold-impact resistant up to -30° C
- › Salt-resistant
- › 2 step edges
- › Sturdy aluminium profile edge
- › Set SN-MA 55/ZM-AD 120 incl. aluminium handle with D-handle ZM-AD 120

Article	SN-M 55/ZM-AD 120
EAN code	4 009269 116688
Article number	1166080
Working width	55 cm
SU	5
Price	-

ICE SCRAPER

**35 YEARS
GUARANTEE**
MADE IN GERMANY



- › For perfect ice scraping results
- › Edges on the upper side to loosen the ice
- › Silicone lip for wet window panes
- › Including ZM 02 handle

Article	IS-M/ZM 02
EAN code	4 008423 878516
Article number	71AQA003650
Working width	10 cm
SU	10
Price	-

ROOF SNOW CLEARER



- › Effective clearing of snow-covered roof surfaces
- › With a soft edge
- › Set SR-M 60/ZM-V 4 incl. Vario handle ZM-V 4 (220–400 cm)
- › Safe cleaning of canopies and conservatories

Article	SR-M 60 / ZM-V 4
EAN code	4 009269 115889
Article number	1158080
Working width	60 cm
SU	6
Price	-



Looking for a snow thrower? Please turn to page 106/107.

SPADES


Helping you cope with difficult tasks easily



Digging the soil in your own garden can be quite exhausting. Unless you use the WOLF-Garten tillage equipment. These tools are designed to handle even difficult tasks with ease because they are extremely stable and designed for extreme loads. The induction-hardened boron steel blade easily penetrates the ground, and the special stiffening ribs make sure it does not bend. The stem length and the tread edge allow an upright posture that protects your back. This makes ground work fast and effective.




Inductive hardened boron steel head fitted with stiffening ribs for the enhanced durability.



Ergonomic shaped, reinforced steel shaft equipped with a non-slip sleeve for secure grip and comfort.



Shape of the grip allows many different ways of operating and ensures a safe grip.



Length of the tools as well as the tread edge allow a backfriendly, upright working position.

SPADE (STRAIGHT)



- › Ergonomic D-grip
- › Introduction-hardened boron steel blade for maximum stability and durability
- › Reinforced steel handle with non slip surface for comfortable handling

Article	AS-D
EAN code	4 008423 891973
Article number	73ADA005650
Working length/width	123 cm / 19 cm
SU	3
Price	-

POINTED SPADE



- › Ergonomic D-grip
- › Introduction-hardened boron steel blade for maximum stability and durability
- › Reinforced steel handle with non slip surface for comfortable handling
- › Used for digging harder, stony soil easily

Article	ASP-D
EAN code	4 008423 891980
Article number	73ADA006650
Working length/width	123 cm / 19 cm
SU	3
Price	-

GARDEN FORK



- › Robust tines for turning stony and hard soils
- › Wide D-grip for two-handed use
- › Ergonomically shaped handle
- › Stable tread protection
- › Non-slip skin friendly plastic coating for easy handling

As long as supply lasts

Article	AG-E
EAN code	4 009269 305587
Article number	73ADA003650
Working length/width	115 cm / 18 cm
SU	4
Price	-

WEED EXTRACTOR



- › Easily take out weeds and thistles
- › A lightweight and handy device
- › Hardened for extra strength
- › Comfortable D-grip

Article	iW-F
EAN code	4 009269 255288
Article number	73ADD002650
Working length	140 cm
SU	6
Price	-

GARDEN WEEDER



- › Environmentally friendly weeding (especially dandelions) under comfortable working conditions
- › Comfortable D-grip
- › Folding foot plate
- › Dig out weeds with deep stainless steel blades
- › Footrest makes pulling out weeds easy

Article	iW-A
EAN code	4 009269 305600
Article number	73AAA001650
Working length	110 cm
SU	4
Price	-

LAWN EDGE TRIMMER



- › Effortless straightening of the ridge edge
- › A lightweight and handy device
- › Step edge for more comfortable working
- › Hardened for extra strength

Article	RM-F
EAN code	4 009269 331180
Article number	73ADD001650
Working length/width	100 cm / 22,5 cm
SU	6
Price	-


SECATEURS

Tailored for each hand



QUALITY »MADE IN GERMANY«

Special technology for durable blades: Made from the finest raw materials, precisely ground and hardened, these scissors boast the WOLF-Garten quality seal with minimal wear and tear. **Easy-action mechanical system** guarantees effort-saving cutting and perfect, plant-friendly cutting even after many years. **Additional non-stick coating:** Prevents sap from adhering to the blade and diseases from being transmitted to other plants via the cutting surfaces.



BYPASS OR ANVIL TECHNOLOGY?



BYPASS

The dual-cut or bypass technique is recommended for precise and stump-free cutting of young shoots that promotes wound healing. The slender cutting head means you can cut close to the trunk even in hard-to-reach places.



ANVIL

The single-blade or anvil technology saves up to 20 % effort compared to the two-blade technology. Anvil cutters are ideal for cutting dead or hard wood. Paving the way for easy articulation without cutting impact.



BYPASS SECATEURS

BYPASS GARDEN SHEAR

- › Stump-free cutting for faster wound healing
- › One-hand locking
- › For right- and left-handed use
- › Non-stick coated blade



Article	RR-EN	RR-EN
EAN code	4 009269 722377	4 009269 722322
Article number	73AFA008650	7223000
Cutting performance	up to 19 mm dia.	up to 19 mm dia.
Type of packaging	on product card	loose
SU	10	20
Price	-	-



**BYPASS SECATEURS
»BASIC PLUS«**

- › Stump-free cutting for faster wound healing
- › One-hand locking
- › For right- and left-handed use
- › Non-stick coated blade
- › Ergonomic, two-component handle with soft rubber insert in the upper handle for secure grip during cutting
- › Safety thumb rest

Article	RR 1500
EAN code	4 009269 304856
Article number	73CFA001650
Cutting performance	up to 18 mm dia.
Type of packaging	on product card
SU	5
Price	-



**BYPASS SECATEURS
»COMFORT PLUS«**

- Same as RR 1500, plus:
- › Wrist-friendly 30° cutting angle



**BYPASS SECATEURS
»PREMIUM PLUS«**

- Same as RR 2500, plus:
- › Precise blade pre-tension
 - › Sliding lower handle
 - › Compl. replaceable blade lever



Article	RR 2500
EAN code	4 009269 304863
Article number	73CFA002650
Cutting performance	up to 22 mm dia.
Type of packaging	on product card
SU	5
Price	-

Article	RR 4000
EAN code	4 009269 304887
Article number	73CFA004650
Cutting performance	up to 22 mm dia.
Type of packaging	on product card
SU	5
Price	-



**BYPASS SECATEURS
»ALU-PROFESSIONAL«**

- › Stump-free cutting for faster wound healing
- › One-hand locking
- › For right- and left-handed use
- › Non-stick coated blade
- › Made of aluminium – top quality and durability
- › Effort-saving leverage
- › Wrist-friendly 30° cutting angle
- › Replaceable blades
- › Precise blade pre-tension
- › With holding strap

Article	RS 5000	RR 5000
EAN code	4 009269 730471	4 009269 726306
Article number	73AFA007650	73AFB006650
Cutting performance	up to 25 mm dia.	up to 25 mm dia.
Type of packaging	on product card	Box
SU	5	5
Price	-	-

**10 YEARS
GUARANTEE**
MADE IN GERMANY

1



ANVIL SECATEURS

ANVIL GARDEN SHEAR

- › With power anvil for easy cutting (also harder wood)
- › One-hand locking
- › For right- and left-handed use
- › Non-stick coated blade and bright galvanised shear body



Similar to image

ACTION SET RR-EN/RS-EN

A set comprising two sturdy garden shears:

- › 1x bypass garden shear RR-EN
- › 1x anvil garden shear RR-EN

Article	RS-EN	RS-EN
EAN code	4 009269 285018	4 009269 285025
Article number	73AFA009650	7210000
Cutting performance	up to 19 mm dia.	up to 19 mm dia.
Type of packaging	on product card	loose
SU	10	20
Price	-	-

Article	RR-EN + RS-EN
EAN code	4 009269 722384
Article number	73AFE001650
Cutting performance	up to 19 mm dia.
Type of packaging	on product card
SU	10
Price	-



**ANVIL SECATEURS
»COMFORT PLUS«**

- › Non-stick coated blade
- › Ergonomic, two-component handle with soft rubber insert in the upper handle for secure grip during cutting
- › Safety thumb rest
- › Wrist-friendly 30° cutting angle
- › Replaceable anvil



**ANVIL SECATEURS
»PREMIUM PLUS«**

Same as RS 2500, plus:

- › Sliding lower handle
- › Compl. replaceable blade lever
- › Precise blade pre-tension



Article	RS 2500
EAN code	4 009269 304870
Article number	73CFA003650
Cutting performance	up to 25 mm dia.
Type of packaging	on product card
SU	5
Price	-

Article	RS 4000
EAN code	4 009269 304894
Article number	73CFA005650
Cutting performance	up to 25 mm dia.
Type of packaging	on product card
SU	5
Price	-



**ANVIL SECATEURS
»ALU-PROFESSIONAL«**

- › With power anvil for easy cutting (also harder wood)
- › One-hand locking
- › For right- and left-handed use
- › Non-stick coated blade
- › Made of aluminium – top quality and durability
- › Effort-saving leverage
- › 30° cutting angle relieves strain on your joints
- › Replaceable blades and anvil
- › Precise blade pre-tension
- › With holding strap

Article	RS 5000	RS 5000
EAN code	4 009269 730471	4 009269 730402
Article number	73AFA007650	73AFB007650
Cutting performance	up to 25 mm dia.	up to 25 mm dia.
Type of packaging	on product card	Box
SU	5	5
Price	-	-

MANUAL GRASS SHEARS



»PROMOTION« HANDHELD GRASS SHEAR

- › Non-stick coated blades
- › Cutting head rotates by 180°
- › Curved blades, precision ground on both sides



»CLASSIC« HANDHELD GRASS SHEAR

- › Bright galvanised blades
- › 20 % less effort needed
- › One-hand safety lock
- › Cutting head rotates by 180°
- › Curved blades, precision ground on both sides

Article	Ri-T	Ri-T
EAN code	4 009269 703383	4 009269 280624
Article number	73AJA001650	7033004
Type of packaging	on product card	loose
SU	10	20
Price	-	-

Article	RJ-ZL
EAN code	4 009269 703178
Article number	73AJA002650
Type of packaging	on product card
SU	6
Price	-



»COMFORT« HANDHELD GRASS SHEAR

- › Comfort handle
- › One-hand safety lock
- › 30 % less effort needed
- › Cutting head rotates by 180°
- › Curved blades, precision ground on both sides
- › Closed lower handle to protect your hand



»PROFESSIONAL« HANDHELD GRASS SHEAR

- › Cutting head rotates by 180°
- › Thanks to the grass catcher, no cuttings fall into the adjacent bed
- › 30 % less effort needed thanks to improved mechanical system and low-friction non-stick coating
- › Suitable for cutting along walls
- › Shielded lower handle protects your hand from scratching
- › Blades precision-ground on both sides

Article	Ri-LL	Ri-LL
EAN code	4 009269 703079	4 009269 703000
Article number	73AJA003650	7030000
Type of packaging	on product card	loose
SU	6	6
Price	-	-

Article	Ri-GC
EAN code	4 009269 702379
Article number	73AJA004650
Type of packaging	on product card
SU	6
Price	-

MULTIPURPOSE SHEAR



- › For use in household and garden
- › With rust-free stainless steel blades
- › For all cutting jobs, from cutting flower stems to string and cardboard and up to thin twigs
- › Easy to clean because you can take the scissors apart
- › Comfort handle with non-slip inside edges

Article	RA-X
EAN code	4 009269 721608
Article number	73AFA010650
Type of packaging	on product card
SU	10
Price	-



HEDGE SHEARS

1




- › Curved, bright galvanised blades with serrated edges
- › Integrated branch cutter
- › Ergonomic wooden handle
- › Individually adjustable blade pre-tensioner
- › Impact-absorbing dampers



- › Easier cutting with curved, double-ground, non-stick coated blades
- › Integrated branch cutter
- › Ergonomic wooden handle
- › Individually adjustable blade pre-tensioner
- › Impact-absorbing dampers

Article	HS-W
EAN code	4 009269 743907
Article number	73AHA002650
SU	4
Price	-

Article	HS-TL
EAN code	4 009269 743808
Article number	73AHA003650
SU	3
Price	-



- › Integrated lever transmission saves 40 % effort
- › Integrated branch cutter
- › Ergonomic wooden handle
- › Easier cutting with curved, double-ground, non-stick coated blades
- › Individually adjustable blade pre-tensioner
- › Impact-absorbing dampers



- BOXWOOD SHEAR**
- › Clean shaping cut (e.g. box) with agile, short blades
 - › Ergonomic two-component handles
 - › Integrated branch cutter
 - › Curved, double-ground, non-stick coated blades
 - › Finely adjustable bearing
 - › Impact-absorbing dampers

Article	HS-G
EAN code	4 009269 742603
Article number	73AHA004650
SU	3
Price	-

Article	HS-B
EAN code	4 009269 742405
Article number	73AHA005650
SU	5
Price	-



- TELESCOPIC HEDGE TRIMMER**
- › High flexibility with adjustable poles that lock into place securely
 - › Ergonomic two-component handles
 - › Shock-absorbing buffers protect your joints
 - › Individually adjustable blade pre-tensioner
 - › A built-in branch cutter handles even thicker branches with ease
 - › Cutting without backache caused by bending for lower hedge areas or stretching for higher hedges
 - › Precision ground, curved and non-stick coated blades
 - › Lightweight aluminium design poles

Article	HS 1000 T
EAN code	4 009269 305860
Article number	73BHA001650
Length	approx. 770–1.000 mm
SU	4
Price	-

LOPPERS

Cutting with little effort



BYPASS OR ANVIL TECHNOLOGY?



BYPASS

The dual-cut or bypass technique is recommended for precise and stump-free cutting of young shoots that promotes wound healing. The slender cutting head means you can cut close to the trunk even in hard-to-reach places.



ANVIL

The single-blade or anvil technology saves up to 20 % effort compared to the two-blade technology. Anvil cutters are ideal for cutting dead or hard wood. Paving the way for easy articulation without cutting impact.

POWER CUT SYSTEM SERIES – POWER WHEN YOU NEED IT!


The innovative cutting head technology multiplies the applied force up to 4 times, depending on the model. Even branches with a diameter of 50 mm can be cut back to the desired length at the arms and joints.

From the absolute beginner to the professional, everyone finds the right pruning shears for their garden.

POWER CUT SYSTEM SERIES



Innovative cutting head technology for effortless cutting with up to 4-fold power boost.



Anodised poles, some models with practical telescopic function for a longer range



Using the loppers is safe and comfortable with the ergonomically shaped, non-slip handles. The dampers of the bypass Loppers soften the impact during cutting.



Blades with non-stick coating for branches up to 50 mm in diameter.



Made with easy-change replaceable spare parts and with a 10-year warranty. Our Lopper range is more maintenance-friendly than ever.



Joints with flat screw connections prevent damage to the bark.

POWER CUT RR 530 & 630 ENTRY-LEVEL MODELS



BYPASS LOPPER

- › Simple leverage
- › Ergonomic handles
- › Non-stick coated blades
- › Flat-screwed joints
- › Shock-absorbing rubber dampers



10 YEARS GUARANTEE
MADE IN GERMANY



BYPASS LOPPER

- › Simple leverage
- › Ergonomic handles
- › Non-stick coated blades
- › Flat-screwed joints
- › Shock-absorbing rubber dampers



10 YEARS GUARANTEE
MADE IN GERMANY

Article	POWER CUT RR 530
EAN code	4 009269 305471
Article number	73AGA001650
Length	530 mm
SU	5
Price	-

Article	POWER CUT RR 630
EAN code	4 009269 305488
Article number	73AGA002650
Length	630 mm
SU	5
Price	-



BYPASS LOPPERS

»BASIC PLUS«



**BYPASS LOPPER
»BASIC PLUS«**

- › Up to 2 times higher force transmission thanks to innovative cutting head technology
- › Ergonomic handles
- › Non-stick coated blades
- › Anodised shafts
- › Flat-screwed joints
- › Replaceable wear parts
- › Precise adjustment of blade pre-tension
- › Shock-absorbing rubber dampers

Article	POWER CUT* RR 650
EAN code	4 009269 305501
Article number	73CGA004650
Length	650 mm
SU	4
Price	-

»COMFORT PLUS«



**BYPASS LOPPER
»COMFORT PLUS«**

- › Up to 3 times higher force transmission thanks to innovative cutting head technology
- › Ergonomic handles with soft inserts
- › Longer aluminium spars for better power transmission
- › Non-stick coated blades
- › Anodised shafts
- › Flat-screwed joints
- › Replaceable wear parts
- › Precise adjustment of blade pre-tension
- › Shock-absorbing rubber dampers

Article	POWER CUT** RR 750
EAN code	4 009269 305525
Article number	73CGA006650
Length	750 mm
SU	4
Price	-

»PREMIUM PLUS«



**BYPASS LOPPER
»PREMIUM PLUS«**

- › Telescopic adjustment: 65–90 cm
- › Up to 4 times higher force transmission thanks to innovative cutting head technology
- › Ergonomic handles with soft inserts
- › Non-stick coated blades
- › Anodised shafts
- › Flat-screwed joints
- › Replaceable wear parts
- › Precise adjustment of blade pre-tension
- › Shock-absorbing rubber dampers

Article	POWER CUT*** RR 900 T
EAN code	4 009269 305549
Article number	73CGA008650
Length	650–900 mm
SU	2
Price	-



ANVIL LOPPERS

1

»BASIC PLUS«



ANVIL LOPPER »BASIC PLUS«

- › Up to 2 times higher force transmission thanks to innovative cutting head technology
- › Ergonomic handles
- › Non-stick coated blades
- › Anodised shafts
- › Flat-screwed joints
- › Replaceable wear parts
- › Precise adjustment of blade pre-tension

Article	POWER CUT* RS 650
EAN code	4 009269 305518
Article number	73BGA005650
Length	650 mm
SU	4
Price	-

»COMFORT PLUS«



ANVIL LOPPER »COMFORT PLUS«

- › Up to 3 times higher force transmission thanks to innovative cutting head technology
- › Ergonomic handles with soft inserts
- › Longer aluminium spars for better power transmission
- › Non-stick coated blades
- › Anodised shafts
- › Flat-screwed joints
- › Replaceable wear parts
- › Precise adjustment of blade pre-tension

Article	POWER CUT** RS 750
EAN code	4 009269 305532
Article number	73BGA007650
Length	750 mm
SU	4
Price	-

»PREMIUM PLUS«



ANVIL LOPPER »PREMIUM PLUS«

- › Telescopic adjustment: 65–90 cm
- › Up to 4 times higher force transmission thanks to innovative cutting head technology
- › Ergonomic handles with soft inserts
- › Non-stick coated blades
- › Anodised shafts
- › Flat-screwed joints
- › Replaceable wear parts
- › Precise adjustment of blade pre-tension

Article	POWER CUT*** RS 900 T
EAN code	4 009269 305556
Article number	73BGA009650
Length	650–900 mm
SU	2
Price	-

RS 800 V LOOPER

Made to perform

Cutting branches has never been this easy! That's because the PowerCut® RS 800 V pruning shear from WOLF-Garten offers two different cutting types – making it extremely flexible. Do you want to cut branches quickly one after the other or in tighter areas? In this case, the small spread angle is sufficient. Cutting thick branches with less force? Simply open the handle beyond the resistance – and take advantage of the greater leverage of the maximum angle. The ergonomically shaped handles with a non-slip surface ensure a secure and comfortable grip at all times.




www.WOLF-Garten.com/rs800v

TWO DIFFERENT CUTTING MODES



SPEED CUT – FAST AND VERSATILE
 Small opening angle for comfortable working even in narrow places - and to cut thinner branches quickly one after the other.



POWER CUT – STRONG AND COMFORTABLE
 Larger opening angle activates Power Cut mode for powerful work. Even thick knots up to 50 mm thick are cut "soft as butter" - the larger spreading angle and the resulting greater leverage make it possible.



CHANGE TYPE OF CUT
 If the branch is not cut with Speed Cut, then simply activate Power Cut and end the cut without stopping.



CLEAN CUT
 Non-stick coated blades prevent adhesion of sap to the blades cutting surface, making sure your cuts remain clean and precise.



GENTLE AND SOFT
 The ergonomic shaped two component grips with soft inlay avoid slipping off and ensure a safe and comfortable grip



MAXIMUM DURABILITY
 Manufactured from high quality materials under strictly controlled conditions and equipped with an 10 years warranty. 100% "Made in Germany".



- › Light weight and stable aluminium tubes
- › Non stick coated blades for reduced cutting force and easy cleaning
- › Speed Cut and Power Cut Mode
- › Cutting diameter 50 mm
- › Replaceable wearing parts



Article	POWER CUT RS 800 V
EAN code	4 008423 891997
Article number	73AGA010650
Length	800 mm
SU	2
Price	-

TREE LOPPERS

POWER DUAL CUT RR 200



POWER DUAL CUT RR 400 T



BYPASS PRUNING SHEAR

- › Two cutting options: High-speed (short path for rapidly cutting thin branches) and high-power (double path and therefore double power for cutting thicker branches)
- › 225° adjustable cutting head
- › Non-stick coated blades reduce the cutting effort and make cleaning the blades easier
- › Good visibility in trees for safe and precise work
- › Using a hole grid on the telescopic handle extending up to 400 cm (only PDC RR 400 T)
- › You can also cut by pulling on the lower button



Article	POWER DUAL CUT RR 200	POWER DUAL CUT RR 400 T
EAN code	4 008423 861181	4 008423 861389
Article number	73BCA001650	73BCA002650
Cutting performance	32 mm	32 mm
Length	200 cm	240-400 cm
Cutting height	up to 3,5 m	up to 5,5 m
SU	2	2
Price	-	-



Two cutting options: High-speed (short path for rapidly cutting thin branches) and high-power (double path and therefore double power for cutting thicker branches).



The non-stick coated blades drastically reduce the cutting effort, make blade cleaning easier and prevent transferring diseases.



The telescopic handle of the RR 400 T model comes with a hole locking mechanism that lets you extend it easily and quickly from 240 to 400 cm.



The twist connection makes it fast and easy to adjust the cutting head by 225°. That means you can reach branches growing in all directions.



The colours (red and yellow) and special design of the cutting head make it easily visible, ensuring safe and precise cutting in trees.

SPINDLE MOWER

1



TT 300S/TT350 S

- › 4-fold cutting height adjustment: 1,3–3,8 cm
- › Blade system: 5 touching blades
- › Soft-Grip handle
- › TT-350 S: Ball-bearing mounted blade roller

TT 380 DL

- › 4-fold cutting height adjustment: 1,3–3,8 cm
- › Blade system: 5 non-contacting blades
- › Soft-Grip handle
- › Ball-bearing mounted blade roller



Article	TT 300 S	TT 350 S	TT 380 DL
EAN code	4 009269 305839	4 009269 305846	4 009269 305853
Article number	15B-AA--650	15B-BA--650	15B-CD--650
Lawn area	up to 100 m ²	up to 150 m ²	up to 200 m ²
Cutting width	30 cm	35 cm	38 cm
Weight	7 kg	7 kg	9 kg
SU	1	1	1
Price	-	-	-

SPINDLE MOWER – GRASS CATCHER



- › Grass catchers for spindle mowers TT 300 S, TT 350 S, TT 380 DL

Article	FS 320	FS 350	FS 380
EAN code	4 008423 885248	4 009269 362269	4 009269 362368
Article number	196-654-650	3622065	3623065
Grass catcher volume	15 l	20 l	25 l
Suitable for	TT 300 S	TT 350 S	TT 380 DL
SU	1	1	1
Price	-	-	-



Loopo mowing robots



LOOPO MODELS P. 60

ACCESSORIES P. 68

LOOPO MOWING ROBOTS

WOLF-Garten makes it easy to get started

There's nothing better than watching others work. Especially when they do it as accurately and reliably as Loopo robots from WOLF-Garten. For small lawns we offer three models, including the unbeatably low-priced entry-level model Loopo S150 – and the brand-new Loopo S500 Connect for lawns up to 500 m²*. Featuring three models, our next bigger range of mowers is designed for areas from 1.000 m² to 2.000 m²*. A special highlight are the two new models Loopo S500 Connect and M1500 Connect. Thanks to the integrated RoboConnect+ module, functions can be controlled, programmed and monitored from anywhere – worldwide via GSM mobile radio! Data communication is already included for 36 months. This makes autonomous mowing extremely versatile, convenient and safe.



In sense of nature protection: please operate your Loopo only until the beginning of dusk, so as not to endanger small nocturnal animals such as hedgehogs!

*Under ideal mowing conditions: flat lawn, simple rectangular area, no obstacles, no additional zones and moderately growing lawn.



www.WOLF-Garten.com/loopo

**NEW MODELS
LOOPO S500 CONNECT AND
M1500 CONNECT AVAILABLE**



MAIN BENEFITS OF THE LOOPO MOWING ROBOTS

FAMILY FRIENDLY & INTUITIVE

Easy to install – including a child safety feature. Fast, silent mowing. So you can enjoy your garden more. Please make sure that there are no children or pets on the lawn while your Loopo is mowing

ECO MODE

With a reduced motor speed power consumption and noise level are lower, so your Loopo really doesn't bother anyone.

COMPACT & SMART

Also ideal for small lawns under 100 m². With smart-app and intelligent remote diagnostics.

STRONGEST MOWING SYSTEM IN ITS CLASS

Much more powerful and sturdy than competing mowing robots for similar area sizes.

THE NEW MODELS WITH ROBOCONNECT+


Complete GSM remote control by smartphone with our App 2.0 and access to the Web portal MyLoopo. Additional live tracking for locating and geo-fencing as anti-theft protection.

loopo

Our smallest models come with great features

Our Loopo S mowing robots are especially family friendly – from the entry-level Loopo S150 to the new Loopo S500 Connect. For example, installation is complete in no time. With its powerful 100 Watt motor, this compact mowing robot makes short work of any lawn. It can manage several sub zones if they are connected by a path or a stretch of lawn and it also handles separate zones effortlessly once you connect them with the RoboZone (see page 68). Thanks to its compact design, the Loopo only takes up little space both on the lawn and in storage. The base station can also be installed outside the lawn as an external station.





FLOATING MOWING DECK
The S-series Loopo mowing robots handle any terrain, providing incredible accuracy.



SUPER-EASY TO USE
The Loopo is controlled by a single button.



MORE TIME WITH YOUR LAWN
Thanks to its large battery capacity, Loopo S only needs to mow once a day. The rest of the time you can use your lawn extensively for leisure.



CHILD LOCK
Reliably prevents children from accessing the robot.



ADDITIONAL FEATURES:

SPIKED WHEELS

Extremely wide wheels with good grip for excellent traction even on hilly terrain.

ANTI-THEFT PROTECTION (LOOPO S300 & S500 CONNECT)

Protect your Loopo with your smartphone, you can make sure strangers can't use your mowing robot.

SMART-APP (LOOPO S300 & S500 CONNECT)

You can easily control all functions using your smartphone.

LIGHTWEIGHT

The Loopo S500 Connect weighs only 6,7 kg. Comfortable to carry, especially if you use it in separate zones.

VERY QUIET

The Loopo only generates 64dB when mowing, so your neighbours won't complain.

PATENTED MULCH CLEANER

Removes grass cuttings while mowing and cleans the mowing deck automatically (standard on all Loopo S).



Article	LOOPO S150
EAN code	4 008423 883473
Article number	22AXBACA650
Runtime	90–120 min
Charging time	16–20 hours
Battery	Lead-acid 12 V / 7 Ah
Areas	1 main zone, 2 separate zones
Max. Area performance	250 m ² *
Rec. Area performance	150 m ²
Area coverage per hour	55 m ² /h
Max. slope	15 % / 8,5°
Cutting width	18 cm
Cutting height	15–45 mm
Electricity consumption	2,5 kWh/month
Included in delivery	Base station with power supply, 70 m perimeter wire, 100 pegs, cable connector
Price	-

Article	LOOPO S300
EAN code	4 008423 883480
Article number	22AXDAHA650
Runtime	90–120 min
Charging time	16–20 hours
Battery	Lead-acid 12 V / 7 Ah
Areas	1 main zone, 2 sub zones, 2 separate zones
Max. Area performance	300 m ² *
Rec. Area performance	200 m ²
Area coverage per hour	55 m ² /h
Max. slope	15 % / 8,5°
Cutting width	18 cm
Cutting height	15–45 mm
Electricity consumption	4 kWh/month
Included in delivery	Base station with power supply, 80 m perimeter wire, 150 pegs, cable connector
Price	-

Article	LOOPO S500 CONNECT
EAN code	4 008423 913842
Article number	22AXGA-D650
Runtime	180–210 min
Charging time	16–18 hours
Battery	Li-Ion 12V / 10,2 Ah
Areas	1 main zone, 2 sub zones, 2 separate zones
Max. Area performance	500 m ² *
Rec. Area performance	400 m ²
Area coverage per hour	55 m ² /h
Max. slope	15 % / 8,5°
Cutting width	18 cm
Cutting height	15–45 mm
Electricity consumption	9 kWh/month
Included in delivery	Base station with power supply, 150 m perimeter wire, 200 pegs, cable connector
Price	-

*Under ideal mowing conditions: flat lawn, simple rectangular area, no obstacles, no additional zones and moderately growing lawn.

High-quality features for best results

With 200 watt of power, the Loopo M's engine makes short work of any lawn. With its smart mowing mode, the Loopo M is extremely agile and flexible – without cutting any corners, of course. It also mows interconnected subzones and – with the RoboZone signal transmitter (available as accessory) – even separate zones without a second base station (e.g. in a cottage). All Loopo models (except Loopo S150) can be controlled and monitored via Bluetooth with the Smartphone App 2.0. The new model M1500 Connect also has an integrated RoboConnect+ module, with which you can connect to your Loopo from anywhere in the world via the web portal MyLoopo.





SMART MODE

Instead of just stopping and turning around, the Loopo M turns just before reaching the perimeter wire, thus saving time.



28 CM CUTTING WIDTH

The Loopo mows lawns of up to 2.000 m² in a very short time.



POWER WHEELS

Thanks to improved traction, the Loopo easily glides over slopes and slippery ground.



PRECISE CUT

Sturdy steel blade with 28 cm cutting width for a precise cut. Please keep children and pets away from the lawn during the mowing process.



ADDITIONAL FEATURES:

UNIQUE EDGE MODE

The Loopo M Series mowing robots provide perfect cutting results right up to the edge. With our unique edge mode, the mowing robots mow to the wheelbase.

SMART-APP

With your smartphone, you can easily control all the functions and even manually mow twisty areas using the remote control function.

INTEGRATED RAIN SENSOR

When it starts raining, the Loopo M automatically returns to its base station and only continues mowing when conditions improve.

ANTI-THEFT PROTECTION

With a personalised PIN code and a loud alarm, you can make sure strangers can't use your Loopo mowing robot.

NEAR WIRE FOLLOW

Loopo M (not M1000) returns to it's base station in a different distance to the wire each time – so it avoids unwanted wheel tracks on your lawn.

EXTREMELY AGILE

The Loopo M manoeuvres with the front wheel within the most confined spaces.



Article	LOOPO M1000
EAN code	4 008423 883381
Article number	22BCBA-A650
Runtime	45–50 min
Charging time	50–70 min
Battery	Lithium Iron Phosphate 26 V / 2,4 Ah (LiFePO ₄)
Areas	1 main zone, 3 sub zones, 2 separate zones
Max. Area performance	1000 m ² *
Rec. Area performance	500 m ²
Area coverage per hour	75 m ² /h
Max. slope	36 % / 20°
Cutting width	28 cm
Cutting height	15–60 mm
Electricity consumption	11 kWh/month
Included in delivery	Base station with power supply, 150 m perimeter wire, 200 pegs, cable connector
Price	-

Article	LOOPO M1500 CONNECT
EAN code	4 008423 913859
Article number	22ACDAED650
Runtime	60–70 min
Charging time	70–90 min
Battery	Lithium Iron Phosphate 26 V / 3 Ah (LiFePO ₄)
Areas	1 main zone, 3 sub zones, 2 separate zones
Max. Area performance	1500 m ² *
Rec. Area performance	800 m ²
Area coverage per hour	75 m ² /h
Max. slope	36 % / 20°
Cutting width	28 cm
Cutting height	15–60 mm
Electricity consumption	14 kWh/month
Included in delivery	Base station with power supply, 200 m perimeter wire, 250 pegs, cable connector
Price	-

Article	LOOPO M2000
EAN code	4 008423 883428
Article number	22BCFAEA650
Runtime	60–70 min
Charging time	70–90 min
Battery	Lithium Iron Phosphate 26 V / 3 Ah (LiFePO ₄)
Areas	1 main zone, 3 sub zones, 2 separate zones
Max. Area performance	2000 m ² *
Rec. Area performance	1200 m ²
Area coverage per hour	75 m ² /h
Max. slope	36 % / 20°
Cutting width	28 cm
Cutting height	15–60 mm
Electricity consumption	18 kWh/month
Included in delivery	Base station with power supply, 250 m perimeter wire, 300 pegs, cable connector
Price	-

CONTROL YOUR LOOPO ONLINE

MyLoopo & App 2.0 – smarter mowing

FREE FOR iOS
AND Android™

When did your Loopo mow last? Do you want to change the mowing schedule or review the charging status? With the Smartphone App 2.0 you control most functions via Bluetooth when you are within range of your Loopo (not available for Loopo S150). With the two new Loopo models S500 Connect and M1500 Connect there's even more to it: thanks to the integrated RoboConnect+ module with GSM, you can access functions and status information not only on your smartphone but also via the MyLoopo web portal – from anywhere in the world!



YOU CAN USE THE FOLLOWING FUNCTIONS VIA THE APP AND MYLOOPO

MY LOOPO – KEEP AN EYE ON EVERYTHING ONLINE

Control, program and monitor the new Loopo Connect models anytime, anywhere. View or modify the weekly programme online. Get tips on optimising mowing performance. With the MyLoopo web portal – as with Loopo App 2.0 (see right) – you have online access to many functions of your mowing robot at any time. MyLoopo is constantly updated and new functions are added all the time.



design similar

ONLINE SERVICE

- › Immediate support through customer service diagnostics
- › Troubleshooting

REMOTE CONTROL

- › For manual control – even outside the perimeter wire
- › Makes sense for small areas
- › Ideal for narrow passages

PROGRAMME

- › Mow
- › Return to base
- › Turn off automatic start
- › Adapt mowing schedule, change mowing plan

UPDATE*

- › Mowing progress
- › Battery charge
- › Mowing times

STAY IN TOUCH WITH ROBOCONNECT+ AT ALL TIMES

The RoboConnect+ module extends the functions considerably. It is the prerequisite for connecting the two new Loopo Connect models with its web portal MyLoopo. The mowing robot can be located at any time via live tracking. In addition, the module offers geo-fencing as theft protection: When the Loopo leaves its assigned area, a loud alarm is triggered, which is guaranteed to prevent anyone from stealing your mowing robot. Last but not least, RoboConnect+ also connects to Alexa, Amazon's cloud-based voice service.

READY FOR ALEXA – CONTROL YOUR LOOPO BY VOICE

Just say what you want your Loopo S500 Connect or M1500 Connect to do. The RoboConnect+ module connects to Amazon's cloud-based Alexa voice service.

- › Start/Stop, return to base station
- › Current status
- › Information about last mowing activity – date & time, duration, errors
- › Retrieve the next scheduled mowing operation (Loopo S only)
- › Enable/disable the automatic mowing programme



*Appears when you open the app close to your Loopo robotic mower.

iOS is a trademark or registered trademark of CISCO in the U.S. and other countries and is used under license by Apple Inc. Android is a brand of Google Inc.


ORIGINAL LOOPO ACCESSORIES



Add to your Loopo robotic lawn mower!

What makes your Loopo even better? The practical original accessories. This will add even more useful functions to the rich feature set of your robotic lawn mower, increasing comfort and efficiency even further.

ROBOZONE – MOW SEPARATE AREAS FLEXIBLY

Make your Loopo mowing robot independent of a base station – with the mobile RoboZone sensor! This means you can mow separate zones that are not connected to the main area, e.g. front gardens of holiday homes. Simply lay a boundary wire on the secondary surface, insert the sensor and you're done! RoboZone is available in three versions: In addition to a version with power supply, there are also models with battery and solar cells. This means that the sensor also works when there is no power outlet nearby.



Article	ROBOZONE	ROBOZONE MOBIL
EAN code	 4 008423 883664	 4 008423 892185
Article number	122-024-650	122-038-650
SU	1	1
Power supply	Power plug	Battery
Suitable for	Loopo S, Loopo M	Loopo S, Loopo M
Price	-	-

ACCESSORIES MOWING ROBOTS



PERIMETER CABLE 100 M

Article	PERIMETER CABLE
EAN code	4 008423 883626
Article number	122-010-650
SU	1
Suitable for	Loopo S, Loopo M
Price	-



PERIMETER CABLE 200 M

Article	PERIMETER CABLE
EAN code	4 008423 883633
Article number	122-011-650
SU	1
Suitable for	Loopo S, Loopo M
Price	-



CABLE CONNECTOR 10 PIECES

Article	CABLE CONNECTOR
EAN code	4 008423 883657
Article number	122-020-650
SU	1
Suitable for	Loopo S, Loopo M
Price	-



PEGS, SET OF 50

Article	PEGS
EAN code	4 008423 883640
Article number	122-016-650
SU	1
Suitable for	Loopo S, Loopo M
Price	-



REPLACEMENT BLADE LOOPO S

Article	REPLACEMENT BLADE
EAN code	4 008423 883732
Article number	122-098-650
SU	1
Suitable for	Loopo S
Price	-



REPLACEMENT BLADE LOOPO M

Article	REPLACEMENT BLADE
EAN code	4 008423 883725
Article number	122-095-650
SU	1
Suitable for	Loopo M
Price	-



ROBOHOME BASE FOR LOOPO S

Article	ROBOHOME
EAN code	4 008423 883718
Article number	122-077-650
SU	1
Suitable for	Loopo S
Price	-



ROBOHOME BASE FOR LOOPO M

Article	ROBOHOME
EAN code	4 008423 883701
Article number	122-074-650
SU	1
Suitable for	Loopo M
Price	-



POWERWHEELS LOOPO M

for model year 2018 and earlier

Article	LARGE POWERWHEELS
EAN code	4 008423 883749
Article number	122-116-650
SU	1
Suitable for	Loopo M
Price	-



ROBOGRIPS ITEMS

› for improved grip (model year 2018 and earlier)

Article	ROBOGRIPS ATTACHMENTS
EAN code	4 008423 883763
Article number	122-122-650
Wheel width	68 mm
SU	1
Suitable for	Loopo M
Price	-



MULCH CLEANER – UNIQUE AND USEFUL

› The patented mulch cleaner already cleans the cutting deck during mowing and ensures it is not clogged by clippings so that your Loopo can always deliver its full mowing performance.

Article	MULCH CLEANER
EAN code	4 008423 883800
Article number	122-149-650
SU	1
Suitable for	Loopo S
Price	-



Battery-powered gardening tools




LYCOS 40V AKKU-SYSTEM P. 72

BATTERY-POWERED SHEARS P. 81

LYCOS 40V BATTERY

NEW

LYCOS 40V. The battery system that will change your gardening work lastingly.



www.WOLF-Garten.com/lycos


Full of power, sustainable and state-of-the-art: the brand new LYCOS 40V battery system from WOLF-Garten! The battery-powered garden tool range is on a par with comparable petrol tools in terms of performance and endurance. And that's not all: thanks to battery power, the LYCOS 40V system is particularly environmentally friendly. It is also pleasantly quiet during operation and extremely durable thanks to high-quality components. The batteries can be recharged in no time – the fastest in its class. The LYCOS 40V battery range consists of two powerful batteries and various garden tools: From two hedge trimmers, trimmers and brush cutters to leaf blowers/vacuum cleaners and three lawn mowers, everything is available to make gardening much easier.

The LYCOS 40V battery system makes gardening more fun. It is simply a good feeling to be in harmony with nature.

ALWAYS THE RIGHT POWER

ALL FITS ALL!

LYCOS



3

Just right for the job at hand

Little hedge? Big lawn? Short walk? Many deciduous trees? No two gardens are alike. And no garden has only small or only large tasks that have to be done. Sometimes a lot of endurance is required, sometimes the low weight counts. That's why WOLF-Garten offers with the LYCOS 40V battery system not only one 40V battery - but two: with different power and different weight. So that you can use exactly the right "bundle of energy" for every requirement.

OPTIMUM PERFORMANCE THANKS TO BATTERY MANAGEMENT SYSTEM

Both LYCOS 40V batteries have an integrated battery management system. It ensures that the respective energy requirements of the device are perfectly adapted to the situation and thus optimally used.

2,5 AH BATTERY

- › For smaller tasks - particularly compact and very lightweight

5,0 AH BATTERY


- › All-rounder when more power is needed - particularly compact and lightweight



BRUSHLESS MOTORS - HIGH POWER, LOW COST

All LYCOS 40V battery-powered garden tools are equipped with a brushless motor. This gives you a number of valuable advantages over conventional motor types:

- › efficient use
- › constant performance
- › long lifetime
- › low-wear and low-maintenance
- › no fuel costs



LYCOS 40V LEAF BLOWER AND LEAF BLOWER/VACUUM

NEW

Free your garden and sidewalks from leaves in no time at all - with the new 40V leaf blowers you can do it comfortably and quickly! The LYCOS 40/740 B offers the best blower performance in its class: with 240 km/h air speed and 740 m³/h air throughput. You can turn the LYCOS 40/480 V from a leaf blower into a leaf vacuum cleaner with a single turn of the hand. This reduces the need to empty the collection bag.



STEPLESS SPEED WHEEL & TURBO-BOOST

According to the needed power, you can adjust the air speed. With the turbo boost the air flow will remove even heavy wet leaves.



EXCHANGABLE TUBES

Short tube for big, wide areas, long tube for specific spots with stuck leaves – especially in combination with the leaf scraper.

Article	LYCOS 40/740 B	LYCOS 40/740 B SET
EAN code	4 008423 913644	4 008423 913583
Article number	41AT4BD-650	41AS4BD-650
Running time Content	up to 120 min	incl. battery* and charger
Charging time	80 % in 70 min, 100 % in 100 min	80 % in 70 min, 100 % in 100 min
SU	1	1
Price	-	-

- › Exceptional blower performance comparable to petrol-powered tools
- › Two different, easily replaceable nozzles for dry or wet leaves
- › Easy to use in difficult conditions
- › Axial blower for top efficiency
- › Ergonomically designed tube length ensures perfect working height and fatigue-free working
- › Nozzle and shoulder trap
- › Air speed: 240 km/h
- › Air flow: 740 m³/h
- › *Also available as set with 5,0 Ah battery and speed charger (41AS4BD-650)
- › Weight without/with battery: 2,4 / 3,6 kg



2-IN-1 BLOW/VAC

Switch between blow and vacuum function simply by turning the knob on the side – without rebuilding the whole machine.



BIG WHEELS

They are designed to operate in bumpy ground and to use the LYCOS 40/480 V also in nearly 90° slope to increase the vacuuming force on certain spots.



- › 2-in-1 leaf blower / vacuum
- › Two separate nozzles - one for blow function, one for suction function
- › Mulching function for shredding leaves in a ratio of 10:1
- › Large wheels and shoulder strap for comfortable one-handed use
- › Adjustable front handle for a comfortable working position at all times
- › Removable nozzle for easy cleaning
- › Collecting bag with large zipper for easy emptying
- › Air speed: 240 km/h
- › Suction volume: 480 m³/h; collecting bag: 40 l
- › *Also available as set with 5,0 Ah battery and speed charger (41AS4BV-650)
- › Weight without/with battery: 4,5 / 5,7 kg

Article	LYCOS 40/480 V	LYCOS 40/480 V SET
EAN code	4 008423 913651	4 008423 913590
Article number	41AT4BV-650	41AS4BV-650
Running time Content	up to 60 min	incl. battery* and charger
Charging time	80 % in 70 min, 100 % in 100 min	80 % in 70 min, 100 % in 100 min
SU	1	1
Price	-	-

LYCOS 40V GRASS TRIMMER AND BRUSH CUTTER

NEW

A clean cut is also important on the corners and edges of your lawn. With the LYCOS 40/300 T trimmer, you can quickly remove remaining grass and cut the edges precisely with the Edge function. Thicker bushes and faded plants can be removed in no time at all with the LYCOS 40/230 BC, the first battery-powered brushcutter for home users.



- › Line feed function disabled when working with cutting blade
- › Full features including spare blades, cutting head cover, line reel and shoulder strap
- › Adjustable, tilting working head with edging function for lawn edges
- › Cutting width: 30 cm
- › *Also available as set with 2,5 Ah battery and speed charger (41AS4TES650)
- › Weight without/with battery: 3,0 / 3,8 kg



- › Battery operated brush cutter
- › Adjustable front handle for a comfortable working position at all times
- › Cutting width: 23 cm
- › Metal knife and one trimmer coil (2.0 mm) included in the scope of delivery
- › *Also available as set with 2,5 Ah battery and speed charger (41AS4FDS650)
- › Weight without/with battery: 3,0 / 3,8 kg

Article	LYCOS 40/300 T	LYCOS 40/300 T SET
EAN code	4 008423 913699	4 008423 913637
Article number	41AT4TES650	41AS4TES650
Running time Content	up to 40 min	incl. battery* and charger
Charging time	80 % in 40 min, 100 % in 60 min	80 % in 40 min, 100 % in 60 min
SU	1	1
Price	-	-

Article	LYCOS 40/230 BC	LYCOS 40/230 BC SET
EAN code	4 008423 913668	4 008423 913606
Article number	41AT4FDS650	41AS4FDS650
Running time Content	up to 60 min	incl. battery* and charger
Charging time	80 % in 40 min, 100 % in 60 min	80 % in 40 min, 100 % in 60 min
SU	1	1
Price	-	-



ECO-MODE
Lower the rotational speed of the motor to increase the run-time. Just right in low grass and easier applications.



TOOL-LESS CLIP-ON BLADES
Easy to change between trimmer line and cutting blades. Line feed function disabled when working with blade.



TWO DIFFERENT CUTTING MODES
Thanks to the metal blade and the line trimming function, you can use the LYCOS 40/230 BC for several tasks in your garden.


EASY WIND-FUNCTION
The line can be rewound without the need to remove the coil or open the trimmer head.

3

LYCOS 40V HEDGE TRIMMER


NEW

With the LYCOS 40/500 H or LYCOS 40/600 H hedge trimmers you have the knack of getting your hedge back into shape quickly and precisely. Thanks to the swivelling handle, you can even do it without tedious contortions. No matter whether you cut your hedge frontally, top or sideways – the hedge trimmer always lies optimally in your hands at every angle. Due to the natural and ergonomic posture, even long periods of use can be handled effortlessly and arm-friendly.



Article	LYCOS 40/500 H	LYCOS 40/500 H SET
EAN code	4 008423 913675	4 008423 913613
Article number	41AT4HIR650	41AS4HIR650
Running time Content	up to 110 min	incl. battery* and charger
Charging time	80 % in 40 min, 100 % in 60 min	80 % in 40 min, 100 % in 60 min
SU	1	1
Price	-	-

- › 180° swivelling handle – adjustable to five angles: 90°/ 45°/0°/-45°/-90°
- › Durable, precision ground cutting blade
- › Lightweight, slim housing has a perfect grip
- › Cutting length: 50 cm
- › ECO-Mode for increased run-time
- › Impact guard for precise and safe cutting with integrated hanging eye
- › Blade spacing: 22 mm
- › *Also available as set with 2,5 Ah battery and speed charger (41AS4HIR650)
- › Weight without/with battery: 3,2 / 4,0 kg



Article	LYCOS 40/600 H	LYCOS 40/600 H SET
EAN code	4 008423 913682	4 008423 913620
Article number	41AT4HKR650	41AS4HKR650
Running time Content	up to 110 min	incl. battery* and charger
Charging time	80 % in 40 min, 100 % in 60 min	80 % in 40 min, 100 % in 60 min
SU	1	1
Price	-	-

- › 180° swivelling handle – adjustable to five angles: 90°/ 45°/0°/-45°/-90°
- › Durable, precision ground cutting blade
- › Lightweight, slim housing has a perfect grip
- › Cutting length: 60 cm
- › ECO-Mode for increased run-time
- › Impact guard for precise and safe cutting with integrated hanging eye
- › Blade spacing: 24 mm
- › *Also available as set with 2,5 Ah battery and speed charger (41AS4HKR650)
- › Weight without/with battery: 3,4 / 4,2 kg



3

LYCOS 40V LAWN MOWERS

NEW

The new LYCOS 40V rechargeable battery system also has something to offer when it comes to lawn mowers. So you have the choice between three different machines. You're sure to find the right lawn mower for your garden and requirements.

The range includes the 40V LI-ION POWER models LYCOS 40/340 M, LYCOS 40/370 M and LYCOS 40/400 M - they have a lightweight plastic housing and impress with their outstanding cutting and collection performance. You want to mulch? No problem: Just turn the CCM switch (CCM = Cut, Collect & Mulch) and you're ready to go without any additional accessories. If you have a medium-sized lawn to mow, then the best choice is the top model LYCOS 40/400M. You can also mow lawns of up to 800 m².



LYCOS 40V LAWN MOWERS

NEW



- › Central cutting height adjustment
6-fold: 2,5–7,5 cm
- › Cutting width: 34 cm
- › 3-in-1 function: Cutting, collecting and mulching without additional accessory
- › Grass catcher: 35 l
- › Bar with quick-action clamp
- › Filling level indicator
- › Smart Index: indicates the remaining operation time of the mower with the battery currently in use
- › 5,0 Ah battery and speed charger included

Article	LYCOS 40/340 M
EAN code	4 008423 913439
Article number	18AKEJ43650
Lawn area	up to 300 m ²
Cutting width	34 cm
Weight	14 kg
SU	1
Price	-



- › Central cutting height adjustment
6-fold: 2,5–7,5 cm
- › Cutting width: 34 cm
- › 3-in-1 function: Cutting, collecting and mulching without additional accessory
- › Grass catcher: 35 l
- › Bar with quick-action clamp
- › Filling level indicator
- › Smart Index: indicates the remaining operation time of the mower with the battery currently in use
- › 5,0 Ah battery and speed charger included

Article	LYCOS 40/370 M
EAN code	4 008423 913446
Article number	18AKHJ53650
Lawn area	300-500 m ²
Cutting width	37 cm
Weight	15 kg
SU	1
Price	-



- › Central cutting height adjustment
6-fold: 2,5–7,5 cm
- › Cutting width: 40 cm
- › 3-in-1 function: Cutting, collecting and mulching without additional accessory
- › Grass catcher: 40 l
- › Bar with quick-action clamp
- › Filling level indicator
- › Smart Index: indicates the remaining operation time of the mower with the battery currently in use
- › 5,0 Ah battery and speed charger included

Article	LYCOS 40/400 M
EAN code	4 008423 913453
Article number	18AKJJ63650
Lawn area	500-800 m ²
Cutting width	40 cm
Weight	16 kg
SU	1
Price	-

3

ACCESSORIES FOR LYCOS 40V BATTERY RANGE

NEW

LYCOS



40V QUICK CHARGER

- › Suitable for all batteries of the 40V range
- › 4.3 A charging current ensures fast charging
- › cooling fan
- › Wall mounting possible

Article	LYCOS 40/430 QC
EAN code	4 008423 913712
Article number	49AL401-650
Price	-



REPLACEABLE 40V BATTERY

- › Usable for all devices in the 40V family
- › Integrated battery management system
- › Very compact and lightweight

Article	LYCOS 40/250 A
EAN code	4 008423 913729
Article number	49AP401-650
Capacity / Energy	2,5 Ah / 90 Wh
Price	-



REPLACEABLE 40V BATTERY

- › Usable for all devices in the 40V family
- › Integrated battery management system
- › Very compact and lightweight

Article	LYCOS 40/500 A
EAN code	4 008423 913736
Article number	49AP402-650
Capacity / Energy	5,0 Ah / 180 Wh
Price	-



LEAF SCRAPER FOR 40V BLOWER

- › Can be used for: LYCOS 40/740 B, 72V Li-Ion Power 24 B
- › 2 pcs. per unit

Article	LEAF SCRAPER FOR 40V BLOWER
EAN code	4 008423 876536
Article number	196-630-650
Price	-



BLADE FOR LYCOS 40V LI-ION AKKU TRIMMER

- › Can be used for: LYCOS 40/300 T, 72V Li-Ion Power 30 T
- › 12 pcs. per unit

Article	BLADE FOR 40V TRIMMER
EAN code	4 008423 876543
Article number	196-631-650
Price	-

GARDENING TOOLS WITH BATTERY INCLUDED

**Ready to go –
it couldn't be simpler**



LI-ION POWER[®]

Gardening tools with batteries included are ideal for anybody who wants to do their gardening with a minimum of work. LI-ION POWER battery tools from WOLF-Garten offer you a new freedom of movement. They are practically always ready to go, low-maintenance and low-care, energy-efficient, quiet and eco-friendly. The shears are ideal for fast, effortless cutting of precise edges and contours even on larger lawns. Two models come with cutting heads that turn by 180° for especially ergonomic handling. The battery-powered shrub shear is just as convenient and powerful: Thanks to its ergonomic handle, you can trim even larger shrubs without any strain on your wrists.

BATTERY-POWERED SHEARS WITH INTEGRATED BATTERY



LAWN SHEAR

- › Battery: 3,6 V / 1,5 Ah
- › Incl. charger
- › Charging time: 4 hours
- › Weight: 0,5 kg



SHRUB SHEAR

- › Battery: 3,6 V / 1,5 Ah
- › Incl. charger
- › Charging time: 4 hours
- › Weight: 0,5 kg

Article	LI-ION POWER FINESSE 30 R
EAN code	4 009269 303507
Article number	41ASB11-650
Cutting width	80 mm
Runtime	40-50 min
SU	4
Price	-

Article	LI-ION POWER FINESSE 30 B
EAN code	4 009269 303873
Article number	41ASB01-650
Cutting width	150 mm
Runtime	40-50 min
SU	4
Price	-



SET

- › Battery: 3,6 V / 1,6 Ah
- › Set contains: Charger, contour knife, shrub knife and storage box
- › Charging time: 5 hours
- › Weight: 0,5 kg



- › Battery: 3,6 V / 2,2 Ah
- › Incl. charger
- › Charging time: 5 hours
- › Weight: 0,9 kg

Article	LI-ION POWER FINESSE 50
EAN code	4 009269 726900
Article number	7269000
Cutting width	60 and 80 mm / 110 mm
Runtime	45-50 min
SU	4
Price	-

Article	LI-ION POWER BATTERY 60
EAN code	4 009269 709101
Article number	7084880
Cutting width	80 mm
Runtime	50-75 min
SU	4
Price	-



SET

- › Battery: 3,6 V / 2,2 Ah
- › Incl. Charger and telescopic handle
- › Charging time: 5 hours
- › Weight: 0,9 kg



- › Battery: 7,2 V / 2,2 Ah
- › Incl. charger
- › Charging time: 6 hours
- › Weight: 0,9 kg

Article	LI-ION POWER BATTERY 60 SET
EAN code	4 009269 709187
Article number	7084889
Cutting width	80 mm
Runtime	50-75 min
SU	4
Price	-

Article	LI-ION POWER BATTERY 100
EAN code	4 009269 709309
Article number	7086880
Cutting width	100 mm
Runtime	50-125 min
SU	2
Price	-

BATTERY-POWERED SHEAR WITH INTEGRATED BATTERY



- › Battery: 7,2 V / 2,2 Ah
- › all in an attractive storage case
- › Incl. charger and grass cutter blade 10 EM
- › Charging time: 6 hours
- › Weight: 0,9 kg

Article	LI-ION POWER BS 80
EAN code	4 009269 709477
Article number	7087887
Cutting width/length	170 mm / 100 mm
Runtime	50–100 min
SU	4
Price	-

BATTERY SHEARS ACCESSORIES



AC-TS – TELESCOPIC HANDLE

- › Suitable for all cordless lawn and shrub shears from model year 2002 onwards (except LI-ION POWER FINESSE)

F 50 TS – TELESCOPIC HANDLE

- › Suitable for LI-ION POWER FINESSE 50

Article	AC-TS	F 50 TS
EAN code	4 009269 709507	4 009269 726689
Article number	7095000	7266090
SU	4	4
Price	-	-



GRASS CUTTER

- › Can be used for: LI-ION POWER FINESSE 50



CONTOUR BLADE

- › Can be used for: LI-ION POWER FINESSE 50



SHRUB BLADE

- › Can be used for: LI-ION POWER FINESSE 50

Article	Replacement blade 50 EMR
EAN code	4 009269 726665
Article number	7266093
Cutting width	80 mm
SU	4
Price	-

Article	Replacement blade 50 EMC
EAN code	4 009269 726788
Article number	7267093
Cutting width	60 mm
SU	4
Price	-

Article	Replacement blade 50 EMB
EAN code	4 009269 726887
Article number	7268093
Cutting width	110 mm
SU	4
Price	-



GRASS CUTTER

- › Suitable for all battery-powered lawn and shrub shears from model year 2002 onwards (except LI-ION POWER FINESSE)



GRASS CUTTER

- › Suitable for all cordless lawn and shrub shears from model year 2002 onwards with a cutting width from 100 mm (except LI-ION POWER FINESSE)



SHRUB BLADE

- › Suitable for all cordless lawn and shrub shears from model year 2002 onwards with a cutting width from 100 mm (except LI-ION POWER FINESSE)

Article	Replacement blade 8 EM
EAN code	4 009269 708432
Article number	7084093
Cutting width	80 mm
SU	4
Price	-

Article	Replacement blade 10 EM
EAN code	4 009269 708586
Article number	7085093
Cutting width	100 mm
SU	4
Price	-

Article	Replacement blade BS EM
EAN code	4 009269 709583
Article number	7095093
Cutting width	170 mm
SU	4
Price	-

3



Electric garden tools



LAWN MOWERS	P. 86	HEDGE TRIMMERS	P. 95
SCARIFIERS	P. 90	CHAINSAWS	P. 96
GRASS TRIMMERS	P. 92	SHREDDERS AND LEAF BLOWER	P. 97

S-SERIES ELECTRIC LAWN MOWERS



- › Motor: 230 V, 1.000 W, 3.260/min
- › Wheels (f/r): 140 mm / 140 mm
- › Manual cutting height adjustment, 3-fold
- › Grass catcher: 30 l
- › Can be used without grass catcher



- › Motor: 230 V, 1.400 W, 3.260/min
- › Wheels (f/r): 140 mm / 160 mm
- › Manual cutting height adjustment, 3-fold
- › Grass catcher: 40 l
- › Can be used without grass catcher

Article	S 3200 E
EAN code	4 009269 303330
Article number	18BCA1D-650
Lawn area	up to 150 m ²
Cutting width	32 cm
Weight	9 kg
SU	1
Price	-


Article	S 3800 E
EAN code	4 009269 303347
Article number	18BCF1S-650
Lawn area	up to 350 m ²
Cutting width	38 cm
Weight	10 kg
SU	1
Price	-



A-SERIES ELECTRIC LAWN MOWERS




CCM SYSTEM – 3 FUNCTIONS IN A SINGLE MOWER: The CCM system invented by WOLF-Garten and used in many electric and accumulator mowers stands for CUT, COLLECT & MULCH – cutting, collecting and mulching. With the CCM system, a single lawn mower can handle all three tasks. By turning the selector lever you can switch from one mode to the other. In this way, you can mow with or without a grass catcher bag, and in mulching mode, the cuttings can be finely chopped back into the lawn to optimize the nutrient supply.



PATENTED »FLICK FLACK®« CABLE ROUTING: the cable is guided and protected against tensile stress. It need not be handheld and is placed next to the machine when mowing to prevent the mower from running over the cable.



ACC SYSTEM: The innovative ACC system allows far better cutting and collection results. It prevents the ejection channel from being clogged and facilitates filling of the catching basket. No need to empty the collector bag as frequently as without ACC.



PERFECT CUT. OPTIMAL GRASS COLLECTION.

The ACC system works like a fan. The suction of the air flow has the following effects:

- › The blades of grass stand up (blue arrows), which means better cutting and a wonderfully even appearance.
- › Ideal transport of the cuttings (green arrows) and best possible filling of the grass catcher.

A-SERIES ELECTRIC LAWN MOWERS



- › Motor: 230 V, 1.200 W, 3.300/min
- › Wheels (f/r): 140 mm / 160 mm
- › Central cutting height adjustment, 3-fold: 2–6 cm
- › Grass catcher: 26 l



- › Motor: WOLF-Garten E-Power, 1.400 W, 3.500/min
- › Wheels (f/r): 150 mm / 200 mm
- › Central cutting height adjustment, 6-fold: 2,5–7,5 cm
- › Grass catcher: 35 l
- › »Flick Flack®« cable guide
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable
- › CCM system
- › ACC system

Article	A 320 E
EAN code	4 009269 306614
Article number	18BCL4J-650
Lawn area	up to 250 m ²
Cutting width	32 cm
Weight	10 kg
SU	1
Price	-

Article	A 340 E
EAN code	4 008423 861150
Article number	18BKEJS2650
Lawn area	up to 250 m ²
Cutting width	34 cm
Weight	14 kg
SU	1
Price	-



- › Motor: WOLF-Garten E-Power, 1.600 W, 3.500/min
- › Wheels (f/r): 150 mm / 200 mm
- › Central cutting height adjustment, 6-fold: 2,5–7,5 cm
- › Grass catcher: 40 l
- › »Flick Flack®« cable guide
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable
- › CCM system
- › ACC system



- › Motor: WOLF-Garten E-Power, 1.800 W, 3.500/min
- › Wheels (f/r): 150 mm / 200 mm
- › Central cutting height adjustment, 6-fold: 2,5–7,5 cm
- › Grass catcher: 45 l
- › »Flick Flack®« cable guide
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable
- › CCM system
- › ACC system

Article	A 370 E
EAN code	4 008423 861167
Article number	18BKJHJ2650
Lawn area	up to 350 m ²
Cutting width	37 cm
Weight	15 kg
SU	1
Price	-

Article	A 400 E
EAN code	4 008423 861174
Article number	18BKMJL2650
Lawn area	up to 450 m ²
Cutting width	40 cm
Weight	16 kg
SU	1
Price	-



4

ELECTRIC SCARIFIERS



- › High-performance 1.200 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 35 l
- › Housing: plastic
- › 2-in-1: Scarifying and collecting
- › Folding handle
- › Replacement blade WBS3001, AN: 196-101-650

Article	VS 302 E
EAN code	4 009269 306201
Article number	16BFDEKA650
Working width	30 cm
Weight	11 kg
SU	1
Price	-




- › High-performance 1.300 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 35 l
- › Housing: plastic
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Soft-Grip handle, foldable
- › Replacement blades WBS3001, AN: 196-101-650
- › Replacement springs WAS3001, AN:196-107-650

Article	VA 303 E
EAN code	4 009269 306218
Article number	16BFDFLA650
Working width	30 cm
Weight	12 kg
SU	1
Price	-



- › High-performance 1.600 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 45 l
- › Housing: plastic
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Height-adjustable handle with Soft-Grip, foldable
- › Replacement blade WBS3401, AN: 196-102-650
- › Replacement springs WAS3701, AN: 196-108-650

Article	VA 346 E
EAN code	4 009269 306225
Article number	16BFEOHA650
Working width	34 cm
Weight	15 kg
SU	1
Price	-



- › High-performance 1.800 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 50 l
- › Housing: plastic
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Height-adjustable handle with Soft-Grip, foldable
- › Replacement blade WBS3701, AN: 196-103-650
- › Replacement springs WAS3701, AN: 196-108-650

Article	VA 378 E
EAN code	4 009269 306232
Article number	16BFFHPA650
Working width	37 cm
Weight	15 kg
SU	1
Price	-



ADVANTAGES AT A GLANCE

- › **Easy, tool-free changeover** between aerator and scarifier
- › **Collector bag as practical accessory:** Directly collect and remove felt and moss into the collector bag
- › **Central working depth adjustment:** 5- or 6-fold adjustment of working depth
- › **Powerful motors/engines:** For electric as well as petrol scarifiers
- › **Ease of use:** Very easy to use due to full bale switch, pult handle for ergonomic working position



The innovative 3-in-1 function: Moss raking, scarifying, collecting. All A-series scarifiers feature the 3-in-1 system. Combining a moss rake for ventilation plus a scarifying and catching function ensures matchless comfort when gardening.

4

ACCESSORIES FOR ELECTRIC SCARIFIERS

EAN code	Article	Article number	Can be used for	SU	Price
4 009269 565318	WBS3001 replacement blade shaft KPL	196-101-650	30 cm scarifier	1	-
4 009269 565363	WAS3001 aerating roller KPL	196-107-650	30 cm scarifier	1	-
4 009269 565325	WBS3401 replacement blade shaft KPL	196-102-650	34 cm scarifier	1	-
4 009269 565370	WAS3701 aerating roller KPL	196-108-650	34/37 cm scarifier	1	-
4 009269 565332	WBS3701 replacement blade shaft KPL	196-103-650	37 cm scarifier	1	-
4 009269 565349	WBS3503 replacement blade shaft KPL	196-104-650	35 cm scarifier	1	-
4 009269 565387	WAS3803 aerating roller KPL	196-109-650	35/38 cm scarifier	1	-
4 009269 565356	WBS3803 replacement blade shaft KPL	196-105-650	38 cm scarifier	1	-

LYCOS ELECTRIC TRIMMERS


NEW

**Low weight.
A lot of power.**



WOLF-Garten has completely restructured its range of corded tools. All devices are now characterised by significantly improved ergonomics and a modern design. With the lawn trimmers and hedge trimmers, you have the choice between simple basic equipment for smaller jobs and more powerful equipment for larger requirements. So you'll find the right tool for every need in our range. But not only on the outside, a lot has happened with the "inner values" as well. All devices offer a high performance, while the weight is pleasantly low. This allows you to do your gardening work quickly and gently with immediate effect.

LYCOS ELECTRIC TRIMMERS

NEW


- › Motor: 280 W
- › 2-line technology, automatic tip-on line feed
- › Trimm- & Edge function
- › 2 handles
- › Trimmer line: 1,2 mm Ø (GT-RT, Art. 6070095)

Article	LYCOS E/280 T
EAN code	4 008423 913484
Article number	41AE2TD-650
Cutting diameter	23 cm
Weight	1,4 kg
SU	1
Price	-



- › Motor: 350 W
- › 2-line technology, automatic tip-on line feed
- › Telescopic handle
- › Trimm- & Edge funktion
- › Adjustable cutting head
- › Trimmer line: 1,2 mm Ø (GT-RT, Art. 6070095)

Article	LYCOS E/350 T
EAN code	4 008423 913491
Article number	41AE3TDT650
Cutting diameter	25 cm
Weight	2,1 kg
SU	1
Price	-



- › Motor: 400 W
- › 2-line technology, automatic line feed
- › Telescopic handle
- › Trimm- & Edge function
- › Adjustable cutting head
- › Trimmer line: 1,6 mm Ø (GT-F 10, Art. 49ATS0--650)

Article	LYCOS E/400 T
EAN code	4 008423 913514
Article number	41AE4TDT650
Cutting diameter	25 cm
Weight	2,5 kg
SU	1
Price	-



- › Motor: 500 W
- › 2-line technology, automatic line feed
- › Replacement trimmer line
- › Telescopic handle
- › Trimm- & Edge function with adjustable wheel support
- › Adjustable cutting head
- › Trimmer line: 1,6 mm Ø (GT-F 10, Art. 49ATS0--650)

Article	LYCOS E/500 T
EAN code	4 008423 913538
Article number	41AE5TET650
Cutting diameter	27 cm
Weight	2,5 kg
SU	1
Price	-



FLEXIBLE EDGE CARE

If you tilt the trimmer by 90° using the edge function, the grass trimmer becomes a precise lawn edge cutter.



ERGONOMIC TELESCOPIC HANDLES

In three out of four models, the handle is variable in height. That means you adopt the ergonomically correct, fatigue-free posture whether you are right- or left-handed.



ADJUSTABLE WORKING HEAD

One handle position is always right so you can reach every square centimetre even in wild growth and awkward corners.



EDGING WHEEL

A supporting edging wheel at the line trimmer LYCOS E/500 T is placed on the protection shield so the user can "drive" with the trimmer along the lawn edge.

ACCESSORIES FOR ELECTRIC AND BATTERY TRIMMERS



LINE REEL

- › Can be used for GTE 830, GTB 815
- › Quiet line

Article	GT-F 5
EAN code	4 009269 713702
Article number	7136095
Line length	1 x 5 m
Line diameter	1,4 mm
SU	10
Price	-



LINE REEL

- › Suitable for GT 840, 850 (until 2012)

Article	GT-F 7
EAN code	4 009269 713085
Article number	49ATS3--650
Line length	15 m
Line diameter	1,6 mm
SU	10
Price	-



LINE REEL

- › Suitable for GT 845, GT 850 (to 2012)

Article	GT-F 8
EAN code	4 009269 713689
Article number	49ATS2--650
Line length	2 x 6 m
Line diameter	1,6 mm
SU	10
Price	-



LINE REEL

- › Suitable for GT 815, GT 815 AC, GT 830

Article	RQ-FA
EAN code	4 009269 791311
Article number	49ATS1--650
Line length	5 m
Line diameter	1,4 mm
SU	10
Price	-



LINE REEL

- › Suitable for GT 840/845/850 (manufacturing date 2013), GTE 840, TE 845, GTE 850, GTB 36, 72V LI-ION POWER 30 T, LYCOS 40/300 T, LYCOS E/400 T, LYCOS E/500 T
- › Quiet line

Article	GT-F 10
EAN code	4 009269 713665
Article number	49ATS0--650
Line length	2 x 5 m
Line diameter	1,6 mm
SU	10
Price	-



LINE REEL

- › Suitable for LI-ON POWER GTA 700

Article	GT-F 700
EAN code	4 009269 305891
Article number	49AE0U-L650
Line length	3 m
Line diameter	1,6 mm
SU	2
Price	-



LINE REEL

- › Suitable for Campus 250 RT, Campus 350 RT, LYCOS E/280 T, LYCOS E/350 T

Article	GT-RT
EAN code	4 009269 607094
Article number	6070095
Line length	2 x 3 m
Line diameter	1,2 mm
SU	10
Price	-




REPLACEMENT LINE

- › Suitable for petrol and electric trimmers


Article	GT-F 24
EAN code	4 009269 715287
Article number	7152090
Line length	15 m
Line diameter	2,4 mm
SU	10
Price	-

LYCOS ELECTRICAL HEDGE TRIMMERS

NEW
AVAILABLE FROM
AUTUMN 2020



- › Hedge Trimmer, motor: 230 V, 400 W
- › Blade spacing: 18 mm
- › Two-hand-grip for better handling
- › Cable strain relief to prevent the cable from unplugging during work




- › Hedge Trimmer, motor: 230 V, 500 W
- › Blade spacing: 18 mm
- › Two-hand-grip for better handling
- › Cable strain relief to prevent the cable from unplugging during work

Article	LYCOS E/420 H
EAN code	4 008423 913507
Article number	41AE4HH-650
Engine	420 W
Blade length	45 cm
Teeth distance	18 mm
Weight	2,6 kg
SU	1
Price	-

Article	LYCOS E/500 H
EAN code	4 008423 913521
Article number	41AE5HJ-650
Engine	500 W
Blade length	55 cm
Teeth distance	18 mm
Weight	2,8 kg
SU	1
Price	-



- › High quality Dual action, laser cut blades for a fast cutting performance
- › Anti-Vibration Rubber pads for comfortable use – even for long-term tasks
- › Anti-Collision head for safe work near walls and corners
- › Round assistant handle for better steering even when cutting the hedge vertically



- › High quality Dual action, laser cut blades for a fast cutting performance
- › Anti-Vibration Rubber pads for comfortable use – even for long-term tasks
- › Anti-Collision head for safe work near walls and corners
- › Round assistant handle for better steering even when cutting the hedge vertically

Article	LYCOS E/600 H
EAN code	4 008423 913545
Article number	41AE6HJ-650
Engine	600 W
Blade length	55 cm
Teeth distance	26 mm
Weight	3,1 kg
SU	1
Price	-

Article	LYCOS E/700 H
EAN code	4 008423 913552
Article number	41AE7HL-650
Engine	700 W
Blade length	65 cm
Teeth distance	26 mm
Weight	3,3 kg
SU	1
Price	-

LYCOS ELECTRIC CHAINSAWS

NEW
AVAILABLE FROM
AUTUMN 2020



OREGON

Article	LYCOS E/2000 C
EAN code	4 008423 913569
Article number	41AECCF-650
Blade length	35 cm
Weight	4,3 kg
SU	1
Price	-

- › Motor: 230 V, 2.000 W
- › Tool-free chain tightening
- › Chain speed: 14 m/s
- › Quick-release chain replacement
- › Automatic chain lubrication
- › Soft-Grip handle



OREGON

Article	LYCOS E/2300 C
EAN code	4 008423 913576
Article number	41AECCG-650
Blade length	40 cm
Weight	4,5 kg
SU	1
Price	-

- › Motor: 230 V, 2.300 W
- › Tool-free chain tightening
- › Chain speed: 14 m/s
- › Quick-release chain replacement
- › Automatic chain lubrication
- › Soft-Grip handle

OREGON CHAIN AND SWORD

For the essential components of the chain saws, parts of the Oregon quality brand are used which are particularly characterized by a long durability.

METAL-SPIKES

In contrast to plastic tips, metal spikes make it easier to grip or move the sawn-off pieces of wood.

MOTOR IN LONGITUDINAL DIRECTION

The motor is built in lengthways for better weight distribution and a slimmer design, resulting in better ergonomics.

ELECTRIC SHREDDERS



UNIVERSAL SHREDDER

- › Motor: 230 V, 2.800 W, 2.850/min
- › Noise level: 104 dB(A)
- › Blade system: 2 reversible blades
- › Robust collecting box
- › Motor protection switch and zero-voltage switch
- › Motor brake
- › Re-start protection



QUIET SHREDDER

- › Motor: 230 V, 2.800 W, 46/min
- › Noise level: 92 dB(A)
- › Blade system: Blade roller
- › Robust collecting box
- › Motor protection switch and zero-voltage switch
- › Vibration-free draw-in action
- › Re-start protection

Article	SDE 2800 EVO
EAN code	4 009269 305747
Article number	24BC7B1C650
Branch diameter	max. 45 mm
Weight	24 kg
SU	1
Price	-

Article	SDL 2800 EVO
EAN code	4 009269 305761
Article number	24BC7G1C650
Branch diameter	max. 45 mm
Weight	26 kg
SU	1
Price	-

4

ELECTRIC LEAF BLOWER/VACUUM

- › Motor: Electric motor, 230 V, 2.600 W, 14.000/min
- › Grass catcher: 50 l
- › Air speed: up to 270 km/h
- › Suction/blowing volume up to 16 cm³/min
- › Shredding factor up to 10:1



Article	LBV 2600 E
EAN code	4 009269 306195
Article number	41BB0BE7650
Weight	3,5 kg
SU	2
Price	-



Handy rake for simple leaf collecting



Ergonomically shaped handle with comfortable lever for switching between suction and blowing



Ergonomic wheel support for easy use and transport



Large collecting bag



Petrol-powered gardening tools



LAWN MOWERS P. 100
SCARIFIERS P. 104
RIDE-ON MOWERS P. 105
SNOW THROWERS P. 106

TRANSMISSION TYPES

Get perfect results with the right transmission

All you need to know about our transmissions

WOLF-Garten offers four different drives for the lawn mower models – and for good reason. Because what you expect in terms of comfort and functions is quite individual – and depend, for example, on the size of the lawn and terrain. Read on to find out about the key benefits of our different transmissions.



DRIVE: PUSHED

With these models, you move the lawn mower forward with your own muscle power.



e.g.: A 4200



WHEEL DRIVE

Mowers with a simple wheel drive are moved forward at a speed of 3,6 km/h.



e.g.: A 5300 A



VARIO WHEEL DRIVE

For lawn mowers with a variable speed drive, the speed can be incremented in six steps.



e.g.: A 420 A V HW



EASYSPEED SYSTEM

Adapts to the user's pace up to 3,6 km/h



e.g.: A 530 A SP HW IS

A-SERIES PETROL MOWERS



- › Engine: WOLF-Garten OHV 45, 140 cm³, 2,1 kW, 2.800/min
- › Fuel tank: 1,0 l
- › Housing: Steel
- › Wheels (f/r): 180 mm / 200 mm
- › 3-in-1: Rear discharge, collect and mulch
- › Drive: pushed
- › Collecting volume: 60 l
- › Mulching kit: Optional
- › Height adjustment 2-lever axle adjustment, 6-fold: 2,8–9,2 cm
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable

Article	A 4200	A 4600
EAN code	4 008423 872644	4 008423 872651
Article number	11A-LOSC650	11A-TOSC650
Lawn area	up to 500 m ²	up to 800 m ²
Cutting width	42 cm	46 cm
Weight	29 kg	29 kg
SU	1	1
Price	-	-

A-SERIES PETROL MOWERS WITH WHEEL DRIVE



- › Engine: WOLF-Garten OHV 45, 140 cm³, 2,1 kW, 2.800/min
- › Fuel tank: 1,0 l
- › Housing: Steel
- › Wheels (f/r): 180 mm / 200 mm
- › 3-in-1: Rear discharge, collect and mulch
- › Drive: Rear-wheel drive
- › Collecting volume: 60 l
- › Mulching kit: Optional
- › Height adjustment 2-lever axle adjustment, 6-fold: 2,8–9,2 cm
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable



- › Engine: WOLF-Garten OHV 55, 159 cm³, 2,5 kW, 2.600/min
- › Fuel tank: 1,0 l
- › Housing: Steel
- › Wheels (f/r): 200 mm / 200 mm
- › 3-in-1: Rear discharge, collect and mulch
- › Drive: Rear-wheel drive
- › Collecting volume: 70 l
- › Mulching kit: Optional
- › Height adjustment 2-lever axle adjustment, 6-fold: 2,8–9,2 cm
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable

Article	A 4600 A
EAN code	4 008423 872606
Article number	12A-TOSC650
Lawn area	up to 800 m ²
Cutting width	46 cm
Weight	32 kg
SU	1
Price	-

Article	A 5300 A
EAN code	4 008423 872682
Article number	12B-POKC650
Lawn area	up to 1.000 m ²
Cutting width	53 cm
Weight	34 kg
SU	1
Price	-

NOW, MOWING IS 30% MORE EFFICIENT THANKS TO THE TRIPLEX SYSTEM



The combination of three blades achieves an excellent cutting pattern and increases mowing efficiency by up to 30 %.

Beyond the perfect cut, the rotary movement of the precision blades produces a strong air flow that sucks in the cuttings. This means the lawn is cut much more evenly. In addition, the rotation dynamics also deliver optimum grass catching results even in wet grass while protecting the motor shaft. When running, the TRIPLEX SYSTEM produces a pleasant and powerful cutting sound.



A-SERIES PETROL MOWER WITH VARIO WHEEL DRIVE



- › Engine: B&S, 450 E series, 125 cm³, 1,7 kW, 2.800/min
- › Comfortable Vario wheel drive
- › Housing: Steel
- › Wheels (f/r): 180 mm / 280 mm
- › Collecting volume: 60 l, filling level indicator
- › Central cutting height adjustment, 6-fold: 2,8–9,2 cm
- › Mulching kit included
- › Cutting deck washing nozzle
- › Height-adjustable handle with Soft-Grip, foldable
- › 3-in-1: Rear discharge, collect and mulch

Article	A 420 A V HW
EAN code	4 008423 872699
Article number	12AQLV5B650
Lawn area	up to 500 m ²
Cutting width	42 cm
Weight	30 kg
SU	1
Price	-

EASYSPEED – MOW AT YOUR OWN PACE

The 3 top models are all equipped with the EasySpeed system. This means that these WOLF-Garten lawn mowers automatically adapt to your walking pace up to 3,6 km/h, making mowing much more comfortable.



A-SERIES PETROL MOWER WITH WHEEL DRIVE



SAME AS A 420 A HW, EXCEPT:

- › Engine: B&S 575 EX series, 140 cm³, 2,1 kW, 2.800/min
- › EasySpeed drive
- › 3-in-1: Rear discharge, collect and mulch

Article	A 460 A SP HW
EAN code	4 008423 882315
Article number	12AWTV5E650
Lawn area	up to 500 m ²
Cutting width	46 cm
Weight	34 kg
SU	1
Price	-



SAME AS A 420 A HW, EXCEPT:

- › Engine: B&S 575 IS, 150 cm³, 2,2 kW, 2.800/min
- › EasySpeed drive
- › 4-in-1: Side/rear discharge, collect and mulch
- › Briggs & Stratton InStart Technology lets you start at the touch of a button

Article	A 460 A SP HW IS
EAN code	4 008423 882339
Article number	12AYTVB9650
Lawn area	up to 800 m ²
Cutting width	46 cm
Weight	34 kg
SU	1
Price	-



SAME AS A 420 A HW, EXCEPT:

- › Engine: B&S 675 EXi IS, 163 cm³, 2,6 kW, 2.800/min
- › EasySpeed drive
- › Wheels (f/r): 200 mm / 280 mm
- › Collecting volume: 70 l, filling level indicator
- › 4-in-1: Side/rear discharge, collect and mulch
- › Briggs & Stratton InStart Technology lets you start at the touch of a button

Article	A 530 A SP HW IS
EAN code	4 008423 882322
Article number	12AYPV7E650
Lawn area	up to 1.000 m ²
Cutting width	53 cm
Weight	36 kg
SU	1
Price	-

PETROL SCARIFIERS



- › Engine: B&S 550 series, 127 cm³, 2,4 kW, 3.500/min
- › Central working depth adjustment, 6 positions
- › Grass catcher: 45 l
- › Housing: Steel
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Folding handle
- › Replacement blade WBS3503, AN: 196-104-650
- › Replacement springs WAS3803, AN: 196-109-650

Article	VA 357 B
EAN code	4 009269 306249
Article number	16CHGJ0F650
Working width	35 cm
Weight	35 kg
SU	1
Price	-



- › Engine: B&S 750 series, 163 cm³, 3,5 kW, 3.500/min
- › Central working depth adjustment, 6 positions
- › Grass catcher: 50 l
- › Housing: Steel
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Folding handle
- › Replacement blade WBS3803, AN: 196-105-650
- › Replacement springs WAS3803, AN: 196-109-650

Article	VA 389 B
EAN code	4 009269 306256
Article number	16CHHJ0H650
Working width	38 cm
Weight	37 kg
SU	1
Price	-



- › Engine: B&S 550 series, 127 cm³, 2,4 kW, 3.600/min
- › Central working depth adjustment, continuously adjustable up to 1,5 cm
- › Wheels (f/r): 200 mm / 200 mm
- › Transport position
- › Folding handle
- › Optional grass catcher bag (TK 40, AN: 3635065)

Article	UV 35 B
EAN code	4 009269 363501
Article number	3635000
Working width	35 cm
Weight	35 kg
SU	1
Price	-

SCOOTER RIDE-ON MOWER



- › Engine: Briggs & Stratton, 1 cyl., 190 cm³, 3,7 kW
- › Transmatic transmission
- › Wheels (f/r): 13
- › Grass catcher: 150 l
- › 5-fold cutting height adjustment: 3,8–9,5 cm
- › Dimensions (L/W/H): 192 / 83 / 112 cm
- › Non-slip foot area
- › Mowing near to the edge on the right

Article	SCOOTER
EAN code	4 009269 305877
Article number	13B326SC650
Lawn area	up to 1.500 m ²
Cutting width	60 cm
Weight	140 kg
SU	1
Price	-



MOWING NEAR TO THE EDGE ON THE RIGHT



»SHIFT ON THE GO«
Transmatic transmission with 6 forward and 6 reverse speeds.



FORWARD AND REVERSE DRIVE



5-FOLD CUTTING HEIGHT ADJUSTMENT
between 3,8 and 9,5 cm

SCOOTER HYDRO RIDE-ON MOWER



- › Engine: WOLF-Garten, 1 cyl., 382 cm³, 7,9 kW, 2.900/min
- › Hydrostat transmission
- › Wheels (f/r): 13" x 5" / 16" x 6,5"
- › Grass catcher: 150 l
- › 5-fold cutting height adjustment: 3,8–9,5 cm
- › Dimensions (L/W/H): 192 / 83 / 112 cm
- › Non-slip foot area
- › Mowing near to the edge on the right
- › »Soft Park Drive«: 50 % reverse speed for safe and precise manoeuvring and no »bouncing« during reverse driving

Article	SCOOTER HYDRO
EAN code	4 008423 892208
Article number	13A721SD650
Lawn area	up to 2.500 m ²
Cutting width	76 cm
Weight	164 kg
SU	1
Price	-

EAN code	Article	Article number	Can be used for	SU	Price
4 008423 811797	Mulching kit / deflector 60 cm	196-707-678	SCOOTER	1	-
4 008423 862829	Mulching kit / deflector 76 cm	196-334-600	SCOOTER HYDRO	1	-

SNOW THROWER

Single-stage snow thrower

The clearing auger provides the forward drive and pulls the snow into the housing before throwing it out to the side through the discharge funnel. A special rubber coating protects the road surface and the auger itself.



- › 1-stage snow thrower with an ejection range of up to approx. 8 m
- › Snow thrower with a working width of 53 cm
- › Ideal for driveways and footpaths



- › Engine: WOLF-Garten 35H, OHV, 123 cm³, 2,2 kW, 3.600/min
- › Pull starter
- › Drive via intake auger
- › Wheels: 7" x 1,7"
- › Tank volume: 1,9 l
- › 180° rotation angle
- › Dimensions (H/W/D): approx. 91,5 / 57 / 111 cm

Article	SF 53
EAN code	4 009269 304641
Article number	31A-2M1E650
Clearing width	53 cm
Intake height	28 cm
Weight	31 kg
SU	1
Price	-

SNOW THROWER ACCESSORIES

SNOW THROWER TARPULIN

- › Sturdy vinyl hood with polyester reinforcement
- › UV-resistant and water-resistant



Article	SNOW THROWER TARPULIN
EAN code	4 047427 520458
Artikelnummer	2024-U1-0005
Dimensions (L/W/H)	approx. 170 / 80 / 100 cm
SU	1
Price	-

WINTER ENGINE OIL

- › Ideal for all WOLF-Garten snow throwers
- › Container size 1 litre
- › Viscosity: SAE 5W-30 HD, API SJ/CF, oil type: multigrade oil



Article	WINTER ENGINE OIL
EAN code	4 008423 821987
Artikelnummer	6012-V1-0040
Weight approx.	0,95 kg
SU	1
Price	-

FUEL STABILISER

- › Ensures your engine starts reliably by binding water
- › Protects against corrosion
- › Recommended for engines used for longer periods
- › Suitable for petrol and diesel engines



Article	FUEL STABILISER
EAN code	4 008423 852387
Artikelnummer	6012-V1-0045
Weight approx.	0,21 kg
SU	1
Price	-

PUSH SPREADER

- › Drive via wheels
- › Capacity: approx. 23 kg



Article	PUSH SPREADER
EAN code	4 008423 804492
Artikelnummer	190-701-000
Spreading width	100–220 cm
SU	1
Price	-

PUSH SPREADER

- › Drive via wheels
- › Capacity: approx. 59 kg
- › Pneumatic tyres



Article	PUSH SPREADER
EAN code	4 008423 808261
Artikelnummer	190-454A000
Spreading width	300–365 cm
SU	1
Price	-

More winter equipment can be found on page 41.





Seeds and fertilizers for lawn



CREATING A NEW LAWN	P. 110	LIQUID LAWN FERTILIZERS	P. 130
LAWN RENOVATION	P. 116	SPREADERS AND HOSE TROLLEYS	P. 132
ORGANIC LAWN CARE	P. 120		
MINERAL LAWN CARE	P. 124		

CREATING A NEW LAWN







CREATING A NEW LAWN

Starting is easy

How about a hard-wearing lawn where your children or your dog can play and where you can have garden parties? Or would you prefer a lush green lawn with dense growth that is simply stunning to look at? Or should your lawn be easy to create and care for?

Whatever your favourite lawn, we have good news for you: WOLF-Garten has exactly the right lawn for all requirements. Complete with high-quality grasses and the WOLF-Garten GERMINATION GUARANTEE. That's how your new lawn is a success right away.

WOLF-Garten SEEDS – HIGH DESTINY, MINIMAL CUTTINGS

	Premium lawn	Hard-wearing lawn	Premium dry turf	Sport and play lawn	Cheap seeds*
Density = shoots/m ²	100.000	80.000	70.000	60.000	20.000
Durability	very hard-wearing	very hard-wearing	hard-wearing	hard-wearing	capable of walking on
Shade compatibility	very high	medium/low	medium/low	medium/low	medium/low
Volume of cuttings	60 %	60 %	70 %	70 %	100 %
Weed susceptibility	very low	low	low	low	very high
Mow	once per week	once per week	once per week	once per week	twice per week
Water	high water requirement	medium water requirement	low water requirement, ideal for dry conditions	medium water requirement	high water requirement
Fertilise	4 times per year	3 times per year	2–3 times per year	2–3 times per year	3 times per year
					

*e.g. Berliner Tiergarten



BIO-ACTIVE LAWN SEEDS – GRASSES WITH SPECIAL VITALITY



BIO-ACTIVE's special bioavailability is based on the active ingredient *Pseudomonas Poradix*, which is also used in other edible plants and forms a natural »shelter« around the root of the plant. At the same time, a natural BIO-ACTIVE germination agent extracted from marine algae accelerates germination by up to 30 %.



START-ACTIVE

Accelerates germination, enables earlier use of the lawn, and thus makes lawn care easier.



IMMUN-ACTIVE

Strengthens resistance to pests and fungal disease.



VITAL-ACTIVE

Improves resistance to stresses such as dryness, heat and cold and optimises nutrient uptake.



GERMINATION GUARANTEE: EXCLUSIVELY FROM WOLF-Garten

Our lawn mixes are so high in quality that we provide a GERMINATION GUARANTEE for correspondingly labelled products exclusively on the German market. We guarantee our seeds will germinate within 6 weeks. Of course, we will replace the seed* if you do not get the germination result you want, despite following the sowing and care instructions.

*Manufacturer's guarantee from MTD Products AG, limited to supplementary performance and according to the guarantee conditions (available at www.WOLF-Garten.com).

SHADE & SUNLIGHT

Highly adaptable

SEEDS WITH EXCELLENT TOLERANCE OF SHADE AND SUN

All seed mixtures supplemented with »Poa supina« can be used in both shady and semi-shaded garden areas without problems. The only type of grass which tolerates both shade and sunlight effortlessly.

»SHADOW & SUN« PREMIUM-LAWN

CONTAINS THE ONLY SPECIES OF GRASS THAT CAN TOLERATE SHADE AND SUNSHINE IN THE LONG TERM

DENSE AND LUSH DREAM TURF MEETING THE MOST STRINGENT REQUIREMENTS IMPOSED

- › Lawn density: approx. 100.000 shoots/m²
- › 30 % faster germination with KEIM-FIX
- › Very hard-wearing, extremely dense and robust lawn surface
- › Very high shade compatibility
- › Reduced weed growth

- › 40 % lower volume of clippings compared to cheap seeds
- › WOLF-Garten GERMINATION GUARANTEE

APPLICATION PERIOD

- › April–October
- › Ideal: May and September



Article	Content, packaging	EAN code	Price
LP 10	for 10 m ² , foil bag	4 009269 382014 SU 20 AN: 3820010	-
LP 25	for 25 m ² , folding box	4 009269 382021 SU 8 AN: 3820020	-
LP 50	for 50 m ² , folding box	4 009269 382038 SU 8 AN: 3820030	-
LP 100	for 100 m ² , folding box	4 009269 382045 SU 3 AN: 3820040	-
LP 200	for 200 m ² , folding box	4 009269 382656 SU 2 AN: 3820050	-

HARD-WEARING LAWN »PROFI« ULTRA-ROBUST LAWN, PERFECT FOR SPORTING EVENTS



IDEAL FOR STRESSED LAWNS

- › Lawn density: approx. 80.000 shoots/m²
- › 30 % faster germination with KEIM-FIX
- › Very hard-wearing and ultra-durable
- › Durably resistant
- › Reduced weed growth
- › 40 % lower volume of clippings compared to cheap seeds
- › WOLF-Garten GERMINATION GUARANTEE

APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	Price
LJ 10	for 10 m ² , foil bag	4 009269 382052 SU 20 AN: 3821010	-
LJ 25	for 25 m ² , folding box	4 009269 382069 SU 8 AN: 3821020	-
LJ 50	for 50 m ² , folding box	4 009269 382076 SU 8 AN: 3821030	-
LJ 100	for 100 m ² , folding box	4 009269 382083 SU 3 AN: 3821040	-
LJ 200	for 200 m ² , folding box	4 009269 382090 SU 2 AN: 3821050	-

SPORT AND RECREATION LAWN DURABLE LAWN, SUITABLE FOR ALL TYPES OF SOIL



P 708

ROBUST AND ADVANTAGEOUS

- › Swiftly usable and hard-wearing
- › Easy to care for
- › Sprouts quickly, is resilient and grows on all garden soils
- › Brand quality at a special price

APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	Price
LG 120 S	for 120 m ² , spreading bag	4 009269 388856 SU 15 AN: 3825142	-
Promotion P 708	for 120 m ² , 15 x LG 120 S Space required: 1/4 pallet	4 009269 378871 SU 1 AN: 3734708	-
LG 125	for 125 m ² , foil bag	4 009269 382793 SU 8 AN: 3825020	-
Promotion P 633	for 125 m ² , 24 x LG 125 Space required: 1/4 pallet	4 009269 378116 SU 1 AN: 3734633	-
LG 250	for 250 m ² , paper bag	4 009269 385022 SU 4 AN: 3825030	-
Promotion P 339	for 250 m ² , 36 x LG 250 Space required: 1/2 pallet	4 009269 374347 SU 1 AN: 3732739	-
LG 500	for 500 m ² , paper bag	4 009269 385886 SU 2 AN: 3825040	-
Promotion P 582	for 500 m ² , 20 x LG 500 Space required: 1/2 pallet	4 009269 377195 SU 1 AN: 3733782	-

CREATING A NEW LAWN

SEED MIXTURES FOR LARGE AREAS OF LAWN



SHADOW LEAVES, 10 KG, SHADOW GREEN DREAM LAWN TO MEET THE MOST STRINGENT REQUIREMENTS

- › Lawn density: approx. 90.000 shoots/m²
- › VITAL-ACTIVE: With a root activator
- › Very hard-wearing, extremely dense and robust lawn surface

- › Very high shade compatibility
- › Reduced weed growth
- › 40 % lower volume of clippings compared to cheap seeds

Article	Content, packaging	EAN code	Price
SCR 500	for 500 m ² , paper bag	4 009269 389464 SU 1 AN: 3820070	-



UNIVERSAL LAWN 10 KG

- › Lawn density: approx. 70.000 shoots/m²
- › Fast-germinating and dense
- › Suitable for normal to high stresses
- › Grows on all garden soils
- › Strong, healthy and vital all-round lawn

APPLICATION PERIOD

- › April–October

Article	Content, packaging	EAN code	Price
U-RS 500	for 500 m ² , paper bag	4 009269 389570 SU 1 AN: 3825070	-

ROBO-SPECIAL LAWN MIX

SPECIAL



ESPECIALLY SUITABLE FOR SOWING AND RE-SEEDING LAWNS CARED FOR BY MOWING ROBOTS

- › Approx. 90.000 shoots/m²
- › Lawn mix geared to the mulching process supports optimal recycling of the clippings of slow-growing grasses
- › With WOLF-Garten GERMINATION GUARANTEE
- › 40 % lower volume of clippings

- › ROBO-Special lawn seeds are suitable both for new lawns as well as for re-seeding existing lawns. They produce very dense growth and suppress weeds, making for easy-care lawns
- › Lawns cared for with mowing robots are cut at very regular, short intervals. ROBO-Special lawn seeds form an extremely dense turf so the lawn provides an ideal surface for mowing robots

Article	Content, packaging	EAN code	Price
RO-SA 100	for 100 m ² , folding box	4 008423 873283 SU 3 AN: 3827045	-
RO-SA 500	for 500 m ² , paper bag	4 008423 873306 SU 2 AN: 3827075	-

MEDITERRANEO DRY LAWN

SPECIAL

TOLERATES HEAT AND DRY CONDITIONS



P 651

WITHSTANDS STRESS AND DRY CONDITIONS: ALLROUND LAWN

- › Lawn density: approx. 50.000 shoots/m²
- › High-quality and long-lasting mix with grass that tolerates dry conditions particularly well
- › Ideal for re-seeding and re-sowing under dry conditions

- › Densely growing, medium-green lawn with exceptional durability
- › Excellent regenerative ability, even when stressed

Article	Content, packaging	EAN code	Price
LU-TR 35	for 35 m ² , foil bag	4 009269 388672 SU 9 AN: 3824010	-
Promotion P 651	for 35 m ² , 60 x LU-TR 35 Space required: 1/4 pallet	4 009269 378284 SU 1 AN: 3734651	-
LU-TR 165	for 165 m ² , foil bag	4 009269 388689 SU 4 AN: 3824045	-

PREMIUM DRY LAWN

SPECIAL

PREMIUM LAWN RESISTS HEAT AND DRY CONDITIONS



A NATURAL BLEND OF LAWN GRASS RETAINING WATER AND DEEP-ROOTED LAWN GRASSES

- › A premium mixture of tested seeds, excels in tolerating heat and dryness and effectively prevents the turf from becoming matted
- › Natural rainfall can be used more effectively, reducing watering intervals

- › Saving water and resources
- › Resistant to frost, very beautiful evergreen, hard-wearing lawn

APPLICATION PERIOD

- › May–September
- › Ideal: May, August and September

Article	Content, packaging	EAN code	Price
L-TP 50	for 50 m ² , folding box	4 008423 865912 SU 4 AN: 3824630	-
L-TP 100	for 100 m ² , folding box	4 008423 865936 SU 3 AN: 3824640	-

LAWN SEEDS AUTUMN

SPECIAL

GERMINATE EVEN AT LOW TEMPERATURES



FOR NEW INSTALLATION OR REPAIR OF DAMAGED LAWNS IN AUTUMN

- › Very hard-wearing
- › Selected fast-germinating grasses provide a usable lawn within a few weeks even in autumn
- › Resistant to lawn diseases

- › Ideally suitable for a home lawn
- › Lawn under normal to high strain

APPLICATION PERIOD

- › August–October

Article	Content, packaging	EAN code	Price
LK-S 125	for 125 m ² , folding box	4 008423 868418 SU 3 AN: 3835050	-

LAWN RENOVATION

Lasting repairs at a stroke

After a hot summer, your lawn can be damaged and have dry spots. Following your kids' last football match or your garden party, there may be a bare patch or two. Maybe you've moved plants, or your dog has been digging for something. No problem! WOLF-Garten lawn repair products help you repair your lawn rapidly and reliably for a fresh, healthy look. And for those who don't want to wait, there are ultra-fast-germinating »turbo« products.



»TURBO RE-SEEDING« SHADE

CLOSES LARGE GAPS PARTICULARLY FAST AND TOLERATES BOTH SUN AND SHADE VERY WELL



HIGH-QUALITY, FAST-GERMINATING MIX FOR RE-SEEDING PATCHY LAWNS

- › Tried and tested »Turbo re-seeding« lawn mixture to close up lawn gaps fast
- › Enhanced with »Poa supina«, the only grass species that sustainably tolerates shadows
- › Thanks to »Poa supina«, safe and durable re-seeding in shady and semi-shady areas is now possible

- › BIO-ACTIVE enables 30 % faster germination and forms a natural protective shield around the plant roots for safe and seamless growth
- › Extremely dense, robust and deep-green lawn even in the shade

APPLICATION PERIOD

- › April–September

Article	Content, packaging	EAN code	Price
LR-S 10	for 10 m ² , foil bag	4 008423 866018 SU 20 AN: 3826610	-
LR-S 25	for 25 m ² , folding box	4 008423 866032 SU 8 AN: 3826625	-
LR-S 50	for 50 m ² , folding box	4 008423 866056 SU 8 AN: 3826635	-
LR-S 100	for 100 m ² , folding box	4 008423 866070 SU 3 AN: 3826645	-
LR-S 120	for 120 m ² , bin	4 008423 872880 SU 20 AN: 3826122	-
Promotion P 759	20 x LR-S 120 Space required: 1/4 pallet	4 008423 872897 SU 1 AN: 3734759	-

»TURBO RE-SEEDING« CLOSES LARGE GAPS IN THE TURF FAST



HIGH-QUALITY, FAST-GERMINATING MIX FOR RE-SEEDING PATCHY LAWN

- › 30 % faster germination and 20 % more germinated plants
- › Reliable germination and even emergence
- › Low volume of cuttings

- › Extremely hard-wearing and dense
- › With WOLF-Garten GERMINATION GUARANTEE

APPLICATION PERIOD

- › April–October

Article	Content, packaging	EAN code		Price
LR 10	for 10 m ² , foil bag	4 009269 362610	SU 20 AN: 3826010	-
LR 25	for 25 m ² , folding box	4 009269 385428	SU 8 AN: 3826020	-
LR 50	for 50 m ² , folding box	4 009269 385435	SU 8 AN: 3826030	-
LR 100	for 100 m ² , folding box	4 009269 385442	SU 3 AN: 3826040	-
LR 120	for 120 m ² , bin	4 009269 387460	SU 20 AN: 3826121	-
Promotion P 525 (20% free)	20 x LR 120, Space required: 1/4 pallet	4 009269 376112	SU 1 AN: 3733725	-
LR 250	for 200 m ² , foil bag	4 009269 385640	SU 36 AN: 3826110	-
Promotion P 760	36 x LR 250 Space required: 1/2 pallet	4 008423 872903	SU 1 AN: 3734760	-

LAWN RENOVATION

»PREMIUM LAWN« WITH STARTER FERTILIZER 2-IN-1 REPAIR SYSTEM



A DREAM LAWN WITHOUT DIGGING IN JUST 6 WEEKS

- › Coordinated components ensure a very hard-wearing and dense lawn in just 6 weeks
- › Perfect for repairing or partial renewal
- › Lawn density: up to 100.000 shoots/m²
- › Germination 30 % faster
- › Very hard-wearing, extremely dense and robust lawn surface
- › Very high shade compatibility
- › Reduced weed growth

- › 40 % lower volume of clippings compared to cheap seeds
- › Reliable germination with special starter fertilizer
- › With WOLF-Garten GERMINATION GUARANTEE

APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	Price
L 20 SM	for 20 m², folding box	4 008423 891348 SU 8 AN: 3810008	-
L 50 SM	for 50 m², bin	4 009269 389471 SU 6 AN: 3810015	-
L 100 SM	for 100 m², bin	4 009269 389495 SU 4 AN: 3810025	-
L 200 SM	for 200 m², bin	4 009269 389594 SU 1 AN: 3810035	-

»HARD-WEARING LAWN« WITH PROFI STARTER FERTILIZER 2-IN-1 REPAIR SYSTEM



A DREAM LAWN WITHOUT DIGGING IN JUST 6 WEEKS

- › Coordinated components ensure a very hard-wearing and dense lawn in just 6 weeks
- › Perfect for cleaning or partial renewal
- › Lawn density: up to 80.000 shoots/m²
- › 30 % faster germination, with WOLF-Garten GERMINATION GUARANTEE
- › Extremely hard-wearing and permanently resilient

- › Reduced weed growth
- › 40 % lower volume of clippings compared to cheap seeds
- › Reliable germination with special starter fertilizer

APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	Price
L 50 LM	for 50 m², bin	4 009269 389518 SU 6 AN: 3811025	-
L 100 LM	for 100 m², bin	4 009269 389532 SU 6 AN: 3811035	-

LAWN REPAIR SET SEEDS AND STARTER FERTILIZERS CLOSE GAPS IN DENSE LAWNS



IMPROVING AND RENEWING SYSTEM

- › Comprising a quality grass mixture and lawn starter fertilizer
- › Fast-germinating and resilient
- › Lawn density: up to 70.000 shoots/m²
- › Reliable germination with special starter fertilizer

- › 30 % faster germination with KEIM-FIX

APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	Price
L 120 G	for 100 m², bin	4 009269 388825 SU 16 AN: 3825141	-
Promotion P 652 (20 % free)	16 x L 120 G Space required: 1/4 pallet	4 009269 378291 SU 1 AN: 3734652	-

SCARIFIER-MIX 4-IN-1

SPECIAL

HIGH-QUALITY, NATURAL INGREDIENTS FOR FAST LAWN REGENERATION, PARTICULARLY AFTER SCARIFYING



RE-SEEDING, SOIL IMPROVEMENT AND FERTILIZATION ALL IN ONE

- › »TURBO SEEDS« germinate extremely quickly
- › Organic-mineral slow-release fertilizer for faster root formation, dense growth and lawns which can be reused sooner
- › Premium natural ingredients help the lawn regenerate rapidly, particularly after scarifying.



THE READY-TO-USE 4-IN-1 MIX INCLUDES:

- › »TURBO RE-SEED«
- › Germ protection
- › Organic-mineral slow-release fertilizer
- › Pumice (a natural soil conditioner)

APPLICATION PERIOD

- › April–September

Article	Content, packaging	EAN code	Price
V-MIX 125	for 125 m ² , folding box	4 008423 867251 SU 3 AN: 3851620	-
Promotion P 730	24 x V-MIX 125 Space required: 1/4 pallet	4 008423 867275 SU 1 AN: 3734730	-



The 4 in 1 scarifying mix contains high-quality, natural ingredients that support rapid lawn regeneration, especially after scarifying. It ensures re-seeding, reliable germination, soil improvement and fertilization; all in a single operation.

- › »Turbo re-seeding« for ultra-fast lawn repair after scarifying.
- › Germ protection guarantees fast and reliable germination of high-quality seeds.
- › Organic-mineral slow-release fertilizer: Fast and long-lasting fertilizing action for accelerated root formation, denser grass growth and earlier usability.
- › Natural soil conditioner (pumice): ensures better water retention, rooting and aeration of the soil and loosens the soil structure.

Natura Bio

LAWN-REPAIR STICKS

SPECIAL

REPAIR DAMAGED AREAS OF LAWN AT MINIMAL EXPENSE



SOW – WATER – FINISHED

- › Protective cover made from a mix of clay and starch stores water
- › Safe from hungry birds
- › Reliable germination

- › High weight of the repair sticks ensures good soil contact and prevents washing away
- › WOLF-Garten GERMINATION GUARANTEE

Article	Content, packaging	EAN code	Price
R-RS 4	for 4 m ² , foil bag	4 008423 872910 SU 20 AN: 3837004	-
R-RS 15	for 15 m ² , folding box	4 008423 872934 SU 8 AN: 3837020	-
R-RSA 15	for 15 m ² in the grit box	4 008423 872958 SU 8 AN: 3837025	-

»NATURA BIO«

Ecological lawn and garden maintenance

Back to nature: Many home gardeners and even professionals want eco-friendly, gentle nutrients for their lawns and gardens. WOLF-Garten has the answer: with a special seed and fertilizer range characterized by the sustainability of the high-quality, natural ingredients: »Natura Bio«. It consists of purely natural ingredients, so it is 100% vegan - unique in the seeds and fertilizers market!



GUARANTEED FREE OF ANIMAL INGREDIENTS

Natura Bio REIN PFLANZLICH

What makes »Natura Bio« stand out is the sustainability of its high-quality, natural ingredients. For »Natura Bio«, WOLF-Garten uses only purely plant-based components from regenerative, non-genetically-modified raw materials without any animal and chemical ingredients. All raw materials used are suitable for organic farming, making them perfect for use in your own garden.



NEW

Good news for everyone who values a vegan lifestyle also in their garden: The »Natura Bio« range consists entirely of pure natural ingredients and is guaranteed to be free of animal and chemical additives. This is only available with seeds and fertilisers from WOLF-Garten! So that everyone at the sales shelf also sees immediately which products are vegan, the »Natura Bio« packaging now has the well-known VEGAN seal in a clearly visible manner.

SPECIAL FERTILIZERS | PAGES 136–141



6

LAWN PRODUCTS | PAGES 119, 122–123



ORGANIC LAWN CARE

Enjoy your dream lawn even more



To be healthy and lush, your lawn – depending on the weather and the season – regularly needs a specific, balanced mix of nutrients (e.g. nitrogen, phosphorus and potassium). With the fertilizer, lime and after-sowing products from »Natura Bio«, perfect care can be achieved right away. Thanks to the sustainability of the high-quality natural ingredients, this is at the same time extremely caring and compatible with the soil of your garden. New in the range is the »Natura Bio« soil activator for the promotion of the soil life and improvement of soil fertility. Lime and organically bound nutrients in the soil activator ensure a favourable pH value. Tired, low in nutrients soil is reactivated and growth disturbances are eliminated. Tip! use your »Natura Bio« soil activator together with »Natura Bio« fertilizer to improve plant health and to increase your yields.

Natura Bio REIN PFLANZLICH LAWN FERTILIZER



GUARANTEED FREE OF ANIMAL INGREDIENTS!

- › Promotes soil life
- › Purely plant based
- › Sustainable because it contains renewable raw ingredients
- › Good immediate and natural long-term effect
- › With magnesium for healthy, green blades
- › The lawn can be used immediately after application

Article	Content, packaging	EAN code	Price
NR 1,7	for 25 m ² , folding box	4 008423 874686 SU 6 AN: 3852005	-
NR 3,4	for 50 m ² , folding box	4 008423 874709 SU 4 AN: 3852010	-
NR 10,8	for 160 m ² , foil bag	4 008423 873078 SU 2 AN: 3852020	-
Promotion P 746	27 x NR 10,8 Space required: 1/2 display	4 008423 873061 SU 1 AN: 3734746	-
NR 18,9	for 280 m ² , foil bag	4 008423 873108 SU 1 AN: 3852030	-
Promotion P 748	18 x NR 18,9 Space required: 1/2 display	4 008423 873092 SU 1 AN: 3734748	-

Natura Bio REIN PFLANZLICH AUTUMN LAWN FERTILIZER



GUARANTEED FREE OF ANIMAL INGREDIENTS!

- › Ideal preparation for the winter
- › Increases resistance to fungal infections and frost
- › High potassium content strengthens plant health
- › Purely plant based

- › Sustainable because it contains renewable raw ingredients
- › Good immediate and natural long-term effects
- › No danger of burning the lawn
- › The lawn can be used immediately after application

Article	Content, packaging	EAN code	Price
NR-H 3,4	for 50 m ² , folding box	4 008423 874730 SU 4 AN: 3852610	-
NR-H 10,8	for 160 m ² , foil bag	4 008423 873566 SU 2 AN: 3852620	-
Promotion P 751	27 x NR-H 10,8 Space required: 1/2 display	4 008423 873160 SU 1 AN: 3734751	-
NR-H 18,9	for 280 m ² , foil bag	4 008423 873573 SU 1 AN: 3852630	-
Promotion P 752	18 x NR-H 18,9 Space required: 1/2 display	4 008423 873177 SU 1 AN: 3734752	-

Natura Bio REIN PFLANZLICH LAWN AND GARDEN LIME REVITALIZES SOIL AND PLANTS



NEUTRALIZES SOIL ACID – INCREASES PH

- › Fine granulate, quickly penetrates into the turf
- › Improves soil vitality and fertility
- › Improves the fertilising effect

- › The fine granulation and dissolution without clogging make lawn and garden lime ideal for application on all lawns
- › Reactivity of 50 %
- › Suitable for organic farming

Article	Content, packaging	EAN code	Price
RG-K 200	for 200 m ² , foil bag	4 008423 873849 SU 2 AN: 3836650	-
Promotion P 744	24 x RG-K 200 Space required: 1/4 display	4 008423 873344 SU 1 AN: 3734744	-

Natura Bio REIN PFLANZLICH SOIL ACTIVATOR PROMOTES SOIL FERTILITY

NEW



FOR RICH GREEN LAWNS AND VIGOROUS PLANTS

- › Enriches the soil with valuable microorganisms and important minerals
- › Increases the humus content through valuable organic substance
- › Optimizes root growth and thus creates optimal growth conditions

- › Suitable for lawns, vegetable beds, flowers and shrubs, fruit and berry bushes as well as indoor plants
- › Ideal for laying rolled lawns and new lawns
- › Finely granulated, low dust and suitable for spreaders
- › Sustainable through the use of renewable resources

Article	Content, packaging	EAN code	Price
N-BA 5	5 kg, for 60 m ² , folding box	4 008423 913255 SU 3 AN: 3871010	-
N-BA 10	10 kg, for 120 m ² , foil bag	4 008423 913279 SU 1 AN: 3871020	-

MINERAL LAWN CARE

So that the lawn always looks fantastically beautiful

Most soils don't provide enough nutrients, so to fertilize is a must. With WOLF-Garten long-acting lawn fertilisers, you give your lawn everything it needs – ideally tailored to the seasonal requirements of your lawn plants. The result is a real dream lawn which is extremely durable and withstands moss and weeds.


WOLF-Garten long-term lawn fertilizer provides your lawn plants with all the key nutrients they need. Thanks to a shell-type coating, an immediate, controlled initial effect without explosive growth is possible, as well as an even more uniform fertilising effect over many weeks. It promotes the healthy, dense and vigorous growth of grass plants and strengthens their resistance to moss and weeds.

PRO-QUALITY FOR LONG-LASTING, DENSE, HEALTHY AND VITAL LAWNS


WOLF-Garten long-term lawn fertilizer provides your lawn plants with all key nutrients they need comprehensively. It promotes the healthy, dense and vigorous growth of grass plants and strengthens their resistance to moss and weeds.

WOLF-Garten lawn long-time fertilizers release nutrients when needed – depending on natural growth factors such as temperature and humidity. WOLF-Garten uses an innovative coating material which encloses the fertilizer granulate. This intelligent pore technology regulates the release of nutrients in a temperature-dependent manner. During warmer periods the pores open and more nutrients reach the lawn plants. Under colder conditions, pores close when the grass needs fewer nutrients. Securing nutrient uptake and minimizing the risk of leaching of groundwater and soil – which may occur when using highly soluble fertilizers such as ammonium nitrate and others.

COMPARISON OF EFFECTS



Unsuitable, quickly soluble fertilizers



WOLF-Garten PREMIUM lawn fertilizer with controlled long-term effect

HOW IT WORKS

Ideal nutrient supply in all weathers



LONG-TERM LAWN FERTILIZER »PREMIUM« FOR 120 DAYS



INTELLIGENT CASING TECHNOLOGY CONTROLS NUTRIENT RELEASE

- › Extra-long active period: up to 120 days
- › The nutrient coat provides the optimal release of nutrients depending on the climate (many nutrients at high temperatures; fewer at low temperatures)
- › No sudden growth

- › Produces a dense, healthy, vital and durable lawn instead of moss and weeds
- › Professional fertilizer, proven on golf courses and sports fields
- › 30 % nitrogen, 5 % phosphate, 9 % potassium oxide, 2 % magnesium oxide

APPLICATION PERIOD

- › March–August

Article	Content, packaging	EAN code	Price
LE 50	for 50 m ² , folding box	4 009269 383059 SU 7 AN: 3830010	-
LE 100	for 100 m ² , folding box	4 009269 383066 SU 6 AN: 3830020	-
LE 250	for 250 m ² , bin	4 009269 383073 SU 4 AN: 3830030	-
LE 300	for 300 m ² , bin	4 009269 383271 SU 20 AN: 3830135	-
Promotion P 419	20 x LE 300 Space required: 1/4 pallet	4 009269 375078 SU 1 AN: 3733619	-
LE 450	for 450 m ² , foil bag	4 008423 859645 SU 2 AN: 3830045	-
Promotion P 716*	20 x LE 450 Space required: 1/4 pallet	4 008423 859669 SU 1 AN: 3734716	-

*As long as supply lasts

MINERAL LAWN CARE

LONG-TERM LAWN FERTILIZER FOR 70 DAYS PREMIUM LONG TERM NUTRIENT SUPPLY



EXCLUSIVELY FROM WOLF-Garten

- › In a resealable bag including a pourer for up to 700 m²
- › Easy handling since in a carrying bag with an integrated handle
- › Bulk opening for safe and clean transfer into the spreader
- › Easily opened and resealed with a practical zip fastener
- › 28 % nitrogen, 3 % phosphate, 7 % potassium oxide, 2 % magnesium
- › Healthy and deep-green lawn within 8–10 weeks



P 714 + P 654

Article	Content, packaging	EAN code	Price
LD 300 A	for 300 m ² , bin	4 008423 859836	SU 28 AN: 3836147 -
Promotion P 714	28 x LD 300 A Space required: 1/4 pallet	4 008423 859676	SU 1 AN: 3734714 -
LD 700 A	for 700 m ² , carry bag re-sealable and with pourer	4 009269 388849	SU 30 AN: 3836341 -
Promotion P 654	30 x LD 700 A Space required: 1/2 pallet	4 009269 378314	SU 1 AN: 3734654 -

START GRASS FERTILIZER ACCELERATES THE DEVELOPMENT OF YOUNG LAWN PLANTS



EVERYTHING A NEW LAWN NEEDS

- › Makes germination more reliable
- › Lawn reusable quicker thanks to lawn scars healing up to 50 % earlier
- › A high phosphorus content strengthens root formation and early side shoots and ensures dense and even growth.
- › 18 % nitrogen, 20 % phosphate, 10 % potassium oxide

APPLICATION PERIOD

- › April–October
- › Ideal: May and September

Article	Content, packaging	EAN code	Price
LH 50	for 50 m ² , folding box	4 009269 383028	SU 8 AN: 3833020 -
LH 100	for 100 m ² , folding box	4 009269 383035	SU 5 AN: 3833030 -
LH 240	for 240 m ² , bin	4 009269 388832	SU 4 AN: 3833035 -
Promotion P 653	20 x LH 240 Space required: 1/4 pallet	4 009269 378307	SU 1 AN: 3734653 -

AUTUMN LAWN FERTILIZER POTASSIUM GRASS FERTILIZER TO BE APPLIED IN AUTUMN



HEALTHY THROUGH THE WINTER – FIT INTO THE SPRING

- › With long-term effect from autumn to spring
- › Potassium strengthens the cell structure of the grasses
- › Improves the resilience of the lawn area
- › Reduces susceptibility to disease and frost and gets your lawn safely and healthily through the winter

- › 15 % nitrogen, 20 % potassium oxide, 3 % magnesium oxide

APPLICATION PERIOD

- › Summer/early autumn
- › Ideal: Mid-October

Article	Content, packaging	EAN code	Price
LK-B 100	for 100 m ² , folding box	4 009269 385039 SU 6 AN: 3835020	-
Promotion P 596	36 x LK-B 100 Space required: 1/4 pallet	4 009269 377799 SU 1 AN: 3733796	-
LK-B 250	for 250 m ² , bin	4 009269 387873 SU 20 AN: 3835140	-
Promotion P 597	20 x LK-B 250 Space required: 1/4 pallet	4 009269 377829 SU 1 AN: 3733797	-





»PLUS IRON« LAWN FERTILIZER



RAPIDLY ENSURES ULTRA-GREEN AND STRONG LAWNS

- › Healthy lawn green instead of moss
- › Acts fast by channelling nutrients right away
- › For a healthy, dense lawn
- › 14 % nitrogen, 7 % potassium oxide, 9 % iron

APPLICATION PERIOD

- › March–October

Article	Content, packaging	EAN code		Price
L-PM 100	for 100 m ² , folding box	4 008423 859799	SU 6 AN: 3842015	-
L-PM 300	for 300 m ² , bin	4 009269 388269	SU 2 AN: 3842030	-
Promotion P 622	16 x L-PM 300 Space required: 1/4 pallet	4 009269 378024	SU 1 AN: 3734622	-
L-PM 400*	foil bag	4 008423 876963	SU 2 AN: 3842040	-



ROBOT-SPECIAL LAWN LONG-TERM FERTILIZER

SPECIAL

FOR LAWN CARE WITH ROBOT MOWERS

6



SUPPORTS YOUR ROBOT LAWN MOWERS IN THE CARE OF THE LAWNING AREA

- › Lasts up to 70 days thanks to long-term components
- › Fertilizer specially adapted to the mulching process
- › Helps the lawn to recycle cuttings optimally
- › Protects lawns against thatch
- › 26 % nitrogen, 6 % potassium oxide, 1 % iron, 2 % magnesium oxide

APPLICATION PERIOD

- › March–September



P 709

Article	Content, packaging	EAN code	Price
RO-S 300	for 300 m ² , bin	4 009269 389556 SU 2 AN: 3836030	-
Promotion P 709*	16 x RO-S 300 Space required: 1/4 pallet	4 009269 378888 SU 1 AN: 3734709	-

*As long as supply lasts

LIQUID LAWN FERTILIZER

Ultra-fast fertilization

The lawn care revolution: Liquid fertilizer from WOLF-Garten! This fertilizer is fast and easy to use. Simply connect the spray bottle to the garden hose, switch on, and spray over your lawn. You can cover up to 100 m² of lawn in just three minutes. It's never been so easy to fertilize your lawn!



»PLUS IRON CHELATE« LIQUID LAWN FERTILIZER



FOR THRIVING LAWNS FREE OF MOSS

- › Biodegradable
- › No rust spots on slabs or walkways
- › No soil acidification
- › Acts very fast
- › 6 % nitrogen plus 2,6 % iron chelate

APPLICATION PERIOD

- › April–October

By using a premium iron chelate the results are even more attractive and effective!

Article	Content, packaging	EAN code	Price
LM 100 B	for 100 m ² , 1 l bottle incl. spray attachment	4 009269 388924	SU 5 AN 3846015 -

»LONG-TERM« LIQUID LAWN FERTILIZER



PERMANENTLY EFFECTIVE LAWN CARE – ONLY MINUTES OF APPLYING

- › Active for up to 50 days due to long-term component
- › For a lush and dense green lawn
- › Fast and effective nutrient supply via the leaf

- › Easy handling: Connect spray bottle to the garden hose – suitable for all commercially available plug systems
- › 20 % nitrogen, 3 % phosphate, 5 % potassium oxide

APPLICATION PERIOD

- › April–October

Article	Content, packaging	EAN code	Price
LL 100 B	for 100 m ² , 1 l bottle incl. spray attachment	4 009269 388283 SU 5 AN 3845010	-
LL 100 R	for 100 m ² , refill pack 1 l	4 009269 388290 SU 5 AN 3845020	-
LL 250 R	for 250 m ² , refill pack 2,5 l	4 009269 388306 SU 3 AN 3845030	-

LIQUID-LAWN FERTILIZER VITAL »SUMMER AND AUTUMN«



FOR THE KEY FERTILIZATION OF THE YEAR!

- › Revitalizes your lawns
- › Protects against dryness and heat, diseases, frost and snow mold
- › Easy handling: Connect spray bottle to the garden hose – suitable for all commercially available plug systems
- › Effective in use

APPLICATION PERIOD

- › June–November

Article	Content, packaging	EAN code	Price
LV 100 B	for 100 m ² , 1 l bottle incl. spray attachment	4 009269 388795 SU 5 AN 3848010	-
LV 250 R	for 250 m ² , refill pack 2,5 l	4 009269 388801 SU 3 AN 3848030	-

LIQUID-LAWN FERTILIZER VITAL »ORGANIC MINERAL«



USES INTO THE POWER OF VEGETABLE AGENTS

- › Activates the plants' own vital forces and root systems
- › Lawns can be used right after applying
- › Fast and effective nutrient supply via the leaf
- › Easy handling: Connect spray bottle to the garden hose – suitable for all commercially available plug systems
- › 12 % nitrogen, 5 % phosphate, 9 % potassium oxide, 2 % micronutrients

APPLICATION PERIOD

- › April–October

Article	Content, packaging	EAN code	Price
LO 100 B	for 100 m ² , 1 l bottle incl. spray attachment	4 009269 388344 SU 5 AN 3847010	-
LO 100 R	for 100 m ² , refill pack 1 l	4 009269 388351 SU 5 AN 3847020	-



SPREADERS AND HOSE TROLLEYS

Important helpers for an evenly green lawn

Even seed and fertilizer spreading is the basis for a dream lawn. You'll achieve this perfectly with the battery-operated manual spreader. It's even easier with one of the two agile spreader carts. After sowing, regular watering is important so that the grass seed germinates quickly and you can enjoy your dream lawn as soon as possible.

HANDHELD SPREADER



- › Usable for seeds, fertilizer, sand etc.
- › Spreading at the touch of a button
- › Spreading width individually adjustable from 0,5 to 2,50 m
- › Battery-operated (batteries not included)



Article	EAN code	Price
WE-B	4 009269 545518 SU 6 AN: 5455000A	-



UNIVERSAL SPREADER



- › Usable for seeds, fertilizer, sand etc.
- › Spreading width 41 cm
- › 15-l container
- › Light and manoeuvrable spreader for all kinds of spreading material

Article	EAN code	Price
WE 330	4 009269 542906 SU 6 AN: 5429000A	-

»PERFECT« SPREADER



- › Usable for seeds, fertilizer, sand etc.
- › Spreading width 43 cm
- › 16-l container
- › Stable during filling; precise, easy spreader adjustment
- › Spreading stop lever



Article	EAN code	Price
WE 430	4 009269 545006 SU 1 AN: 5450000	-

HOSE TROLLEY



GALVANIZED AND PERMANENTLY PROTECTED AGAINST RUST

- › Premium galvanized steel
- › Brass rotary coupling prevents the connecting hose rotating while rolling and unwinding
- › Solid construction for exceptional stability
- › Water stop included
- › Capacity: For 50 m ½-inch or 30 m ¾-inch hoses

Article	EAN code	Price
WS 50 Z	4 009269 291415 SU 1 AN: 5222000	-

»MAXI DELUXE« HOSE TROLLEY



GALVANIZED AND PERMANENTLY PROTECTED AGAINST RUST

- › Premium galvanized steel
- › Brass rotary coupling prevents the connecting hose rotating while rolling and unwinding
- › Solid construction for exceptional stability
- › Water stop included
- › Capacity: For 80 m ½-inch or 50 m ¾-inch hoses

Article	EAN code	Price
WS 80 Z	4 009269 291422 SU 1 AN: 5223000	-



**Seeds and fertilizers
for garden and balcony**



ORGANIC GARDEN FERTILIZERS S. 136

»NATURA BIO« SPECIAL FERTILIZERS



Plants and vegetables thrive

All »Natura Bio« special fertilizers feature a balanced nutrient content for your plants. The fertilizers are enriched with mycorrhiza. These microorganisms attach themselves to the plant roots and increase nutrient uptake. The natural root growth is strengthened and the plants' resistance to heat and dryness is improved by utilizing soil moisture. Resistance against pests and fungi has also been increased, making the plants significantly more vital. In brief: when it comes to achieving optimal fertilization, the »Natura Bio« fertilizers from WOLF-Garten are your best option.



**OVERVIEW
»NATURA BIO«
PRODUCTS ON P. 120**

Natura Bio REIN PFLANZLICH GARDEN FERTILIZER



GUARANTEED FREE OF ANIMAL INGREDIENTS!

- › Natural strength for vegetables and flowers
- › Increases soil fertility
- › Universal use for all garden plants
- › Sustainable because it contains renewable raw ingredients
- › 100 % plant-based for healthier harvest
- › Boosts growth and flowering
- › Purely plant based

Article	Content, packaging	EAN code	Price
NG 1,7	for 25 m ² , folding box	4 008423 874754 SU 6 AN: 3852705	-
NG 3,4	for 50 m ² , folding box	4 008423 874778 SU 4 AN: 3852710	-
NG 10,8	for 160 m ² , foil bag	4 008423 873627 SU 2 AN: 3852720	-
NG 18,9	for 280 m ² , foil bag	4 008423 873634 SU 1 AN: 3852730	-

Natura Bio

LAWN AND GARDEN LIME REVITALIZES SOIL AND PLANTS



NEUTRALIZES SOIL ACID – INCREASES PH

- › Fine granulate, quickly penetrates into the turf
- › Improves soil vitality and fertility
- › Improves the fertilising effect

- › The fine granulation and dissolution without clogging make lawn and garden lime ideal for application on all lawns
- › Reactivity of 50 %
- › Suitable for organic farming

Article	Content, packaging	EAN code	Price
RG-K 200	for 200 m ² , foil bag	4 008423 873849 SU 2 AN: 3836650	-
Promotion P 744	24 x RG-K 200 Space required: 1/4 display	4 008423 873344 SU 1 AN: 3734744	-

Natura Bio

REIN PFLANZLICH

BALCONY & TUB PLANT FERTILIZER



FOR PRETTY FLOWERS AND DEEP GREEN FOLIAGE

- › Natural power for all balcony and pot plants
- › For more vital plants with more flowering power
- › Boosts soil vitality with valuable organic substances
- › Purely plant-based – no animal ingredients, guaranteed!

- › Sustainable because it contains renewable raw ingredients
- › Fine, easy to scatter granulate with pleasant smell
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany

Article	Content, packaging	EAN code	Price
N-BK 0,25	for about 2 flower boxes/year, with water-repellent folding box	4 008423 881509 SU 24 AN: 3856002	-
N-BK 0,85	for about 7 flower boxes/year, with folding box	4 008423 881516 SU 6 AN: 3856005	-
N-BK 1,9	for about 15 flower boxes/year, with folding box	4 008423 881523 SU 5 AN: 3856010	-

Natura Bio

REIN PFLANZLICH

RAISED BED FERTILIZER



FOR VIGOROUS GROWTH AND A RICH HARVEST

- › Suitable for healthy cultivation of vegetables and herbs in raised beds
- › Boosts taste and maturity
- › Purely plant-based – no animal ingredients, guaranteed!
- › Boosts soil vitality with valuable organic substances

- › Sustainable because it contains renewable raw ingredients
- › Fine, easy to scatter granulate with pleasant smell
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany

Article	Content, packaging	EAN code	Price
N-HB 0,85	for about 3 m ² /year, with folding box	4 008423 881554 SU 6 AN: 3857005	-
N-HB 1,9	for about 7 m ² /year, with folding box	4 008423 881561 SU 5 AN: 3857010	-

Natura Bio REIN PFLANZLICH SHRUB FERTILIZER



FOR VIGOROUS GROWTH AND LUXURIANT BLOSSOM SPLENDOR

- › Provides luxuriant flowering splendour throughout the summer
- › For more vital plants with more flowering power
- › Purely plant-based – no animal ingredients, guaranteed!
- › Boosts soil vitality with valuable organic substances
- › Sustainable because it contains renewable raw ingredients
- › Fine, easy to scatter granulate with pleasant smell
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany

Article	Content, packaging	EAN code	Price
N-ST 0,85	for about 3–6 m ² /year, with folding box	4 008423 881585 SU 6 AN: 3858005	-
N-ST 1,9	for about 3–15 m ² /year, folding bag	4 008423 881592 SU 5 AN: 3858010	-

Natura Bio REIN PFLANZLICH TOMATO FERTILIZER



FOR JUICY, AROMATIC TOMATOES

- › High potassium content strengthens resistance to diseases and pests
- › For a rich and long-lasting tomato harvest
- › Purely plant-based – no animal ingredients, guaranteed!
- › Boosts soil vitality with valuable organic substances
- › Sustainable because it contains renewable raw ingredients
- › Fine, easy to scatter granulate with pleasant smell
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany

Article	Content, packaging	EAN code	Price
N-TO 0,25	for about 3 plants/year, with water-repellent folding box	4 008423 881370 SU 24 AN: 3853002	-
N-TO 0,85	for about 10 plants/year, with folding box	4 008423 881387 SU 6 AN: 3853005	-
N-TO 1,9	for about 20 plants/year, with folding box	4 008423 881394 SU 5 AN: 3853010	-

Natura Bio REIN PFLANZLICH BERRY FERTILIZER



FOR HEALTHY, AROMATIC BUSH FRUITS AND BERRIES

- › Suitable for all types of berries
 - › Boosts fruit ripeness and aroma
 - › Purely plant-based – no animal ingredients, guaranteed!
 - › Boosts soil vitality with valuable organic substances
- › Sustainable because it contains renewable raw ingredients
 - › Fine, easy to scatter granulate with pleasant smell
 - › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany

Article	Content, packaging	EAN code	Price
N-BE 0,85	for about 8–10 m ² /year, with folding box	4 008423 881479 SU 6 AN: 3855005	-
N-BE 1,9	for about 15–20 m ² /year, with folding box	4 008423 881486 SU 5 AN: 3855010	-



Natura Bio REIN PFLANZLICH ROSE FERTILIZER



FOR RICH AND LONG LASTING FLOWERING

- › For strong bud formation
- › Strengthens resistance to fungal diseases
- › Purely plant-based – no animal ingredients, guaranteed!
- › Boosts soil vitality with valuable organic substances
- › Sustainable because it contains renewable raw ingredients

- › Fine, easy to scatter granulate with pleasant smell
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany

Article	Content, packaging	EAN code	Price
N-RO 0,25	for about 3 roses/year, with water-repellent folding box	4 008423 881424	SU 24 AN: 3854002 -
N-RO 0,85	for about 10 roses/year, with folding box	4 008423 881431	SU 6 AN: 3854005 -
N-RO 1,9	for about 20 roses/year, with folding box	4 008423 881448	SU 5 AN: 3854010 -



Natura Bio REIN PFLANZLICH SHRUBS AND HEDGES FERTILIZER



FOR BOX TREE, ILEX, THUJA, TAXUS, CYPRESSES ETC.

- › Ensures healthy, vigorous and lush green plants
- › Strengthens resistance to drought, disease and frost
- › Purely plant-based – no animal ingredients, guaranteed!
- › Boosts soil vitality with valuable organic substances
- › Sustainable because it contains renewable raw ingredients
- › Fine, easy to scatter granulate with pleasant smell
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany.

Article	Content, packaging	EAN code	Price
N-SH 0,25	for about 2 m ² /year, folding box	4 008423 891362 SU 24 AN: 3859002	-
N-SH 0,85	for about 6 m ² /year, folding box	4 008423 891386 SU 6 AN: 3859005	-
N-SH 1,9	for about 15 m ² /year, folding box	4 008423 891409 SU 5 AN: 3859010	-

Natura Bio REIN PFLANZLICH RHODODENDRON FERTILIZER



FOR RICH FLOWERING OF PLANTS INCLUDING AZALEAS & HYDRANGEAS

- › Ensures lush flowering of all heathland plants
- › Strengthens resistance to drought, disease and frost
- › Purely plant-based – no animal ingredients, guaranteed!
- › Boosts soil vitality with valuable organic substances
- › Sustainable because it contains renewable raw ingredients
- › Fine, easy to scatter granulate with pleasant smell
- › This product is suitable for organic agriculture according to EU Directive 834/2007. Listed in the list of materials for organic agriculture in Germany.

Article	Content, packaging	EAN code	Price
N-RH 0,85	for about 7 plants/year, folding box	4 008423 891423 SU 6 AN: 3860005	-
N-RH 1,9	for about 15 plants/year, folding box	4 008423 891447 SU 5 AN: 3860010	-

Art. No.	Description	EAN code	Price
REEL MOWERS			
196-654-650	FS 320 Grass catcher	4008423885248	-
3622065	FS 350 Grass catcher	4009269362269	-
3623065	FS 380 Grass catcher	4009269362368	-

Art. No.	Description	EAN code	Price
LOOPO MOWING ROBOTS			
122-024-650	RoboZone with power plug	4008423883664	-
122-038-650	RoboZone mobil	4008423892185	-
122-010-650	Perimeter cable 100 m	4008423883626	-
122-011-650	Perimeter cable 200 m	4008423883633	-
122-020-650	Cable connector 10 pieces	4008423883657	-
122-016-650	Pegs, set of 50	4008423883640	-
122-098-650	Replacement blade Loopo S	4008423883732	-
122-095-650	Replacement blade Loopo M	4008423883725	-
122-077-650	RoboHome base for Loopo S	4008423883718	-
122-074-650	RoboHome base for Loopo M	4008423883701	-
122-116-650	Powerwheels Loopo M	4008423883749	-
122-122-650	RoboGrips items	4008423883763	-
122-149-650	Mulch cleaner	4008423883800	-

Art. No.	Description	EAN code	Price
BATTERY-POWERED GARDENING TOOLS			
49AP401-650	Battery LYCOS 40/250 A	4008423913729	-
49AP402-650	Battery LYCOS 40/500 A	4008423913736	-
49AL401-650	LYCOS 40/430 QC quick charger	4008423913712	-
196-630-650	Leaf scraper for 40V blower	4008423876536	-
196-631-650	Blade for 40V Trimmer	4008423876543	-
49ATS0--650	Line reel GT-F 10 2x5 m 1,6 mm Ø	4009269713665	-
7095000	AC-TS telescopic handle	4009269709507	-
7266090	F 50 TS telescopic handle	4009269726689	-
7266093	Replacement blade for 50 EMR	4009269726665	-
7267093	Replacement blade for 50 EMC	4009269726788	-
7268093	Replacement blade for 50 EMB	4009269726887	-
7084093	Replacement blade 8 EM	4009269708432	-
7085093	Replacement blade 10 EM	4009269708586	-
7095093	Replacement blade BS EM	4009269709583	-

Art. No.	Description	EAN code	Price
ELECTRIC GARDEN TOOLS			
196-101-650	WBS3001 replacement blade shaft KPL	4009269565318	-
196-107-650	WAS3001 aerating roller KPL	4009269565363	-
196-102-650	WBS3401 replacement blade shaft KPL	4009269565325	-
196-108-650	WAS3701 aerating roller KPL	4009269565370	-
196-103-650	WBS3701 replacement blade shaft KPL	4009269565332	-
49AT50--650	Line reel GT-F 10 2x5 m 1,6 mm Ø	4009269713665	-
6070095	GT-RT line reel	4009269607094	-
7152090	Replacement line GT-F 24	4009269715287	-
196-122-650	WBL3401 Replacement blade	4008423862591	-
196-123-650	WBL3701 Cutter bar	4008423862607	-
196-124-650	WBL4001 Cutter bar	4008423862614	-
WG742-04355	Vi 32 D replacement blade	4009269303880	-
WG742-04359	Vi 38 D replacement blade	4009269304023	-

Art. No.	Description	EAN code	Price
PETROL-POWERED LAWN MOWERS & SCARIFIERS			
196-113-650	Wbl4203 replacement blade	4009269565424	-
196-114-650	Wbl4603 replacement blade	4009269565431	-
196-115-650	Wbl5303 replacement blade	4009269565448	-
196-588-678	Mulching kit for lawn mower 46 cm	4008423855913	-
196-589-678	Mulching kit for lawn mower 53 cm	4008423855920	-
WG742-04405	Vi 46 D replacement blade	4009269305327	-
WG742-05024	Vi 53 W replacement blade	4008423865899	-
196-104-650	WBS3503 replacement blade shaft KPL	4009269565349	-
196-105-650	WBS3803 replacement blade shaft KPL	4009269565356	-
196-109-650	WAS3803 aerating roller KPL	4009269565387	-
3635065	TK 40 Grass catcher	4009269363563	-

Art. No.	Description	EAN code	Price
RIDE-ON MOWERS			
196-707-678	Mulching kit/deflector 60 cm	4008423811797	-
196-334-600	Mulching kit / deflector 76 cm	4008423862829	-

EMISSION/VIBRATION LEVELS

Electric garden tools	Hand-Arm vibrations K-factor	Body-vibrations K-factor	Noise level (LpA-/LwA-/LwAg-dB)	Page
LOOPO MOWING ROBOTS				
LOOPO S150	–	–	– / 69; Eco mode: 64 / –	63
LOOPO S300	–	–	– / 69; Eco mode: 64 / –	63
LOOPO S500 CONNECT	–	–	– / 69; Eco mode: 64 / –	63
LOOPO M1000	–	–	< 70 / 68 / 70	65
LOOPO M1500 CONNECT	–	–	< 70 / 68 / 70	65
LOOPO M2000	–	–	< 70 / 68 / 70	65
LAWN MOWERS				
S 3200 E	2,5 / 1,5 m/s ²	–	82 / 94 / 96	86
S 3800 E	2,5 / 1,5 m/s ²	–	84 / 91 / 93	86
A 320 E	< 2,5 / 1,0 m/s ²	–	85 / 93 / 96	88
A 340 E	< 2,5 / 1,0 m/s ²	–	86 / 90 / 96	88
A 370 E	< 2,5 / 1,0 m/s ²	–	86 / 93 / 96	88
A 400 E	< 2,5 / 1,0 m/s ²	–	86 / 90 / 96	88
SCARIFIERS				
VS 302 E	2,5 / 1,5 m/s ²	–	86 / 97 / 99	90
VA 303 E	5,0 / 1,5 m/s ²	–	86 / 97 / 99	90
VA 346 E	2,5 / 1,5 m/s ²	–	86 / 97 / 99	90
VA 378 E	2,5 / 1,5 m/s ²	–	86 / 97 / 99	90
LYCOS TRIMMERS				
LYCOS E/280 T	n,a, / n,a,	–	n,a, / n,a, / n,a,	93
LYCOS E/350 T	n,a, / n,a,	–	n,a, / n,a, / n,a,	93
LYCOS E/400 T	n,a, / n,a,	–	n,a, / n,a, / n,a,	93
LYCOS E/500 T	n,a, / n,a,	–	n,a, / n,a, / n,a,	93
LYCOS HEDGE TRIMMERS				
LYCOS E/420 H	n,a, / n,a,	–	n,a, / n,a, / n,a,	95
LYCOS E/500 H	n,a, / n,a,	–	n,a, / n,a, / n,a,	95
LYCOS E/600 H	n,a, / n,a,	–	n,a, / n,a, / n,a,	95
LYCOS E/700 H	n,a, / n,a,	–	n,a, / n,a, / n,a,	95
LYCOS CHAINSAWS				
LYCOS E/2000 C	n,a, / n,a,	–	n,a, / n,a, / n,a,	96
LYCOS E/2300 C	n,a, / n,a,	–	n,a, / n,a, / n,a,	96
SHREDDERS				
SDE 2800 EVO	–	–	84 / 101 / 104	97
SDL 2800 EVO	–	–	72 / 91 / 92	97
LEAF BLOWER/VACUUM				
LBV 2600 E	4,5 / 1,5 m/s ²	–	90 / 101 / 105	97

Battery-powered gardening tools	Hand-Arm vibrations K-factor	Body-vibrations K-factor	Noise level (LpA-/LwA-/LwAg-dB)	Page
LYCOS 40V BATTERY SYSTEM				
LYCOS 40/740 B	n,a, / n,a,	–	n,a, / n,a, / n,a,	74
LYCOS 40/480 V	n,a, / n,a,	–	n,a, / n,a, / n,a,	74
LYCOS 40/300 T	n,a, / n,a,	–	n,a, / n,a, / n,a,	75
LYCOS 40/230 BC	n,a, / n,a,	–	n,a, / n,a, / n,a,	75
LYCOS 40/500 H	n,a, / n,a,	–	n,a, / n,a, / n,a,	76
LYCOS 40/600 H	n,a, / n,a,	–	n,a, / n,a, / n,a,	76
LYCOS 40/340 M	n,a, / n,a,	–	n,a, / n,a, / n,a,	79
LYCOS 40/370 M	n,a, / n,a,	–	n,a, / n,a, / n,a,	79
LYCOS 40/400 M	n,a, / n,a,	–	n,a, / n,a, / n,a,	79
BATTERY SHEARS				
LI-ION POWER FINESSE 30 R	2,5 / 1,5 m/s ²	–	65 / 85 / 86	82
LI-ION POWER FINESSE 30 B	3,3 / 1,5 m/s ²	–	65 / 85 / 86	82
LI-ION POWER FINESSE 50	2,5 / 1,5 m/s ²	–	78 / 84 / 86	82
LI-ION POWER BATTERY 60	2,5 / 1,5 m/s ²	–	72 / 84 / 86	82
LI-ION POWER BATTERY 60 SET	2,5 / 1,5 m/s ²	–	72 / 84 / 86	82
LI-ION POWER BATTERY 100	2,5 / 1,5 m/s ²	–	72 / 84 / 86	82
LI-ION POWER BS 80	2,5 / 1,5 m/s ²	–	72 / 84 / 86	83
PETROL-POWERED GARDENING TOOLS				
Petrol-powered gardening tools	Hand-Arm vibrations K-factor	Body-vibrations K-factor	Noise level (LpA-/LwA-/LwAg-dB)	Page
LAWN MOWERS				
A 4200	5,0 / 1,5 m/s ²	–	84 / 94 / 96	101
A 4600	5,0 / 1,5 m/s ²	–	84 / 94 / 96	101
A 4600 A	5,0 / 1,5 m/s ²	–	84 / 94 / 96	101
A 5300 A	5,0 / 1,5 m/s ²	–	86 / 96 / 98	101
A 420 A V HW	5,0 / 1,5 m/s ²	–	84 / 94 / 96	102
A 460 A SP HW	5,0 / 1,5 m/s ²	–	84 / 94 / 96	103
A 460 A SP HW IS	5,0 / 1,5 m/s ²	–	84 / 94 / 96	103
A 530 A SP HW IS	5,0 / 1,5 m/s ²	–	86 / 96 / 98	103
SCARIFIER				
UV 35 B	7,0 / 1,5 m/s ²	–	87 / 98 / 100	104
VA 357 B	5,0 / 1,5 m/s ²	–	86 / 97 / 100	104
VA 389 B	7,0 / 1,5 m/s ²	–	87 / 98 / 100	104
RIDE-ON MOWERS				
SCOOTER	5,0 / 1,5 m/s ²	1,0 / 0,5 m/s ²	86 / 96 / 98	105
SCOOTER HYDRO	5,0 / 1,5 m/s ²	1,0 / 0,5 m/s ²	88 / 98 / 100	105
SNOW THROWERS				
SF 53	5 / 1,5 m/s ²	–	85 / 95 / 97	106



Quality Made in Germany

35 YEARS
JAHRE · JAAR
GUARANTEE
GARANTIE · GARANTIE
MADE IN GERMANY

We'll be celebrating the 35th anniversary of the ingenious multi-star® click system in style. Along with an improved version, we are now offering a 35-year guarantee for all multi-star® gardening tools starting with the 2018 model year! The best and longest guarantee promise on the market is a clear sign of the superior quality of this unique changing system. Because WOLF-Garten so firmly believes in the excellent quality of the multi-star® system, the company offers a »lifetime« guarantee.



Visit our
YouTube-channel on:
[www.youtube.com/
user/wolfgartentv](https://www.youtube.com/user/wolfgartentv)

Our guarantee



With our 2-year warranty on mowing robots* and all LI-ION POWER rechargeable batteries, we set the standard. This is the result of the selection of high-quality components and a certified quality assurance throughout the entire production process.

*to the battery we grant 1 year warranty, to batteries in exchange 6 months



We give you a 3-year warranty on all our motorised gardening tools (except mowing robots), limited to supplementary performance and according to the guarantee conditions (except for wear parts). For many products, this can even be extended by a further 1 or 2 years (see below).



All manual shears are »Made in Germany«. This means we give you a quality promise in terms of high-quality materials, excellent manufacturing, innovative functionality and design combined with the WOLF-Garten quality standard. We not only give you our word on this, but also a 10-year warranty (except for wear parts). The 10-year warranty also applies to multi-star® and mini tools up to model year 2017.

35 YEARS
JAHRE · JAAR
GUARANTEE
GARANTIE · GARANTIE
MADE IN GERMANY

For the entire multi-star® system, multi-star® Minis, tree care without ladder as well as all mini tools we offer a unique long-term guarantee of 35 years from the 2018 model year onwards. So that the next generation and the one after that will also benefit from the highest quality of the multi-star® system and our mini tools unhindered.

Innovations made in Germany. Since 1922.

Ever since its foundation, WOLF-Garten has stood out for its innovative product solutions. We also focus on top quality, passion, and attention to detail.

In the beginning, small inventions make WOLF-Garten grow. Among the first: a draw hoe that made agricultural work easier. More innovations followed.

1926

Development of the »pulling cut« soil cultivation method



1953

WOLF-Garten introduces the first lawn mower equipped with the rotating blade system



1962

»Pulling cut« introduced for anvil cutters



1975

WOLF-Garten introduces the quietest petrol mower



1990

Soccer world championship in Italy: 10 of the 12 stadiums use the EUROGREEN program for their lawns.



BEFORE 1950

1950

1960

1970

1980



1922

Company founded



1958

WOLF-Garten introduces the first electric mower



1982

multi-star®, our innovative modular gardening tool system, is born

1995

WOLF-Garten introduces the Kabelfix® system with automatic retraction



2017

WOLF-Garten launches the »Natura Bio« ecological lawn and garden care range made from purely sustainable ingredients



THE FUTURE

WOLF-Garten remains dedicated to making gardening easier and more enjoyable for our customers.

1990

2000

2010

2020

2030



2005

WOLF-Garten introduces a world novelty in the electric mower segment: »Compact Plus« mower with integrated mulching unit



2018

WOLF-Garten gives a 35-year guarantee on the innovative multi-star® changing system – you could say for the gardener's entire life.



2020

WOLF-Garten launches the LYCOS 40V battery system – powerful, sustainable and environmentally friendly.



Gardening is our passion

Today, more than 85 % of the German population knows the WOLF-Garten brand. Here and in many other European countries, WOLF-Garten is synonymous with the fascination and joy of gardening. This positive brand image is the result of the consistent implementation of our clear corporate principle: developing innovations that make gardening easier, opening up new markets for the gardening industry, and establishing a firm brand presence. We are always driven by the needs of our customers and our overriding goal: to boost their pleasure in their gardens!

WOLF-Garten – Competence made in Europe



HEADQUARTERS AND DISTRIBUTION CENTRE, SAARBRÜCKEN-BÜBINGEN

WOLF-Garten is a quality brand that is manufactured in European plants and sold worldwide. The company headquarters in Saarbrücken-Bübingen focuses on sales, administration, purchasing, marketing, product and quality management and on product and spare parts logistics.



LAWN RESEARCH CENTRE ROSENHEIM/WESTERWALD

WOLF-Garten is the exclusive partner of the lawn experts at EUROGREEN, a subsidiary of the BayWa Group. Over 3,500 m² of test areas are available for the development and testing of lawn seed mixtures, fertilizers and process technologies. Unique in this size and form in Germany. The know-how and findings flow directly into the development of our seeds and fertilizers. This is an important factor in the high quality and variety of WOLF-Garten lawn mixtures.



EZBACH FACTORY

The Etzbach factory develops and produces lawn seeds and fertilizers for the European market.



SANKT WENDEL SITE

The Sankt Wendel factory produces manual garden tools such as multi-star® system tools, mini tools and hand shears for WOLF-Garten – quality »Made in Germany«.



NEMESVAMOS FACTORY (HUNGARY)

The factory in Hungary was founded in the year 2000 and annually produces approx. 500.000 lawn mowers as well as ride-on mowers, lawn tractors and motorised devices for garden and lawn care.



HORNBAACH SPARE PARTS WAREHOUSE

With 12.000 m² of storage space, the Hornbach spare parts warehouse continuously keeps more than 35.000 spare parts available.





Art. No. 196-765A650E • 09/2019
We reserve the right to make technical and price changes.



MTD Products Aktiengesellschaft
Industriestraße 23, 66129 Saarbrücken/Germany



www.WOLF-Garten.com